

KIDSCREEN Health Related Quality of Life Questionnaires

CD-ROM Appendix A7_D:

Provision of National Norm Data for Children and Adolescents for Individual Diagnostic Use

Table A7_D - 1: AT – Austria. Individual norm data for KIDSCREEN-52: Physical Well-being.....	7
Table A7_D - 2: AT – Austria. Individual norm data for KIDSCREEN-52: Psychological Well-being.....	8
Table A7_D - 3: AT – Austria. Individual norm data for KIDSCREEN-52: Moods & Emotions.....	9
Table A7_D - 4: AT – Austria. Individual norm data for KIDSCREEN-52: Self Perception.....	10
Table A7_D - 5: AT – Austria. Individual norm data for KIDSCREEN-52: Autonomy	11
Table A7_D - 6: AT – Austria. Individual norm data for KIDSCREEN-52: Parent Relations & Home Life	12
Table A7_D - 7: AT – Austria. Individual norm data for KIDSCREEN-52: Social Support & Peers.....	13
Table A7_D - 8: AT – Austria. Individual norm data for KIDSCREEN-52: School Environment	14
Table A7_D - 9: AT – Austria. Individual norm data for KIDSCREEN-52: Social Acceptance.....	15
Table A7_D - 10: AT – Austria. Individual norm data for KIDSCREEN-52: Financial Resources.....	16
Table A7_D - 11: AT – Austria. Individual norm data for KIDSCREEN-27: Physical Well-being.....	17
Table A7_D - 12: AT – Austria. Individual norm data for KIDSCREEN-27: Psychological Well-being.....	18
Table A7_D - 13: AT – Austria. Individual norm data for KIDSCREEN-27: Parent Relations & Autonomy.....	19
Table A7_D - 14: AT – Austria. Individual norm data for KIDSCREEN-27: Social Support & Peers.....	20
Table A7_D - 15: AT – Austria. Individual norm data for KIDSCREEN-27: School Environment	21
Table A7_D - 16: AT – Austria. Individual norm data for KIDSCREEN-10 Index	22
Table A7_D - 17: CH – Switzerland. Individual norm data for KIDSCREEN-52: Physical Well-being.....	23
Table A7_D - 18: CH – Switzerland. Individual norm data for KIDSCREEN-52: Psychological Well-being	24
Table A7_D - 19: CH – Switzerland. Individual norm data for KIDSCREEN-52: Moods & Emotions	25
Table A7_D - 20: CH – Switzerland. Individual norm data for KIDSCREEN-52: Self Perception	26
Table A7_D - 21: CH – Switzerland. Individual norm data for KIDSCREEN-52: Autonomy	27
Table A7_D - 22: CH – Switzerland. Individual norm data for KIDSCREEN-52: Parent Relations & Home Life.....	28
Table A7_D - 23: CH – Switzerland. Individual norm data for KIDSCREEN-52: Social Support & Peers	29
Table A7_D - 24: CH – Switzerland. Individual norm data for KIDSCREEN-52: School Environment.....	30
Table A7_D - 25: CH – Switzerland. Individual norm data for KIDSCREEN-52: Social Acceptance	31
Table A7_D - 26: CH – Switzerland. Individual norm data for KIDSCREEN-52: Financial Resources	32
Table A7_D - 27: CH – Switzerland. Individual norm data for KIDSCREEN-27: Physical Well-being.....	33
Table A7_D - 28: CH – Switzerland. Individual norm data for KIDSCREEN-27: Psychological Well-being	34
Table A7_D - 29: CH – Switzerland. Individual norm data for KIDSCREEN-27: Parent Relations & Autonomy.....	35
Table A7_D - 30: CH – Switzerland. Individual norm data for KIDSCREEN-27: Social Support & Peers	36
Table A7_D - 31: CH – Switzerland. Individual norm data for KIDSCREEN-27: School Environment.....	37

Table A7_D - 32: CH – Switzerland. Individual norm data for KIDSCREEN-10 Index.....	38
Table A7_D - 33: CZ – Czech Republic. Individual norm data KIDSCREEN-52: Physical Well-being.....	39
Table A7_D - 34: CZ – Czech Republic. Individual norm data KIDSCREEN-52: Psychological Well-being.....	40
Table A7_D - 35: CZ – Czech Republic. Individual norm data KIDSCREEN-52: Moods & Emotions.....	41
Table A7_D - 36: CZ – Czech Republic. Individual norm data KIDSCREEN-52: Self Perception.....	42
Table A7_D - 37: CZ – Czech Republic. Individual norm data KIDSCREEN-52: Autonomy.....	43
Table A7_D - 38: CZ – Czech Republic. Individual norm data KIDSCREEN-52: Parent Relation & Home Life.....	44
Table A7_D - 39: CZ – Czech Republic. Individual norm data KIDSCREEN-52: Social Support & Peers.....	45
Table A7_D - 40: CZ – Czech Republic. Individual norm data KIDSCREEN-52: School Environment.....	46
Table A7_D - 41: CZ – Czech Republic. Individual norm data KIDSCREEN-52: Social Acceptance.....	47
Table A7_D - 42: CZ – Czech Republic. Individual norm data KIDSCREEN-52: Financial Resources.....	48
Table A7_D - 43: CZ – Czech Republic. Individual norm data KIDSCREEN-27: Physical Well-being.....	49
Table A7_D - 44: CZ – Czech Republic. Individual norm data KIDSCREEN-27: Psychological Well-being.....	50
Table A7_D - 45: CZ – Czech Republic. Individual norm data KIDSCREEN-27: Parent Relations & Autonomy.....	51
Table A7_D - 46: CZ – Czech Republic. Individual norm data KIDSCREEN-27: Social Support & Peers.....	52
Table A7_D - 47: CZ – Czech Republic. Individual norm data KIDSCREEN-27: School Environment.....	53
Table A7_D - 48: CZ – Czech Republic. Individual norm data KIDSCREEN-10 Index.....	54
Table A7_D - 49: DE – Germany. Individual norm data for KIDSCREEN-52: Physical Well-being.....	55
Table A7_D - 50: DE – Germany. Individual norm data for KIDSCREEN-52: Psychological Well-being.....	56
Table A7_D - 51: DE – Germany. Individual norm data for KIDSCREEN-52: Moods & Emotions.....	57
Table A7_D - 52: DE – Germany. Individual norm data for KIDSCREEN-52: Self Perception.....	58
Table A7_D - 53: DE – Germany. Individual norm data for KIDSCREEN-52: Autonomy.....	59
Table A7_D - 54: DE – Germany. Individual norm data for KIDSCREEN-52: Parent Relations & Home Life.....	60
Table A7_D - 55: DE – Germany. Individual norm data for KIDSCREEN-52: Social Support & Peers.....	61
Table A7_D - 56: DE – Germany. Individual norm data for KIDSCREEN-52: School Environment.....	62
Table A7_D - 57: DE – Germany. Individual norm data for KIDSCREEN-52: Social Acceptance.....	63
Table A7_D - 58: DE – Germany. Individual norm data for KIDSCREEN-52: Financial Resources.....	64
Table A7_D - 59: DE – Germany. Individual norm data for KIDSCREEN-27: Physical Well-being.....	65
Table A7_D - 60: DE – Germany. Individual norm data for KIDSCREEN-27: Psychological Well-being.....	66
Table A7_D - 61: DE – Germany. Individual norm data for KIDSCREEN-27: Parent Relations & Autonomy.....	67
Table A7_D - 62: DE – Germany. Individual norm data for KIDSCREEN-27: Social Support & Peers.....	68
Table A7_D - 63: DE – Germany. Individual norm data for KIDSCREEN-27: School Environment.....	69
Table A7_D - 64: DE – Germany. Individual norm data for KIDSCREEN-10 Index.....	70
Table A7_D - 65: EL – Greece. Individual norm data for KIDSCREEN-52: Physical Well-being.....	71
Table A7_D - 66: EL – Greece. Individual norm data for KIDSCREEN-52: Psychological Well-being.....	72
Table A7_D - 67: EL – Greece. Individual norm data for KIDSCREEN-52: Moods & Emotions.....	73
Table A7_D - 68: EL – Greece. Individual norm data for KIDSCREEN-52: Self Perception.....	74
Table A7_D - 69: EL – Greece. Individual norm data for KIDSCREEN-52: Autonomy.....	75
Table A7_D - 70: EL – Greece. Individual norm data for KIDSCREEN-52: Parent Relations & Home Life.....	76

Table A7_D - 71: EL – Greece. Individual norm data for KIDSCREEN-52: Social Support & Peers.....	77
Table A7_D - 72: EL – Greece. Individual norm data for KIDSCREEN-52: School Environment.....	78
Table A7_D - 73: EL – Greece. Individual norm data for KIDSCREEN-52: Social Acceptance	79
Table A7_D - 74: EL – Greece. Individual norm data for KIDSCREEN-52: Financial Resources.....	80
Table A7_D - 75: EL – Greece. Individual norm data for KIDSCREEN-27: Physical Well-being.....	81
Table A7_D - 76: EL – Greece. Individual norm data for KIDSCREEN-27: Psychological Well-being.....	82
Table A7_D - 77: EL – Greece. Individual norm data for KIDSCREEN-27: Parent Relations & Autonomy.....	83
Table A7_D - 78: EL – Greece. Individual norm data for KIDSCREEN-27: Social Support & Peers.....	84
Table A7_D - 79: EL – Greece. Individual norm data for KIDSCREEN-27: School Environment	85
Table A7_D - 80: EL – Greece. Individual norm data for KIDSCREEN-10 Index.....	86
Table A7_D - 81: ES – Spain. Individual norm data for KIDSCREEN-52: Physical Well-being	87
Table A7_D - 82: ES – Spain. Individual norm data for KIDSCREEN-52: Psychological Well-being	88
Table A7_D - 83: ES – Spain. Individual norm data for KIDSCREEN-52: Moods & Emotions.....	89
Table A7_D - 84: ES – Spain. Individual norm data for KIDSCREEN-52: Self Perception.....	90
Table A7_D - 85: ES – Spain. Individual norm data for KIDSCREEN-52: Autonomy	91
Table A7_D - 86: ES – Spain. Individual norm data for KIDSCREEN-52: Parent Relations & Home Life.....	92
Table A7_D - 87: ES – Spain. Individual norm data for KIDSCREEN-52: Social Support & Peers	93
Table A7_D - 88: ES – Spain. Individual norm data for KIDSCREEN-52: School Environment.....	94
Table A7_D - 89: ES – Spain. Individual norm data for KIDSCREEN-52: Social Acceptance.....	95
Table A7_D - 90: ES – Spain. Individual norm data for KIDSCREEN-52: Financial Resources	96
Table A7_D - 91: ES – Spain. Individual norm data for KIDSCREEN-27: Physical Well-being	97
Table A7_D - 92: ES – Spain. Individual norm data for KIDSCREEN-27: Psychological Well-being	98
Table A7_D - 93: ES – Spain. Individual norm data for KIDSCREEN-27: Parent Relations & Autonomy	99
Table A7_D - 94: ES – Spain. Individual norm data for KIDSCREEN-27: Social Support & Peers	100
Table A7_D - 95: ES – Spain. Individual norm data for KIDSCREEN-27: School Environment.....	101
Table A7_D - 96: ES – Spain. Individual norm data for KIDSCREEN-10 Index	102
Table A7_D - 97: FR – France. Individual norm data for KIDSCREEN-52: Physical Well-being.....	103
Table A7_D - 98: FR – France. Individual norm data for KIDSCREEN-52: Psychological Well-being.....	104
Table A7_D - 99: FR – France. Individual norm data for KIDSCREEN-52: Moods & Emotions.....	105
Table A7_D - 100: FR – France. Individual norm data for KIDSCREEN-52: Self Perception.....	106
Table A7_D - 101: FR – France. Individual norm data for KIDSCREEN-52: Autonomy	107
Table A7_D - 102: FR – France. Individual norm data for KIDSCREEN-52: Parent Relations & Home Life...108	
Table A7_D - 103: FR – France. Individual norm data for KIDSCREEN-52: Social Support & Peers	109
Table A7_D - 104: FR – France. Individual norm data for KIDSCREEN-52: School Environment.....	110
Table A7_D - 105: FR – France. Individual norm data for KIDSCREEN-52: Social Acceptance.....	111
Table A7_D - 106: FR – France. Individual norm data for KIDSCREEN-52: Financial Resources	112
Table A7_D - 107: FR – France. Individual norm data for KIDSCREEN-27: Physical Well-being.....	113
Table A7_D - 108: FR – France. Individual norm data for KIDSCREEN-27: Psychological Well-being	114
Table A7_D - 109: FR – France. Individual norm data for KIDSCREEN-27: Parent Relations & Autonomy ...115	

Table A7_D - 110: FR – France. Individual norm data for KIDSCREEN-27: Social Support & Peers	116
Table A7_D - 111: FR – France. Individual norm data for KIDSCREEN-27: School Environment.....	117
Table A7_D - 112: FR – France. Individual norm data for KIDSCREEN-10 Index	118
Table A7_D - 113: HU – Hungary. Individual norm data for KIDSCREEN-52: Physical Well-being	119
Table A7_D - 114: HU – Hungary. Individual norm data for KIDSCREEN-52: Psychological Well-being	120
Table A7_D - 115: HU – Hungary. Individual norm data for KIDSCREEN-52: Moods & Emotions	121
Table A7_D - 116: HU – Hungary. Individual norm data for KIDSCREEN-52: Self Perception	122
Table A7_D - 117: HU – Hungary. Individual norm data for KIDSCREEN-52: Autonomy	123
Table A7_D - 118: HU – Hungary. Individual norm data for KIDSCREEN-52: Parent Relations & Home Life.....	124
Table A7_D - 119: HU – Hungary. Individual norm data for KIDSCREEN-52: Social Support & Peers	125
Table A7_D - 120: HU – Hungary. Individual norm data for KIDSCREEN-52: School Environment.....	126
Table A7_D - 121: HU – Hungary. Individual norm data for KIDSCREEN-52: Social Acceptance	127
Table A7_D - 122: HU – Hungary. Individual norm data for KIDSCREEN-52: Financial Resources	128
Table A7_D - 123: HU – Hungary. Individual norm data for KIDSCREEN-27: Physical Well-being	129
Table A7_D - 124: HU – Hungary. Individual norm data for KIDSCREEN-27: Psychological Well-being	130
Table A7_D - 125: HU – Hungary. Individual norm data for KIDSCREEN-27: Parent Relations & Autonomy.....	131
Table A7_D - 126: HU – Hungary. Individual norm data for KIDSCREEN-27: Social Support & Peers	132
Table A7_D - 127: HU – Hungary. Individual norm data for KIDSCREEN-27: School Environment.....	133
Table A7_D - 128: HU – Hungary. Individual norm data for KIDSCREEN-10 Index	134
Table A7_D - 129: IE – Ireland. Individual norm data for KIDSCREEN-52: Physical Well-being.....	135
Table A7_D - 130: IE – Ireland. Individual norm data for KIDSCREEN-52: Psychological Well-being.....	136
Table A7_D - 131: IE – Ireland. Individual norm data for KIDSCREEN-52: Moods & Emotions.....	137
Table A7_D - 132: IE – Ireland. Individual norm data for KIDSCREEN-52: Self Perception.....	138
Table A7_D - 133: IE – Ireland. Individual norm data for KIDSCREEN-52: Autonomy	139
Table A7_D - 134: IE – Ireland. Individual norm data for KIDSCREEN-52: Parent Relations & Home Life	140
Table A7_D - 135: IE – Ireland. Individual norm data for KIDSCREEN-52: Social Support & Peers.....	141
Table A7_D - 136: IE – Ireland. Individual norm data for KIDSCREEN-52: School Environment	142
Table A7_D - 137: IE – Ireland. Individual norm data for KIDSCREEN-52: Social Acceptance.....	143
Table A7_D - 138: IE – Ireland. Individual norm data for KIDSCREEN-52: Financial Resources.....	144
Table A7_D - 139: IE – Ireland. Individual norm data for KIDSCREEN-27: Physical Well-being.....	145
Table A7_D - 140: IE – Ireland. Individual norm data for KIDSCREEN-27: Psychological Well-being.....	146
Table A7_D - 141: IE – Ireland. Individual norm data for KIDSCREEN-27: Parent Relations & Autonomy.....	147
Table A7_D - 142: IE – Ireland. Individual norm data for KIDSCREEN-27: Social Support & Peers.....	148
Table A7_D - 143: IE – Ireland. Individual norm data for KIDSCREEN-27: School Environment	149
Table A7_D - 144: IE – Ireland. Individual norm data for KIDSCREEN-10 Index	150
Table A7_D - 145: NL – Netherlands Individual norm data for KIDSCREEN-52: Physical Well-being	151
Table A7_D - 146: NL – Netherlands. Individual norm data for KIDSCREEN-52: Psychological Well-being	152
Table A7_D - 147: NL – Netherlands. Individual norm data for KIDSCREEN-52: Moods & Emotions	153
Table A7_D - 148: NL – Netherlands. Individual norm data for KIDSCREEN-52: Self Perception	154

Table A7_D - 149: NL – Netherlands. Individual norm data for KIDSCREEN-52: Autonomy.....	155
Table A7_D - 150: NL – Netherlands. Individual norm data for KIDSCREEN-52: Parent Relations & Home Life.....	156
Table A7_D - 151: NL – Netherlands. Individual norm data for KIDSCREEN-52: Social Support & Peers	157
Table A7_D - 152: NL – Netherlands. Individual norm data for KIDSCREEN-52: School Environment.....	158
Table A7_D - 153: NL – Netherlands. Individual norm data for KIDSCREEN-52: Social Acceptance	159
Table A7_D - 154: NL – Netherlands. Individual norm data for KIDSCREEN-52: Financial Resources	160
Table A7_D - 155: NL – Netherlands. Individual norm data for KIDSCREEN-27: Physical Well-being	161
Table A7_D - 156: NL – Netherlands. Individual norm data for KIDSCREEN-27: Psychological Well-being	162
Table A7_D - 157: NL – Netherlands. Individual norm data for KIDSCREEN-27: Parent Relations & Autonomy.....	163
Table A7_D - 158: NL – Netherlands. Individual norm data for KIDSCREEN-27: Social Support & Peers	164
Table A7_D - 159: NL – Netherlands. Individual norm data for KIDSCREEN-27: School Environment.....	165
Table A7_D - 160: NL – Netherlands. Individual norm data for KIDSCREEN-10 Index.....	166
Table A7_D - 161: PL – Poland. Individual norm data for KIDSCREEN-52: Physical Well-being.....	167
Table A7_D - 162: PL – Poland. Individual norm data for KIDSCREEN-52: Psychological Well-being	168
Table A7_D - 163: PL – Poland. Individual norm data for KIDSCREEN-52: Moods & Emotions.....	169
Table A7_D - 164: PL – Poland. Individual norm data for KIDSCREEN-52: Self Perception.....	170
Table A7_D - 165: PL – Poland. Individual norm data for KIDSCREEN-52: Autonomy	171
Table A7_D - 166: PL – Poland. Individual norm data for KIDSCREEN-52: Parent Relations & Home Life.....	172
Table A7_D - 167: PL – Poland. Individual norm data for KIDSCREEN-52: Social Support & Peers	173
Table A7_D - 168: PL – Poland. Individual norm data for KIDSCREEN-52: School Environment.....	174
Table A7_D - 169: PL – Poland. Individual norm data for KIDSCREEN-52: Social Acceptance.....	175
Table A7_D - 170: PL – Poland. Individual norm data for KIDSCREEN-52: Financial Resources	176
Table A7_D - 171: PL – Poland. Individual norm data for KIDSCREEN-27: Physical Well-being.....	177
Table A7_D - 172: PL – Poland. Individual norm data for KIDSCREEN-27: Psychological Well-being	178
Table A7_D - 173: PL – Poland. Individual norm data for KIDSCREEN-27: Parent Relations & Autonomy	179
Table A7_D - 174: PL – Poland. Individual norm data for KIDSCREEN-27: Social Support & Peers	180
Table A7_D - 175: PL – Poland. Individual norm data for KIDSCREEN-27: School Environment.....	181
Table A7_D - 176: PL – Poland. Individual norm data for KIDSCREEN-10 Index	182
Table A7_D - 177: SE – Sweden. Individual norm data KIDSCREEN-52: Physical Well-being	183
Table A7_D - 178: SE – Sweden. Individual norm data KIDSCREEN-52: Psychological Well-being	184
Table A7_D - 179: SE – Sweden. Individual norm data KIDSCREEN-52: Moods & Emotions	185
Table A7_D - 180: SE – Sweden. Individual norm data KIDSCREEN-52: Self Perception	186
Table A7_D - 181: SE – Sweden. Individual norm data KIDSCREEN-52: Autonomy	187
Table A7_D - 182: SE – Sweden. Individual norm data KIDSCREEN-52: Parent Relations & Home Life.....	188
Table A7_D - 183: SE – Sweden. Individual norm data KIDSCREEN-52: Social Support & Peers	189
Table A7_D - 184: SE – Sweden. Individual norm data KIDSCREEN-52: School Environment.....	190
Table A7_D - 185: SE – Sweden. Individual norm data KIDSCREEN-52: Social Acceptance.....	191
Table A7_D - 186: SE – Sweden. Individual norm data KIDSCREEN-52: Financial Resources	192

Table A7_D - 187: SE – Sweden. Individual norm data KIDSCREEN-27: Physical Well-being	193
Table A7_D - 188: SE – Sweden. Individual norm data KIDSCREEN-27: Psychological Well-being	194
Table A7_D - 189: SE – Sweden. Individual norm data KIDSCREEN-27: Parent Relations & Autonomy	195
Table A7_D - 190: SE – Sweden. Individual norm data KIDSCREEN-27: Social Support & Peers	196
Table A7_D - 191: SE – Sweden. Individual norm data KIDSCREEN-27: School Environment.....	197
Table A7_D - 192: SE – Sweden. Individual norm data KIDSCREEN-10 Index	198
Table A7_D - 193: UK – United Kingdom. Individual norm data KIDSCREEN-52: Physical Well-being	199
Table A7_D - 194: UK – United Kingdom. Individual norm data KIDSCREEN-52: Psychological Well-being.....	200
Table A7_D - 195: UK – United Kingdom. Individual norm data KIDSCREEN-52: Moods & Emotions.....	201
Table A7_D - 196: UK – United Kingdom. Individual norm data KIDSCREEN-52: Self Perception.....	202
Table A7_D - 197: UK – United Kingdom. Individual norm data KIDSCREEN-52: Autonomy	203
Table A7_D - 198: UK – United Kingdom. Individual norm data KIDSCREEN-52: Parent Relation & Home Life.....	204
Table A7_D - 199: UK – United Kingdom. Individual norm data KIDSCREEN-52: Social Support & Peers ...	205
Table A7_D - 200: UK – United Kingdom. Individual norm data KIDSCREEN-52: School Environment	206
Table A7_D - 201: UK – United Kingdom. Individual norm data KIDSCREEN-52: Social Acceptance.....	207
Table A7_D - 202: UK – United Kingdom. Individual norm data KIDSCREEN-52: Financial Resources.....	208
Table A7_D - 203: UK – United Kingdom. Individual norm data KIDSCREEN-27: Physical Well-being	209
Table A7_D - 204: UK – United Kingdom. Individual norm data KIDSCREEN-27: Psychological Well-being.....	210
Table A7_D - 205: UK – United Kingdom. Individual norm data KIDSCREEN-27: Parent Relations & Autonomy.....	211
Table A7_D - 206: UK – United Kingdom. Individual norm data KIDSCREEN-27: Social Support & Peers ...	212
Table A7_D - 207: UK – United Kingdom. Individual norm data KIDSCREEN-27: School Environment	213
Table A7_D - 208: UK – United Kingdom. Individual norm data KIDSCREEN-10 Index	214

Table A7_D - 1: AT – Austria. Individual norm data for KIDSCREEN-52: Physical Well-being

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=270)		Males (n=235)		All (n=505)		Females (n=501)		Males (n=431)		All (n=932)		Females (n=771)		Males (n=666)		All (n=1437)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00																		
6	5.56							0.3	14.5			0.2	12.8	0.2	12.0			0.1	10.5
7	11.11			0.7	6.2	0.3	5.0	0.7	17.5	0.4	12.7	0.4	15.9	0.4	15.1	0.4	11.2	0.4	13.6
8	16.67			1.1	9.6	0.5	8.5	0.7	20.6	0.8	15.9	0.7	18.9	0.4	18.2	0.8	14.4	0.6	16.7
9	22.22	1.1	11.0	1.5	13.0	1.2	12.0	2.0	23.6	1.1	19.1	1.5	22.0	1.7	21.3	1.1	17.6	1.4	19.8
10	27.78	1.1	14.7	2.3	16.4	1.6	15.6	2.4	26.7	1.7	22.3	2.0	25.1	2.0	24.3	1.8	20.8	1.9	23.0
11	33.33	1.6	18.3	2.8	19.8	2.0	19.1	4.6	29.8	2.6	25.5	3.6	28.2	3.5	27.4	2.6	24.0	3.1	26.1
12	38.89	2.3	22.0	2.8	23.2	2.4	22.6	8.0	32.8	3.5	28.6	5.9	31.2	6.0	30.5	3.2	27.2	4.7	29.2
13	44.44	2.3	25.7	3.2	26.6	2.7	26.2	11.4	35.9	6.7	31.8	9.2	34.3	8.1	33.6	5.4	30.4	6.9	32.3
14	50.00	4.4	29.3	5.6	30.0	4.9	29.7	18.0	39.0	10.9	35.0	14.7	37.4	13.2	36.7	9.0	33.6	11.3	35.4
15	55.56	6.7	32.9	8.6	33.4	7.5	33.2	24.3	42.0	16.3	38.2	20.6	40.5	18.1	39.8	13.5	36.8	16.0	38.5
16	61.11	12.5	36.6	12.8	36.8	12.7	36.7	34.7	45.1	24.0	41.4	29.8	43.5	26.9	42.8	20.0	40.0	23.7	41.6
17	66.67	18.5	40.3	16.6	40.2	17.6	40.3	42.7	48.2	31.6	44.6	37.6	46.6	34.2	45.9	26.3	43.2	30.6	44.8
18	72.22	29.6	43.9	23.4	43.6	26.7	43.8	55.7	51.2	41.6	47.8	49.2	49.7	46.5	49.0	35.2	46.4	41.3	47.9
19	77.78	40.0	47.6	34.0	47.0	37.2	47.3	68.9	54.3	52.3	51.0	61.2	52.8	58.8	52.1	45.8	49.6	52.8	51.0
20	83.33	57.0	51.2	50.6	50.4	54.0	50.9	79.9	57.4	66.7	54.1	73.8	55.8	71.9	55.2	61.0	52.8	66.8	54.1
21	88.89	71.0	54.9	65.1	53.9	68.2	54.4	90.7	60.4	79.0	57.3	85.3	58.9	83.8	58.3	74.1	56.0	79.3	57.2
22	94.44	84.7	58.6	83.4	57.3	84.1	57.9	96.2	63.5	92.4	60.5	94.5	62.0	92.2	61.4	89.2	59.3	90.8	60.3
23	100.00	100.0	62.2	100.0	60.7	100.0	61.4	100.0	66.6	100.0	63.7	100.0	65.0	100.0	64.4	100.0	62.5	100.0	63.4

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ($M = 50$, $SD = 10$).

Table A7_D - 2: AT – Austria. Individual norm data for KIDSCREEN-52: Psychological Well-being

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=274)		Males (n=239)		All (n=513)		Females (n=511)		Males (n=437)		All (n=948)		Females (n=785)		Males (n=676)		All (n=1461)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00																		
7	4.17			0.7	-16.7	0.3	-26.1									0.2	-6.7	0.1	-4.0
8	8.33			0.7	-13.4	0.3	-22.3	0.3	7.0			0.2	4.1	0.2	0.7	0.2	-3.8	0.2	-1.2
9	12.50			0.7	-10.0	0.3	-18.5	0.3	9.5	0.4	2.3	0.3	6.7	0.2	3.4	0.4	-0.8	0.2	1.6
10	16.67			1.1	-6.7	0.5	-14.7	0.3	12.0	0.4	5.1	0.3	9.3	0.2	6.2	0.5	2.1	0.3	4.4
11	20.83			1.1	-3.4	0.5	-10.9	0.7	14.5	0.8	7.9	0.6	11.9	0.4	8.9	0.8	5.0	0.6	7.3
12	25.00			1.1	-0.4	0.5	-7.2	1.0	17.0	1.6	10.7	1.3	14.5	0.7	11.6	1.3	7.9	1.0	10.1
13	29.17			1.1	3.3	0.5	-3.4	2.0	19.5	1.6	13.5	1.8	17.1	1.3	14.4	1.3	10.9	1.3	12.9
14	33.33			1.1	6.6	0.5	0.3	2.3	21.9	2.1	16.3	2.1	19.7	1.5	17.1	1.7	13.8	1.5	15.7
15	37.50	0.6	-3.9	1.1	9.9	0.7	4.1	3.5	24.4	2.1	19.1	2.8	22.3	2.4	19.9	1.7	16.8	2.0	18.5
16	41.67	0.6	0.5	1.5	13.3	0.9	7.9	4.9	26.9	2.4	21.9	3.7	24.9	3.3	22.6	2.0	19.7	2.7	21.4
17	45.83	0.9	4.8	1.5	16.7	1.1	11.7	6.4	29.4	3.7	24.7	5.2	27.5	4.4	25.3	2.8	22.6	3.7	24.2
18	50.00	0.9	9.2	1.9	20.0	1.3	15.4	8.2	31.9	4.0	27.5	6.2	30.1	5.6	28.1	3.1	25.5	4.4	27.0
19	54.17	0.9	13.6	2.3	23.3	1.5	19.2	9.6	34.4	4.8	30.3	7.4	32.8	6.5	30.8	3.9	28.4	5.3	29.8
20	58.33	1.3	18.0	3.4	26.7	2.2	23.0	12.5	36.9	6.7	33.1	9.8	35.4	8.5	33.6	5.5	31.4	7.1	32.6
21	62.50	1.7	22.3	4.0	30.0	2.6	26.7	14.3	39.4	8.7	35.9	11.7	38.0	9.8	36.3	7.0	34.3	8.5	35.4
22	66.67	3.0	26.7	6.7	33.3	4.7	30.5	18.2	41.8	12.1	38.7	15.4	40.6	12.9	39.1	10.2	37.2	11.6	38.3
23	70.83	5.5	31.1	7.7	36.7	6.5	34.3	23.1	44.3	17.9	41.6	20.7	43.2	16.9	41.8	14.2	40.2	15.7	41.1
24	75.00	9.9	35.5	13.0	40.0	11.3	38.1	33.1	46.8	27.1	44.4	30.3	45.8	25.0	44.5	22.1	43.1	23.6	43.9
25	79.17	18.6	39.8	23.8	43.4	21.1	41.8	42.5	49.3	36.0	47.2	39.5	48.4	34.2	47.3	31.7	46.0	33.0	46.7
26	83.33	29.9	44.2	32.6	46.7	31.2	45.6	55.3	51.8	45.1	50.0	50.6	51.0	46.4	50.0	40.7	49.0	43.8	49.5
27	87.50	50.4	48.6	50.1	50.0	50.3	49.4	68.2	54.3	62.7	52.8	65.6	53.6	62.0	52.8	58.2	51.9	60.2	52.4
28	91.67	64.6	53.0	66.0	53.4	65.3	53.1	79.1	56.8	75.1	55.6	77.3	56.2	74.0	55.5	71.9	54.8	73.0	55.2
29	95.83	80.7	57.3	81.1	56.7	80.9	56.9	87.5	59.3	84.4	58.4	86.1	58.8	85.1	58.2	83.3	57.7	84.2	58.0
30	100.00	100.0	61.7	100.0	60.1	100.0	60.7	100.0	61.7	100.0	61.2	100.0	61.4	100.0	61.0	100.0	60.7	100.0	60.8

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7_D - 3: AT – Austria. Individual norm data for KIDSCREEN-52: Moods & Emotions

Raw-Score	0-100 Score	Females (n=270)		Children 8-11 Males (n=236)		All (n=506)		Females (n=509)		Adolescents 12-18 Males (n=434)		All (n=943)		Children & Adolescents 8-18 Females (n=779)		Males (n=670)		All (n=1449)		
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	
7	0.00																			
8	3.57																			
9	7.14																			
10	10.71				0.7	-5.6	0.3	-6.5								0.2	-2.6	0.1	5.1	
11	14.29				0.7	-3.0	0.3	-3.8								0.2	0.0	0.1	7.4	
12	17.86				0.7	-0.3	0.3	-1.1	0.8	17.2			0.4	12.9	0.5	13.5	0.2	2.6	0.3	9.7
13	21.43				0.7	2.3	0.3	1.6	1.1	19.2			0.6	15.0	0.7	15.6	0.2	5.1	0.5	11.9
14	25.00	0.6	3.6	0.7	4.9	0.5	4.3	1.8	21.2	0.4	8.7	1.1	17.2	1.3	17.8	0.4	7.7	0.8	14.2	
15	28.57	0.6	6.4	0.7	7.6	0.5	7.0	2.8	23.3	0.4	11.2	1.6	19.4	1.9	19.9	0.4	10.3	1.2	16.5	
16	32.14	0.6	9.2	1.1	10.2	0.7	9.7	3.1	25.3	0.4	13.7	1.8	21.5	2.1	22.1	0.5	12.8	1.3	18.8	
17	35.71	0.6	11.9	1.1	12.8	0.7	12.4	3.3	27.3	0.6	16.3	1.9	23.7	2.3	24.2	0.7	15.3	1.5	21.0	
18	39.29	1.0	14.7	1.1	15.5	0.9	15.1	4.9	29.3	1.4	18.8	3.3	25.9	3.4	26.3	1.2	17.9	2.4	23.3	
19	42.86	1.0	17.5	1.1	18.1	0.9	17.8	6.2	31.4	2.1	21.4	4.3	28.0	4.3	28.5	1.7	20.4	3.1	25.6	
20	46.43	1.3	20.2	1.5	20.7	1.2	20.5	7.2	33.4	2.8	23.9	5.2	30.2	5.1	30.6	2.3	23.0	3.8	27.8	
21	50.00	1.9	23.0	1.9	23.4	1.8	23.2	9.0	35.4	3.3	26.5	6.3	32.4	6.5	32.7	2.7	25.6	4.8	30.1	
22	53.57	3.0	25.7	3.5	26.0	3.2	25.9	13.1	37.4	4.9	29.0	9.3	34.5	9.6	34.9	4.4	28.1	7.2	32.4	
23	57.14	3.6	28.5	3.5	28.7	3.5	28.6	17.1	39.5	7.1	31.5	12.5	36.7	12.3	37.0	5.8	30.7	9.3	34.6	
24	60.71	5.9	31.3	6.4	31.3	6.1	31.3	22.2	41.5	9.9	34.1	16.5	38.8	16.6	39.1	8.7	33.2	12.9	36.9	
25	64.29	8.9	34.1	7.7	33.9	8.3	34.0	26.3	43.5	12.4	36.6	19.9	41.0	20.3	41.3	10.7	35.8	15.9	39.2	
26	67.86	13.7	36.8	11.4	36.5	12.6	36.7	31.0	45.5	16.4	39.1	24.3	43.2	25.0	43.4	14.6	38.3	20.2	41.4	
27	71.43	19.2	39.6	16.5	39.2	18.0	39.4	38.9	47.6	22.8	41.7	31.5	45.3	32.1	45.5	20.6	40.9	26.8	43.7	
28	75.00	22.9	42.4	23.3	41.8	23.1	42.1	45.8	49.6	27.2	44.2	37.2	47.5	37.9	47.7	25.8	43.4	32.3	46.0	
29	78.57	29.2	45.1	27.6	44.4	28.4	44.8	52.4	51.6	32.7	46.8	43.4	49.7	44.4	49.8	30.9	46.0	38.2	48.3	
30	82.14	41.0	47.9	34.8	47.1	38.1	47.5	60.1	53.7	43.8	49.3	52.6	51.8	53.5	52.0	40.6	48.6	47.6	50.5	
31	85.71	50.3	50.7	43.7	49.7	47.2	50.2	71.0	55.7	53.9	51.8	63.1	54.0	63.8	54.1	50.3	51.1	57.6	52.8	
32	89.29	60.7	53.4	54.8	52.4	57.9	52.9	79.6	57.7	64.6	54.4	72.7	56.2	73.1	56.2	61.1	53.7	67.5	55.1	
33	92.86	72.9	56.2	66.3	55.0	69.9	55.6	87.9	59.7	77.0	56.9	82.9	58.3	82.7	58.4	73.2	56.2	78.3	57.3	
34	96.43	87.0	59.0	82.3	57.6	84.8	58.3	94.5	61.8	90.1	59.5	92.5	60.5	91.9	60.5	87.3	58.8	89.8	59.6	
35	100.00	100.0	61.8	100.0	60.3	100.0	61.0	100.0	63.8	100.0	62.0	100.0	62.6	100.0	62.6	100.0	61.3	100.0	61.9	

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 4: AT – Austria. Individual norm data for KIDSCREEN-52: Self Perception

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=269)		Males (n=236)		All (n=505)		Females (n=513)		Males (n=435)		All (n=948)		Females (n=782)		Males (n=671)		All (n=1453)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00							0.4	20.2			0.2	16.6	0.3	17.1			0.2	12.5
6	5.00							0.4	22.5			0.2	19.0	0.3	19.4			0.2	15.0
7	10.00							1.2	24.8	0.4	11.9	0.7	21.3	0.8	21.7	0.2	7.7	0.5	17.4
8	15.00							1.5	27.0	0.6	14.6	1.0	23.6	1.0	24.0	0.4	10.6	0.6	19.8
9	20.00							4.1	29.3	0.6	17.3	2.4	25.9	2.7	26.2	0.4	13.5	1.6	22.2
10	25.00							7.2	31.6	1.2	20.0	4.4	28.2	4.7	28.5	0.8	16.4	2.9	24.7
11	30.00	0.6	13.0			0.3	10.4	10.3	33.9	1.9	22.8	6.4	30.5	6.9	30.8	1.2	19.3	4.3	27.1
12	35.00	0.6	16.4			0.3	13.9	12.1	36.1	3.0	25.5	7.9	32.8	8.1	33.0	2.0	22.2	5.2	29.5
13	40.00	1.2	19.7	1.0	14.1	1.0	17.4	15.8	38.4	5.5	28.2	11.1	35.2	10.7	35.3	3.9	25.1	7.6	32.0
14	45.00	2.0	23.0	2.2	17.9	2.0	20.9	21.6	40.7	7.1	31.0	15.0	37.5	14.8	37.6	5.4	28.1	10.5	34.4
15	50.00	3.8	26.3	2.2	21.7	3.0	24.4	26.3	43.0	9.5	33.7	18.6	39.8	18.5	39.8	6.9	31.0	13.2	36.8
16	55.00	5.2	29.7	3.8	25.4	4.6	27.9	33.3	45.2	13.2	36.4	24.1	42.1	23.6	42.1	9.9	33.9	17.3	39.3
17	60.00	10.8	33.0	6.4	29.1	8.7	31.4	40.7	47.5	17.1	39.2	29.9	44.4	30.4	44.4	13.3	36.8	22.5	41.7
18	65.00	14.9	36.3	9.0	32.9	12.1	34.9	49.9	49.8	23.0	41.9	37.6	46.7	37.9	46.6	18.0	39.7	28.7	44.1
19	70.00	19.3	39.7	14.9	36.6	17.2	38.4	56.4	52.0	28.6	44.6	43.6	49.0	43.6	48.9	23.8	42.6	34.4	46.5
20	75.00	26.3	43.0	18.7	40.4	22.8	41.9	65.6	54.3	36.4	47.4	52.2	51.4	52.0	51.2	30.1	45.5	41.9	49.0
21	80.00	33.8	46.3	26.3	44.1	30.3	45.4	75.8	56.6	45.8	50.1	62.1	53.7	61.4	53.5	38.9	48.5	51.0	51.4
22	85.00	44.2	49.7	39.0	47.9	41.8	48.9	84.1	58.9	59.3	52.8	72.7	56.0	70.3	55.7	52.2	51.4	61.9	53.8
23	90.00	54.2	53.0	53.0	51.6	53.7	52.4	89.1	61.1	69.7	55.6	80.2	58.3	77.1	58.0	63.8	54.3	71.0	56.3
24	95.00	73.2	56.3	69.0	55.4	71.3	55.9	94.5	63.4	82.1	58.3	88.8	60.6	87.2	60.3	77.5	57.2	82.7	58.7
25	100.00	100.0	59.7	100.0	59.1	100.0	59.4	100.0	65.7	100.0	61.0	100.0	62.9	100.0	62.5	100.0	60.1	100.0	61.1

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7_D - 5: AT – Austria. Individual norm data for KIDSCREEN-52: Autonomy

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=268)		Males (n=229)		All (n=497)		Females (n=508)		Males (n=434)		All (n=942)		Females (n=776)		Males (n=663)		All (n=1439)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00									0.4	5.9	0.2	6.8			0.2	1.6	0.1	2.9
6	5.00							0.3	10.0	0.4	8.7	0.3	9.5	0.2	6.7	0.2	4.6	0.2	5.8
7	10.00							0.5	12.8	0.6	11.4	0.5	12.2	0.3	9.6	0.4	7.5	0.3	8.7
8	15.00							1.0	15.5	0.8	14.1	0.9	14.9	0.7	12.5	0.5	10.5	0.6	11.6
9	20.00							1.3	18.2	0.8	16.8	1.0	17.7	0.9	15.4	0.5	13.5	0.7	14.5
10	25.00							1.8	20.9	1.1	19.5	1.4	20.4	1.2	18.2	0.7	16.4	0.9	17.4
11	30.00	0.6	13.5			0.3	12.2	2.6	23.7	1.9	22.3	2.2	23.1	1.8	21.1	1.2	19.4	1.5	20.4
12	35.00	0.9	16.9	1.0	14.2	0.8	15.8	3.5	26.4	2.8	25.0	3.2	25.8	2.6	24.0	2.1	22.3	2.4	23.3
13	40.00	1.3	20.3	2.2	17.9	1.6	19.3	4.5	29.1	4.4	27.7	4.5	28.5	3.4	26.9	3.6	25.3	3.5	26.2
14	45.00	2.0	23.7	2.8	21.6	2.2	22.8	6.1	31.8	6.0	30.5	6.0	31.3	4.6	29.8	4.8	28.3	4.7	29.1
15	50.00	4.9	27.1	3.3	25.3	4.0	26.4	9.7	34.6	8.8	33.2	9.2	34.0	8.0	32.6	6.8	31.2	7.4	32.0
16	55.00	7.5	30.5	3.7	29.0	5.7	29.9	12.6	37.3	11.3	35.9	12.0	36.7	10.8	35.5	8.6	34.2	9.8	34.9
17	60.00	10.5	34.0	6.5	32.7	8.7	33.4	18.3	40.0	15.0	38.7	16.8	39.4	15.6	38.4	12.1	37.2	14.0	37.9
18	65.00	13.5	37.4	12.2	36.4	12.9	37.0	25.0	42.7	21.2	41.4	23.3	42.1	21.1	41.3	18.1	40.1	19.7	40.8
19	70.00	21.0	40.8	18.7	40.2	20.0	40.5	30.7	45.5	29.0	44.1	29.9	44.9	27.4	44.2	25.5	43.1	26.5	43.7
20	75.00	27.3	44.2	27.9	43.9	27.6	44.1	41.7	48.2	35.7	46.9	38.9	47.6	36.7	47.0	33.0	46.1	35.0	46.6
21	80.00	38.9	47.6	42.3	47.6	40.4	47.6	52.3	50.9	45.0	49.6	48.9	50.3	47.7	49.9	44.0	49.0	46.0	49.5
22	85.00	54.2	51.0	57.2	51.3	55.6	51.1	62.6	53.6	56.0	52.3	59.5	53.0	59.7	52.8	56.4	52.0	58.2	52.4
23	90.00	66.8	54.4	71.6	55.0	69.0	54.7	74.3	56.3	66.7	55.0	70.8	55.7	71.7	55.7	68.4	55.0	70.2	55.4
24	95.00	81.0	57.8	85.2	58.7	82.9	58.2	85.1	59.1	77.9	57.8	81.8	58.5	83.7	58.6	80.4	57.9	82.2	58.3
25	100.00	100.0	61.2	100.0	62.4	100.0	61.7	100.0	61.8	100.0	60.5	100.0	61.2	100.0	61.4	100.0	60.9	100.0	61.2

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7_D - 6: AT – Austria. Individual norm data for KIDSCREEN-52: Parent Relations & Home Life

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=268)		Males (n=229)		All (n=503)		Females (n=508)		Males (n=434)		All (n=930)		Females (n=768)		Males (n=665)		All (n=1433)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00																		
7	4.17							0.3	12.0	0.4	-0.1	0.2	6.0			0.2	-3.4	0.1	1.6
8	8.33							0.5	14.1	0.4	5.1	0.4	10.7	0.2	7.3	0.2	2.0	0.2	4.1
9	12.50							0.5	16.3	0.4	7.7	0.4	13.0	0.3	9.6	0.2	7.3	0.2	6.5
10	16.67			0.7	-1.6	0.3	-3.1	1.0	18.4	0.4	10.2	0.7	15.3	0.3	11.9	0.2	12.7	0.2	9.0
11	20.83			0.7	1.5	0.3	0.0	1.5	20.5	0.4	12.8	0.9	17.6	0.9	16.5	0.4	10.0	0.6	13.9
12	25.00	0.6	1.3	0.7	4.6	0.5	3.1	2.4	22.7	0.6	15.4	1.5	19.9	1.7	18.8	0.5	12.7	1.1	16.3
13	29.17	0.6	4.5	0.7	7.6	0.5	6.2	3.4	24.8	1.2	18.0	2.4	22.2	2.3	21.1	0.9	15.4	1.7	18.8
14	33.33	0.9	7.7	0.7	10.7	0.7	9.3	4.4	27.0	1.2	20.6	2.9	24.5	3.1	23.4	0.9	18.1	2.1	21.2
15	37.50	0.9	10.9	1.4	13.8	1.1	12.5	5.6	29.1	1.9	23.1	3.9	26.8	3.9	25.6	1.7	20.8	2.9	23.7
16	41.67	1.3	14.0	2.0	16.9	1.4	15.6	6.8	31.2	2.4	25.7	4.7	29.1	4.8	27.9	2.1	23.5	3.6	26.1
17	45.83	1.3	17.2	2.7	20.0	1.8	18.7	9.0	33.4	3.7	28.3	6.6	31.4	6.2	30.2	3.3	26.1	4.9	28.6
18	50.00	1.7	20.4	3.9	23.1	2.6	21.8	10.4	35.5	5.8	30.9	8.3	33.7	7.3	32.5	5.1	28.8	6.3	31.0
19	54.17	3.4	23.6	4.5	26.2	3.8	25.0	14.2	37.7	7.9	33.5	11.3	36.0	10.4	34.8	6.6	31.5	8.6	33.5
20	58.33	4.2	26.8	5.6	29.3	4.8	28.1	16.8	39.8	12.1	36.0	14.6	38.3	12.3	37.1	9.8	34.2	11.2	35.9
21	62.50	5.9	30.0	7.2	32.3	6.5	31.2	21.2	41.9	15.3	38.6	18.5	40.6	15.9	39.4	12.5	36.9	14.3	38.4
22	66.67	8.1	33.2	9.8	35.4	8.9	34.3	26.0	44.1	21.2	41.2	23.8	42.9	19.8	41.7	17.1	39.6	18.5	40.8
23	70.83	13.0	36.4	11.1	38.5	12.1	37.5	32.4	46.2	27.3	43.8	30.0	45.2	25.6	43.9	21.5	42.3	23.7	43.3
24	75.00	17.1	39.6	16.2	41.6	16.7	40.6	37.7	48.3	36.6	46.3	37.2	47.5	30.5	46.2	29.4	45.0	30.0	45.7
25	79.17	20.5	42.7	26.0	44.7	23.1	43.7	44.9	50.5	44.7	48.9	44.8	49.8	36.4	48.5	38.1	47.6	37.2	48.2
26	83.33	30.7	45.9	38.4	47.8	34.3	46.8	54.9	52.6	51.9	51.5	53.5	52.1	46.4	50.8	47.1	50.3	46.8	50.6
27	87.50	39.6	49.1	53.7	50.9	46.2	50.0	63.7	54.8	64.3	54.1	63.9	54.4	55.3	53.1	60.5	53.0	57.7	53.1
28	91.67	52.8	52.3	65.6	54.0	58.8	53.1	76.2	56.9	74.5	56.7	75.4	56.7	68.0	55.4	71.3	55.7	69.6	55.5
29	95.83	71.1	55.5	79.6	57.0	75.0	56.2	88.2	59.0	85.6	59.2	87.0	59.1	82.2	57.7	83.5	58.4	82.8	57.9
30	100.00	100.0	58.7	100.0	60.1	100.0	59.3	100.0	61.2	100.0	61.8	100.0	61.4	100.0	60.0	100.0	61.1	100.0	60.4

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7_D - 7: AT – Austria. Individual norm data for KIDSCREEN-52: Social Support & Peers

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=266)		Males (n=232)		All (n=498)		Females (n=507)		Males (n=436)		All (n=943)		Females (n=773)		Males (n=668)		All (n=1441)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00	1.2	6.2			0.6	4.5	0.5	7.4	0.7	8.4	0.5	7.9	0.6	7.1	0.5	6.5	0.6	6.8
7	4.17	1.2	8.6			0.6	6.9	0.5	9.7	0.7	10.7	0.5	10.2	0.6	9.5	0.5	8.9	0.6	9.1
8	8.33	1.2	10.9			0.6	9.4	0.5	12.0	0.7	12.9	0.5	12.5	0.6	11.9	0.5	11.2	0.6	11.5
9	12.50	1.2	13.3			0.6	11.8	0.5	14.3	1.1	15.2	0.7	14.8	0.6	14.2	0.7	13.6	0.7	13.8
10	16.67	1.2	15.6			0.6	14.3	0.7	16.6	1.3	17.5	0.9	17.0	0.8	16.3	0.8	16.0	0.8	16.2
11	20.83	1.7	18.0			0.9	16.7	1.0	18.9	1.7	19.8	1.3	19.3	1.2	18.6	1.1	18.3	1.1	18.5
12	25.00	1.7	20.4	2.2	17.5	1.8	19.2	1.6	21.2	1.7	22.1	1.6	21.6	1.6	20.9	1.8	20.7	1.7	20.8
13	29.17	2.7	22.8	2.8	20.1	2.6	21.6	2.2	23.5	2.5	24.3	2.3	23.9	2.3	23.2	2.5	23.0	2.4	23.2
14	33.33	3.5	25.1	2.8	22.7	3.1	24.1	3.5	25.8	3.9	26.6	3.7	26.2	3.5	25.6	3.4	25.4	3.5	25.5
15	37.50	3.9	27.5	3.3	25.2	3.5	26.5	5.9	28.0	3.9	28.9	5.0	28.4	5.2	27.9	3.7	27.8	4.4	27.8
16	41.67	4.9	29.8	4.0	27.8	4.4	29.0	6.7	30.3	5.5	31.1	6.1	30.7	6.1	30.2	5.0	30.1	5.5	30.2
17	45.83	6.0	32.2	5.6	30.4	5.8	31.4	7.9	32.6	7.4	33.4	7.6	33.0	7.2	32.5	6.8	32.5	7.0	32.5
18	50.00	7.5	34.6	8.2	33.0	7.8	33.9	10.0	34.9	10.1	35.6	10.1	35.3	9.2	34.8	9.4	34.8	9.3	34.8
19	54.17	9.8	36.9	10.7	35.6	10.2	36.3	11.2	37.2	13.1	37.9	12.1	37.5	10.7	37.1	12.3	37.2	11.4	37.2
20	58.33	13.9	39.3	14.2	38.1	14.0	38.8	14.6	39.5	16.8	40.2	15.6	39.8	14.4	39.4	15.9	39.5	15.1	39.5
21	62.50	18.4	41.6	18.5	40.7	18.5	41.3	19.0	41.8	21.3	42.4	20.0	42.1	18.8	41.8	20.3	41.9	19.5	41.8
22	66.67	26.4	44.0	23.2	43.3	24.9	43.7	26.4	44.1	30.1	44.7	28.1	44.4	26.4	44.1	27.7	44.3	27.0	44.2
23	70.83	32.0	46.4	30.5	45.9	31.3	46.2	32.1	46.4	34.0	47.0	33.0	46.7	32.1	46.4	32.8	46.6	32.4	46.5
24	75.00	41.1	48.7	39.6	48.5	40.4	48.6	42.1	48.7	44.8	49.2	43.3	48.9	41.7	48.7	43.0	49.0	42.3	48.8
25	79.17	51.9	51.1	52:6	51.0	52:2	51.1	50.3	51.0	54.6	51.5	52:3	51.2	50.9	51.0	53.9	51.3	52:3	51.2
26	83.33	63.1	53.5	66.4	53.6	64.6	53.5	62.5	53.3	64.2	53.8	63.3	53.5	62.7	53.3	65.0	53.7	63.8	53.5
27	87.50	74.1	55.8	77.2	56.2	75.5	56.0	71.8	55.5	74.1	56.0	72.9	55.8	72.6	55.6	75.2	56.1	73.8	55.8
28	91.67	84.2	58.2	87.9	58.8	85.9	58.4	80.9	57.8	82.2	58.3	81.5	58.0	82.0	57.9	84.2	58.4	83.0	58.2
29	95.83	94.4	60.5	91.8	61.4	93.2	60.9	89.5	60.1	90.9	60.6	90.2	60.3	91.2	60.3	91.2	60.8	91.2	60.5
30	100.00	100.0	62.9	100.0	64.0	100.0	63.3	100.0	62.4	100.0	62.8	100.0	62.6	100.0	62.6	100.0	63.1	100.0	62.8

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 8: AT – Austria. Individual norm data for KIDSCREEN-52: School Environment

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=259)		Males (n=230)		All (n=489)		Females (n=481)		Males (n=410)		All (n=891)		Females (n=740)		Males (n=640)		All (n=1380)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00							0.5	15.7			0.3	16.7	0.3	13.9			0.2	15.5
7	4.17							0.5	17.9	0.8	19.9	0.6	18.9	0.3	16.0	0.5	19.1	0.4	17.6
8	8.33			1.0	17.5	0.5	12.8	0.5	20.0	0.8	22.0	0.6	21.0	0.3	18.1	0.8	21.1	0.5	19.6
9	12.50			1.6	19.6	0.7	15.0	1.1	22.2	1.3	24.0	1.1	23.1	0.7	20.2	1.3	23.1	0.9	21.7
10	16.67	0.6	10.7	2.0	21.6	1.1	17.2	1.7	24.3	2.5	26.1	2.0	25.2	1.2	22.3	2.2	25.1	1.7	23.7
11	20.83	0.6	13.2	2.7	23.7	1.5	19.5	2.7	26.5	2.9	28.2	2.7	27.3	1.9	24.4	2.7	27.1	2.3	25.8
12	25.00	1.3	15.7	3.3	25.7	2.1	21.7	3.8	28.6	4.4	30.2	4.1	29.4	2.8	26.5	3.9	29.2	3.3	27.8
13	29.17	1.3	18.2	4.4	27.8	2.7	23.9	5.4	30.8	6.1	32.3	5.7	31.5	3.9	28.5	5.5	31.2	4.6	29.9
14	33.33	1.8	20.7	6.1	29.8	3.7	26.1	7.3	32.9	8.5	34.4	7.9	33.6	5.3	30.6	7.7	33.2	6.4	31.9
15	37.50	3.1	23.2	7.9	31.9	5.3	28.3	9.1	35.1	11.0	36.5	10.0	35.8	7.0	32.7	9.9	35.2	8.3	34.0
16	41.67	4.0	25.8	8.9	33.9	6.2	30.5	11.9	37.2	15.6	38.5	13.6	37.9	9.1	34.8	13.1	37.2	10.9	36.0
17	45.83	4.4	28.3	11.0	36.0	7.4	32.7	16.9	39.4	20.2	40.6	18.4	40.0	12.4	36.9	16.9	39.2	14.5	38.1
18	50.00	5.8	30.8	13.1	38.0	9.2	34.9	21.8	41.5	25.1	42.7	23.3	42.1	16.2	39.0	20.8	41.2	18.3	40.1
19	54.17	8.9	33.3	17.5	40.1	12.9	37.2	28.1	43.7	31.9	44.8	29.9	44.2	21.4	41.1	26.7	43.2	23.9	42.2
20	58.33	11.2	35.8	23.6	42.1	17.1	39.4	35.0	45.9	39.5	46.8	37.1	46.3	26.7	43.2	33.8	45.3	30.0	44.2
21	62.50	15.5	38.3	27.1	44.2	20.9	41.6	42.2	48.0	46.9	48.9	44.4	48.4	32.9	45.3	39.7	47.3	36.1	46.3
22	66.67	19.4	40.8	32.6	46.2	25.6	43.8	50.1	50.2	55.7	51.0	52.7	50.5	39.3	47.4	47.4	49.3	43.1	48.3
23	70.83	26.3	43.4	39.6	48.3	32.6	46.0	61.3	52.3	62.5	53.1	61.9	52.7	49.1	49.5	54.2	51.3	51.5	50.4
24	75.00	33.3	45.9	47.4	50.3	39.9	48.2	68.8	54.5	69.3	55.1	69.0	54.8	56.4	51.6	61.4	53.3	58.7	52.4
25	79.17	38.0	48.4	56.6	52.4	46.7	50.4	75.8	56.6	76.5	57.2	76.2	56.9	62.6	53.7	69.3	55.3	65.7	54.5
26	83.33	44.9	50.9	65.6	54.4	54.7	52.7	83.5	58.8	83.6	59.3	83.6	59.0	70.0	55.8	77.1	57.3	73.3	56.5
27	87.50	56.0	53.4	73.9	56.5	64.5	54.9	88.8	60.9	90.2	61.4	89.4	61.1	77.3	57.9	84.4	59.3	80.6	58.6
28	91.67	74.1	55.9	81.8	58.5	77.7	57.1	92.7	63.1	94.9	63.4	93.7	63.2	86.2	60.0	90.1	61.4	88.0	60.6
29	95.83	87.2	58.4	90.8	60.6	88.9	59.3	97.5	65.2	96.6	65.5	97.1	65.3	93.9	62.1	94.5	63.4	94.2	62.6
30	100.00	100.0	61.0	100.0	62.6	100.0	61.5	100.0	67.4	100.0	67.6	100.0	67.4	100.0	64.2	100.0	65.4	100.0	64.7

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7_D - 9: AT – Austria. Individual norm data for KIDSCREEN-52: Social Acceptance

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=267)		Males (n=237)		All (n=504)		Females (n=494)		Males (n=413)		All (n=907)		Females (n=761)		Males (n=650)		All (n=1411)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
3	0.00							0.3	-2.2	0.8	1.3	0.5	-0.4	0.2	0.9	0.5	2.2	0.3	1.5
4	8.33	0.6	9.0			0.3	8.5	0.5	2.7	0.8	5.9	0.6	4.3	0.4	5.6	0.5	6.8	0.4	6.2
5	16.67	0.6	13.6	0.7	12.3	0.5	13.0	1.1	7.6	0.8	10.6	0.9	9.1	0.8	10.3	0.7	11.4	0.7	10.8
6	25.00	1.2	18.1	1.8	17.0	1.4	17.6	1.1	12.5	1.7	15.2	1.3	13.9	1.1	15.0	1.7	16.0	1.4	15.5
7	33.33	2.3	22.7	3.0	21.6	2.6	22.2	2.2	17.4	2.7	19.8	2.4	18.6	2.2	19.7	2.8	20.6	2.5	20.2
8	41.67	3.8	27.2	4.7	26.2	4.2	26.8	3.3	22.3	3.6	24.5	3.4	23.4	3.4	24.4	4.0	25.2	3.7	24.8
9	50.00	9.7	31.8	7.6	30.9	8.7	31.4	5.9	27.2	6.5	29.1	6.2	28.2	7.2	29.1	6.9	29.8	7.1	29.5
10	58.33	14.2	36.3	12.7	35.5	13.5	36.0	8.7	32.1	9.2	33.7	8.9	32.9	10.6	33.9	10.4	34.5	10.5	34.1
11	66.67	22.1	40.8	17.7	40.2	20.0	40.5	13.2	37.0	15.0	38.4	14.0	37.7	16.3	38.6	16.0	39.1	16.1	38.8
12	75.00	34.0	45.4	31.1	44.8	32.6	45.1	19.7	41.9	21.7	43.0	20.6	42.5	24.7	43.3	25.1	43.7	24.9	43.5
13	83.33	46.7	49.9	45.1	49.4	45.9	49.7	32.7	46.8	35.5	47.6	34.0	47.2	37.6	48.0	39.0	48.3	38.3	48.1
14	91.67	63.6	54.5	63.7	54.1	63.6	54.3	47.9	51.7	50.4	52.3	49.0	52.0	53.4	52.7	55.2	52.9	54.2	52.8
15	100.00	100.0	59.0	100.0	58.7	100.0	58.9	100.0	56.6	100.0	56.9	100.0	56.7	100.0	57.4	100.0	57.5	100.0	57.5

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ($M = 50$, $SD = 10$).

Table A7_D - 10: AT – Austria. Individual norm data for KIDSCREEN-52: Financial Resources

Raw-Score	0-100 Score	Females (n=261)		Children 8-11 Males (n=227)		All (n=488)		Females (n=504)		Adolescents 12-18 Males (n=426)		All (n=930)		Children & Adolescents 8-18 Females (n=765)		Males (n=653)		All (n=1518)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
3	0.00	0.6	11.1			0.3	10.7	0.5	9.9	0.4	11.8	0.3	10.8	0.4	10.4	0.2	11.2	0.3	10.8
4	8.33	0.6	15.1			0.3	14.7	0.7	13.9	1.0	15.6	0.8	14.8	0.6	14.3	0.6	15.2	0.6	14.8
5	16.67	1.3	19.0	0.7	18.3	0.9	18.7	1.4	17.9	1.0	21.5	1.2	18.7	1.3	18.3	0.9	19.1	1.1	18.7
6	25.00	2.3	22.9	2.2	22.4	2.3	22.7	2.6	21.9	4.0	23.3	3.2	22.6	2.5	22.3	3.4	23.1	2.9	22.7
7	33.33	5.0	26.8	3.6	26.5	4.3	26.7	4.0	25.9	5.6	27.2	4.7	26.6	4.3	26.2	4.9	27.0	4.6	26.6
8	41.67	7.7	30.7	8.4	30.6	8.0	30.7	8.2	29.9	8.4	31.1	8.3	30.5	8.0	30.2	8.4	31.0	8.2	30.6
9	50.00	13.1	34.6	12.8	34.8	12.9	34.7	11.8	33.9	12.6	34.9	12.2	34.4	12.2	34.2	12.7	34.9	12.4	34.5
10	58.33	18.1	38.5	19.5	38.9	18.7	38.7	15.3	37.9	16.2	38.8	15.7	38.4	16.3	38.1	17.3	38.8	16.7	38.5
11	66.67	24.2	42.4	25.1	43.0	24.6	42.7	21.9	41.9	23.4	42.7	22.6	42.3	22.7	42.1	24.0	42.8	23.3	42.4
12	75.00	33.5	46.3	37.8	47.1	35.5	46.7	31.4	45.9	31.6	46.5	31.5	46.2	32.1	46.1	33.8	46.7	32.9	46.4
13	83.33	42.3	50.2	53.7	51.3	47.6	50.7	43.3	49.9	45.7	50.4	44.4	50.2	43.0	50.0	48.5	50.7	45.5	50.3
14	91.67	58.0	54.1	66.5	55.4	61.9	54.7	58.2	54.0	59.8	54.3	58.9	54.1	58.1	54.0	62.1	54.6	59.9	54.3
15	100.00	100.0	58.0	100.0	59.5	100.0	58.7	100.0	58.0	100.0	58.1	100.0	58.0	100.0	58.0	100.0	58.6	100.0	58.2

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ($M = 50$, $SD = 10$).

Table A7_D - 11: AT – Austria. Individual norm data for KIDSCREEN-27: Physical Well-being

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=270)		Males (n=235)		All (n=505)		Females (n=501)		Males (n=431)		All (n=932)		Females (n=771)		Males (n=666)		All (n=1437)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00																		
6	5.56							0.3	14.4			0.2	12.8	0.2	11.9			0.1	10.5
7	11.11			0.7	6.2	0.3	4.9	0.7	17.5	0.4	12.8	0.4	15.9	0.4	15.0	0.3	11.3	0.4	13.6
8	16.67			1.1	9.6	0.5	8.4	0.7	20.6	0.8	16.0	0.7	18.9	0.4	18.1	0.8	14.5	0.6	16.7
9	22.22	1.2	10.8	1.5	13.0	1.2	11.9	2.0	23.6	1.1	19.2	1.5	22.0	1.7	21.2	1.1	17.7	1.4	19.8
10	27.78	1.2	14.5	2.3	16.4	1.7	15.5	2.5	26.7	1.7	22.4	2.1	25.1	2.0	24.3	1.8	20.9	1.9	23.0
11	33.33	1.7	18.1	2.8	19.8	2.0	19.0	4.6	29.7	2.6	25.6	3.7	28.2	3.5	27.4	2.6	24.1	3.1	26.1
12	38.89	2.4	21.8	2.8	23.2	2.5	22.5	8.0	32.8	3.5	28.7	5.9	31.2	6.0	30.5	3.2	27.3	4.7	29.2
13	44.44	2.4	25.5	3.2	26.6	2.7	26.1	11.4	35.9	6.8	31.9	9.2	34.3	8.2	33.6	5.4	30.5	6.9	32.3
14	50.00	4.5	29.1	5.5	30.0	5.0	29.6	18.0	39.0	10.9	35.1	14.7	37.4	13.3	36.6	9.0	33.7	11.3	35.4
15	55.56	6.7	32.8	8.6	33.4	7.6	33.2	24.3	42.0	16.2	38.3	20.6	40.5	18.2	39.7	13.5	36.9	16.0	38.5
16	61.11	12.7	36.5	12.8	36.8	12.7	36.7	34.7	45.1	23.9	41.5	29.7	43.5	27.0	42.8	20.0	40.1	23.7	41.6
17	66.67	18.6	40.2	16.6	40.2	17.7	40.2	42.7	48.2	31.5	44.6	37.5	46.6	34.3	45.9	26.2	43.3	30.6	44.8
18	72.22	29.7	43.8	23.4	43.6	26.8	43.8	55.7	51.2	41.5	47.8	49.1	49.7	46.6	49.0	35.1	46.5	41.3	47.9
19	77.78	40.1	47.5	34.0	47.0	37.3	47.3	68.8	54.3	52.2	51.0	61.2	52.8	58.8	52.1	45.8	49.7	52.8	51.0
20	83.33	57.1	51.2	50.6	50.4	54.1	50.8	79.8	57.4	66.5	54.2	73.7	55.8	71.9	55.2	60.9	52.9	66.8	54.1
21	88.89	71.1	54.9	65.0	53.8	68.3	54.4	90.6	60.5	78.8	57.4	85.2	58.9	83.8	58.3	73.9	56.1	79.2	57.2
22	94.44	84.8	58.5	83.3	57.2	84.1	57.9	96.2	63.5	92.3	60.5	94.4	62.0	92.2	61.4	89.1	59.3	90.8	60.3
23	100.00	100.0	62.2	100.0	60.6	100.0	61.4	100.0	66.6	100.0	63.7	100.0	65.1	100.0	64.4	100.0	62.5	100.0	63.4

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 12: AT – Austria. Individual norm data for KIDSCREEN-27: Psychological Well-being

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=270)		Males (n=238)		All (n=508)		Females (n=510)		Males (n=435)		All (n=945)		Females (n=780)		Males (n=673)		All (n=1453)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
7	0.00																		
8	3.57																		
9	7.14																		
10	10.71							0.3	8.6			0.2	4.3	0.2	3.8			0.1	-0.4
11	14.29							0.5	10.9			0.3	6.6	0.3	6.2			0.2	2.1
12	17.86							0.5	13.1			0.3	9.0	0.3	8.6			0.2	4.6
13	21.43			0.7	-8.0	0.3	-9.8	0.7	15.3			0.4	11.4	0.5	10.9	0.2	0.4	0.3	7.1
14	25.00			0.7	-4.8	0.3	-6.5	1.0	17.5			0.6	13.7	0.7	13.3	0.2	3.2	0.4	9.6
15	28.57			0.7	-1.7	0.3	-3.3	1.6	19.8	0.4	8.6	1.0	16.1	1.0	15.6	0.4	6.0	0.7	12.1
16	32.14			1.1	1.5	0.5	0.0	2.2	22.0	0.8	11.3	1.5	18.4	1.4	18.0	0.8	8.8	1.1	14.7
17	35.71			1.1	4.6	0.5	3.25	2.6	24.2	1.2	14.0	1.9	20.8	1.7	20.4	1.1	11.6	1.4	17.2
18	39.29			1.1	7.8	0.5	6.5	4.3	26.4	1.2	16.7	2.9	23.1	2.8	22.7	1.1	14.4	2.0	19.7
19	42.86			1.1	10.9	0.5	9.75	4.9	28.6	2.1	19.4	3.6	25.5	3.2	25.1	1.7	17.1	2.5	22.2
20	46.43	1.2	11.8	1.1	14.1	1.0	13.0	5.5	30.9	2.6	22.1	4.1	27.8	4.0	27.5	2.0	19.9	3.0	24.7
21	50.00	1.2	15.2	1.5	17.2	1.3	16.2	7.6	33.1	2.9	24.8	5.4	30.2	5.4	29.8	2.3	22.7	3.9	27.2
22	53.57	2.3	18.6	2.0	20.3	2.0	19.5	10.0	35.3	3.7	27.5	7.1	32.5	7.3	32.2	3.0	25.5	5.3	29.7
23	57.14	3.4	22.0	2.3	23.4	2.8	22.8	13.3	37.5	5.5	30.2	9.7	34.9	9.9	34.6	4.3	28.3	7.3	32.2
24	60.71	3.4	25.4	4.2	26.6	3.8	26.0	17.4	39.8	7.4	32.9	12.8	37.3	12.6	36.9	6.3	31.1	9.6	34.7
25	64.29	4.5	28.7	4.9	29.7	4.6	29.3	20.9	42.0	10.4	35.5	16.1	39.6	15.2	39.3	8.3	33.9	12.0	37.2
26	67.86	7.5	32.1	6.7	32.8	7.1	32.5	25.3	44.2	13.1	38.2	19.7	42.0	19.1	41.7	10.8	36.7	15.3	39.7
27	71.43	9.0	35.5	9.3	36.0	9.1	35.8	31.0	46.4	17.7	40.9	24.9	44.3	23.3	44.0	14.7	39.5	19.4	42.2
28	75.00	13.0	38.9	12.2	39.1	12.6	39.0	39.6	48.7	23.7	43.6	32.3	46.7	30.4	46.4	19.6	42.3	25.4	44.7
29	78.57	20.0	42.3	19.8	42.3	19.9	42.3	50.8	50.9	33.8	46.3	43.0	49.0	40.1	48.7	28.9	45.1	34.9	47.2
30	82.14	30.4	45.7	29.0	45.4	29.7	45.5	61.2	53.1	45.0	49.0	53.8	51.4	50.5	51.1	39.4	47.9	45.3	49.8
31	85.71	50.0	49.1	44.2	48.5	47.3	48.8	72.4	55.3	57.0	51.7	65.3	53.7	64.7	53.5	52.4	50.7	59.0	52.3
32	89.29	63.7	52.4	57.2	51.7	60.7	52.1	80.6	57.6	66.6	54.4	74.2	56.1	74.8	55.8	63.3	53.5	69.4	54.8
33	92.86	74.8	55.8	69.8	54.8	72.5	55.3	90.2	59.8	79.7	57.1	85.4	58.4	84.9	58.2	76.2	56.3	80.9	57.3
34	96.43	87.8	59.2	86.2	57.9	87.0	58.6	95.9	62.0	89.4	59.8	92.9	60.8	93.1	60.6	88.2	59.1	90.8	59.8
35	100.00	100.0	62.6	100.0	61.1	100.0	61.8	100.0	64.2	100.0	62.5	100.0	63.2	100.0	62.9	100.0	61.9	100.0	62.3

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 13: AT – Austria. Individual norm data for KIDSCREEN-27: Parent Relations & Autonomy

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=253)		Males (n=222)		All (n=475)		Females (n=491)		Males (n=418)		All (n=909)		Females (n=744)		Males (n=640)		All (n=1484)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
7	0.00																		
8	3.57																		
9	7.14																		
10	10.71																		
11	14.29							0.3	9.4			0.2	7.7	0.2	6.5			0.1	5.4
12	17.86							0.3	11.7			0.2	10.0	0.2	8.9			0.1	7.8
13	21.43							0.5	13.9	0.5	10.2	0.5	12.3	0.4	11.2	0.4	8.8	0.3	10.1
14	25.00							0.5	16.2	0.5	12.6	0.5	14.6	0.4	13.5	0.4	11.3	0.3	12.5
15	28.57			0.7	10.7	0.3	9.0	0.5	18.4	0.5	15.0	0.5	17.0	0.4	15.9	0.6	13.7	0.4	14.9
16	32.14			0.7	13.3	0.3	11.7	0.5	20.7	0.8	17.4	0.6	19.3	0.4	18.2	0.7	16.1	0.5	17.3
17	35.71			1.2	15.9	0.5	14.3	1.4	22.9	1.3	19.8	1.3	21.6	0.9	20.5	1.1	18.6	1.0	19.7
18	39.29			1.6	18.5	0.7	17.0	2.2	25.2	2.4	22.2	2.3	23.9	1.5	22.9	2.0	21.1	1.7	22.1
19	42.86	0.6	18.0	1.6	21.1	1.0	19.6	3.0	27.4	2.8	24.6	2.8	26.2	2.1	25.2	2.3	23.5	2.2	24.5
20	46.43	1.7	20.7	2.4	23.6	1.9	22.2	5.7	29.7	3.6	27.0	4.7	28.6	4.3	27.5	3.1	26.0	3.7	26.9
21	50.00	2.8	23.4	3.3	26.2	3.0	24.9	7.7	31.9	5.3	29.4	6.6	30.9	6.1	29.9	4.5	28.4	5.4	29.2
22	53.57	3.7	26.1	5.0	28.8	4.2	27.5	9.2	34.2	6.2	31.8	7.8	33.2	7.3	32.2	5.8	30.9	6.6	31.6
23	57.14	4.5	28.8	6.4	31.4	5.3	30.2	12.4	36.5	7.9	34.2	10.3	35.5	9.7	34.6	7.4	33.3	8.6	34.0
24	60.71	6.7	31.6	8.6	34.0	7.6	32.8	16.1	38.7	12.4	36.6	14.4	37.8	12.9	36.9	11.1	35.8	12.1	36.4
25	64.29	11.1	34.3	11.3	36.6	11.2	35.4	21.0	41.0	15.8	39.0	18.6	40.1	17.6	39.2	14.2	38.3	16.0	38.8
26	67.86	14.7	37.0	15.3	39.2	15.0	38.1	25.1	43.2	22.0	41.4	23.6	42.4	21.5	41.6	19.7	40.7	20.7	41.2
27	71.43	18.2	39.7	21.2	41.8	19.6	40.7	32.4	45.5	27.0	43.8	29.9	44.8	27.6	43.9	25.0	43.2	26.4	43.6
28	75.00	26.1	42.4	27.5	44.3	26.7	43.4	38.9	47.7	33.8	46.2	36.5	47.1	34.5	46.2	31.6	45.6	33.2	46.0
29	78.57	31.3	45.1	37.4	46.9	34.2	46.0	47.6	50.0	41.2	48.6	44.7	49.4	42.1	48.6	39.9	48.1	41.1	48.3
30	82.14	38.0	47.8	46.8	49.5	42.1	48.6	56.8	52.3	48.8	51.0	53.1	51.7	50.4	50.9	48.1	50.5	49.3	50.7
31	85.71	45.9	50.5	57.2	52.1	51.2	51.3	66.1	54.5	62.0	53.4	64.2	54.0	59.3	53.2	60.3	53.0	59.8	53.1
32	89.29	57.0	53.2	68.1	54.7	62.2	53.9	74.7	56.8	72.7	55.9	73.8	56.3	68.7	55.6	71.1	55.5	69.8	55.5
33	92.86	69.9	55.9	78.3	57.3	73.8	56.5	83.8	59.0	84.0	58.3	83.9	58.7	79.1	57.9	82.0	57.9	80.4	57.9
34	96.43	87.4	58.6	87.8	59.9	87.5	59.2	93.3	61.3	92.1	60.7	92.7	61.0	91.3	60.2	90.6	60.4	91.0	60.3
35	100.00	100.0	61.3	100.0	62.5	100.0	61.8	100.0	63.5	100.0	63.1	100.0	63.3	100.0	62.6	100.0	62.8	100.0	62.7

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 14: AT – Austria. Individual norm data for KIDSCREEN-27: Social Support & Peers

Raw-Score	0-100 Score	Females (n=269)		Children 8-11 Males (n=233)		All (n=502)		Females (n=511)		Adolescents 12-18 Males (n=436)		All (n=947)		Children & Adolescents 8-18 Females (n=780)		Males (n=669)		All (n=1449)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
4	0.00	1.2	3.2			0.6	1.2	0.5	7.7	0.7	6.8	0.5	7.3	0.6	6.4	0.5	4.4	0.5	5.5
5	6.25	1.2	6.8			0.6	5.0	0.5	11.1	0.7	10.2	0.5	10.7	0.6	9.8	0.5	8.0	0.5	9.0
6	12.50	1.2	10.5			0.6	8.8	0.8	14.4	1.2	13.6	1.0	14.1	0.9	13.2	0.8	11.5	0.8	12.5
7	18.75	1.2	14.1			0.6	12.5	1.4	17.8	1.2	17.1	1.3	17.5	1.3	16.6	0.8	15.1	1.0	16.0
8	25.00	2.0	17.7	1.0	14.3	1.4	16.3	2.2	21.1	1.7	20.5	1.9	20.8	2.1	20.1	1.4	18.7	1.7	19.5
9	31.25	2.7	21.3	1.6	18.3	2.0	20.0	2.6	24.4	2.7	23.9	2.6	24.2	2.6	23.5	2.2	22.3	2.4	23.0
10	37.50	2.7	24.9	2.6	22.3	2.6	23.8	5.8	27.8	4.5	27.3	5.2	27.6	4.7	26.9	3.9	25.9	4.3	26.4
11	43.75	4.2	28.5	3.9	26.2	4.0	27.6	7.6	31.1	5.9	30.8	6.8	31.0	6.4	30.3	5.2	29.4	5.8	29.9
12	50.00	7.1	32.1	6.4	30.2	6.8	31.3	9.7	34.5	8.2	34.2	9.0	34.4	8.8	33.7	7.6	33.0	8.3	33.4
13	56.25	9.7	35.8	9.8	34.2	9.8	35.1	13.7	37.8	12.4	37.6	13.1	37.7	12.3	37.2	11.5	36.6	11.9	36.9
14	62.50	13.8	39.4	15.0	38.1	14.3	38.9	18.2	41.1	19.5	41.1	18.8	41.1	16.7	40.6	17.9	40.2	17.2	40.4
15	68.75	22.7	43.0	22.3	42.1	22.5	42.6	26.7	44.5	29.1	44.5	27.8	44.5	25.4	44.0	26.8	43.8	26.0	43.9
16	75.00	36.1	46.6	35.2	46.1	35.7	46.4	37.9	47.8	41.5	47.9	39.6	47.9	37.3	47.4	39.3	47.3	38.2	47.4
17	81.25	51.3	50.3	50.2	50.1	50.8	50.2	55.2	51.2	54.6	51.3	54.9	51.2	53.8	50.9	53.1	50.9	53.5	50.9
18	87.50	64.7	53.9	69.5	54.0	67.0	53.9	69.3	54.5	70.8	54.8	70.0	54.6	67.7	54.3	70.4	54.5	68.9	54.4
19	93.75	87.1	57.5	84.2	58.0	85.7	57.7	83.0	57.8	84.4	58.2	83.6	58.0	84.4	57.7	84.3	58.1	84.3	57.9
20	100.00	100.0	61.1	100.0	62.0	100.0	61.5	100.0	61.2	100.0	61.6	100.0	61.4	100.0	61.1	100.0	61.7	100.0	61.4

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 15: AT – Austria. Individual norm data for KIDSCREEN-27: School Environment

Raw-Score	0-100 Score	Females (n=260)		Children 8-11 Males (n=231)		All (n=491)		Females (n=483)		Adolescents 12-18 Males (n=411)		All (n=894)		Children & Adolescents 8-18 Females (n=743)		Males (n=642)		All (n=1383)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
4	0.00							0.5	12.6			0.3	13.7					0.2	12.2
5	6.25							0.9	15.9	0.8	18.1	0.8	17.0	0.6	14.1	0.5	16.8	0.5	15.5
6	12.50			1.0	15.3	0.5	11.4	1.2	19.3	0.8	21.3	1.0	20.3	0.8	17.4	0.8	20.0	0.7	18.7
7	18.75	0.6	9.7	1.6	18.7	0.9	14.9	1.7	22.7	2.4	24.5	2.0	23.6	1.2	20.7	2.0	23.2	1.6	21.9
8	25.00	0.6	13.6	2.0	22.0	1.1	18.5	3.1	26.1	3.7	27.7	3.4	26.9	2.2	24.0	3.0	26.3	2.5	25.2
9	31.25	1.6	17.5	4.0	25.4	2.7	22.0	5.0	29.5	5.6	31.0	5.3	30.2	3.8	27.3	5.0	29.5	4.3	28.4
10	37.50	1.6	21.4	5.3	28.7	3.3	25.6	7.7	32.9	8.5	34.2	8.1	33.5	5.5	30.6	7.3	32.7	6.4	31.7
11	43.75	3.9	25.3	7.4	32.1	5.5	29.1	11.0	36.2	13.8	37.4	12.3	36.8	8.5	33.9	11.5	35.9	9.9	34.9
12	50.00	5.8	29.2	11.3	35.4	8.4	32.7	17.8	39.6	21.3	40.6	19.4	40.1	13.6	37.2	17.7	39.1	15.5	38.1
13	56.25	9.2	33.1	16.9	38.8	12.8	36.3	25.9	43.0	29.1	43.8	27.3	43.4	20.0	40.5	24.7	42.3	22.2	41.4
14	62.50	12.6	37.0	22.6	42.1	17.3	39.8	36.8	46.4	39.8	47.1	38.2	46.7	28.3	43.9	33.6	45.4	30.8	44.6
15	68.75	21.5	40.9	31.7	45.5	26.3	43.4	48.8	49.8	54.4	50.3	51.4	50.0	39.2	47.2	46.2	48.6	42.5	47.9
16	75.00	33.0	44.9	44.2	48.8	38.3	46.9	68.1	53.2	67.1	53.5	67.7	53.3	55.8	50.5	58.9	51.8	57.2	51.1
17	81.25	42.7	48.8	58.5	52.2	50.1	50.5	81.6	56.5	78.3	56.7	80.1	56.6	68.0	53.8	71.2	55.0	69.5	54.3
18	87.50	55.7	52.7	73.6	55.5	64.1	54.0	88.2	59.9	88.0	59.9	88.1	59.9	76.9	57.1	82.8	58.2	79.6	57.6
19	93.75	79.6	56.6	86.2	58.8	82.7	57.6	95.0	63.3	94.4	63.2	94.7	63.2	89.6	60.4	91.4	61.4	90.5	60.8
20	100.00	100.0	60.5	100.0	62.2	100.0	61.1	100.0	66.7	100.0	66.4	100.0	66.5	100.0	63.7	100.0	64.5	100.0	64.1

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 16: AT – Austria. Individual norm data for KIDSCREEN-10 Index

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18						
		Females (n=255)		Males (n=223)		All (n=478)		Females (n=467)		Males (n=406)		All (n=873)		Females (n=722)		Males (n=629)		All (n=1351)		
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	
10	0.00																			
11	2.50																			
12	5.00																			
13	7.50																			
14	10.00																			
15	12.50																			
16	15.00																			
17	17.50																			
18	20.00																			
19	22.50				0.7	-3.0	0.3	-4.0								0.2	3.5	0.1	7.5	
20	25.00				0.7	-0.8	0.3	-1.8								0.2	5.5	0.1	9.4	
21	27.50				0.7	1.3	0.3	0.4	0.5	16.1	0.4	9.3	0.4	13.7	0.3	13.8	0.4	7.5	0.3	11.3
22	30.00				0.7	3.5	0.3	2.6	0.5	17.9	0.4	11.3	0.4	15.6	0.3	15.6	0.4	9.5	0.3	13.2
23	32.50				0.7	5.7	0.3	4.7	0.5	19.8	0.4	13.3	0.4	17.4	0.3	17.4	0.4	11.5	0.3	15.0
24	35.00				0.7	7.9	0.3	6.9	1.1	21.6	0.4	15.2	0.7	19.3	0.7	19.2	0.4	13.5	0.5	16.9
25	37.50				0.7	10.0	0.3	9.1	1.4	23.4	0.4	17.2	0.9	21.1	0.9	21.0	0.4	15.5	0.6	18.8
26	40.00	0.6	10.4		0.7	12.2	0.5	11.3	2.0	25.2	0.7	19.2	1.3	23.0	1.4	22.8	0.6	17.5	1.0	20.7
27	42.50	0.6	12.6		0.7	14.4	0.5	13.5	2.6	27.1	0.7	21.2	1.7	24.9	1.8	24.6	0.6	19.5	1.2	22.5
28	45.00	0.6	14.9		0.7	16.5	0.5	15.7	3.9	28.9	1.7	23.2	2.9	26.7	2.6	26.4	1.3	21.5	2.0	24.4
29	47.50	0.6	17.1		0.7	18.7	0.5	17.9	4.8	30.7	1.7	25.2	3.4	28.6	3.2	28.2	1.3	23.6	2.3	26.3
30	50.00	1.0	19.3		0.7	20.9	0.7	20.1	6.4	32.5	3.5	27.2	5.1	30.5	4.4	30.0	2.4	25.6	3.5	28.2
31	52.:50	1.4	21.5		0.7	23.0	0.9	22.3	8.6	34.3	4.9	29.2	6.9	32.3	6.0	31.8	3.3	27.6	4.8	30.1
32	55.00	2.1	23.7		2.7	25.2	2.3	24.5	11.4	36.1	5.7	31.2	8.7	34.2	8.0	33.6	4.6	29.6	6.4	31.9
33	57.50	2.5	25.9		3.4	27.4	2.8	26.7	14.2	38.0	8.1	33.1	11.4	36.1	10.0	35.4	6.4	31.6	8.3	33.8
34	60.00	5.5	28.2		4.2	29.5	4.8	28.8	16.5	39.8	10.8	35.1	13.9	37.9	12.6	37.2	8.4	33.6	10.7	35.7
35	62.50	7.4	30.4		5.1	31.7	6.3	31.0	20.4	41.6	13.3	37.1	17.1	39.8	15.8	39.0	10.3	35.6	13.2	37.6
36	65.00	9.0	32.6		9.0	33.9	9.0	33.2	27.0	43.4	15.2	39.1	21.5	41.6	20.7	40.8	13.0	37.6	17.1	39.5
37	67.50	10.6	34.8		11.2	36.0	10.9	35.4	30.7	45.2	20.4	41.1	25.9	43.5	23.6	42.6	17.1	39.6	20.6	41.3
38	70.00	12.9	37.0		14.4	38.2	13.6	37.6	37.9	47.0	25.1	43.1	32.0	45.4	29.1	44.4	21.3	41.6	25.5	43.2
39	72.50	14.9	39.3		16.2	40.3	15.5	39.8	45.2	48.9	29.8	45.1	38.0	47.2	34.5	46.2	25.0	43.6	30.0	45.1
40	75.00	17.6	41.5		18.9	42.5	18.2	42.0	53.1	50.7	35.5	47.1	44.9	49.1	40.6	48.0	29.6	45.6	35.4	47.0
41	77.50	25.2	43.7		31.0	44.7	27.9	44.2	60.4	52.:5	45.3	49.1	53.4	51.0	48.0	49.8	40.2	47.6	44.4	48.9
42	80.00	30.6	45.9		37.2	46.8	33.7	46.4	68.0	54.3	52.:2	51.1	60.6	52.:8	54.8	51.6	46.9	49.6	51.1	50.7
43	82.50	38.5	48.1		45.7	49.0	41.9	48.6	74.8	56.1	59.6	53.0	67.7	54.7	62.0	53.4	54.6	51.7	58.6	52.:6
44	85.00	48.7	50.4		54.2	51.2	51.3	50.7	80.1	57.9	69.7	55.0	75.3	56.6	69.0	55.2	64.2	53.7	66.8	54.5
45	87.50	59.3	52.:6		62.7	53.3	60.9	52.:9	85.7	59.8	79.0	57.0	82.6	58.4	76.4	57.0	73.3	55.7	74.9	56.4
46	90.00	69.9	54.8		72.6	55.5	71.2	55.1	89.6	61.6	85.5	59.0	87.7	60.3	82.6	58.8	80.9	57.7	81.8	58.3
47	92.50	78.5	57.0		80.3	57.7	79.3	57.3	93.8	63.4	90.6	61.0	92.3	62.1	88.4	60.6	87.0	59.7	87.7	60.1
48	95.00	85.1	59.2		87.0	59.8	86.0	59.5	97.4	65.2	95.1	63.0	96.3	64.0	93.1	62.4	92.2	61.7	92.7	62.0
49	97.50	93.7	61.5		92.0	62.0	92.9	61.7	99.1	67.0	97.8	65.0	98.5	65.9	97.2	64.2	95.7	63.7	96.5	63.9
50	100.00	100.0	63.7		100.0	64.2	100.0	63.9	100.0	68.8	100.0	67.0	100.0	67.7	100.0	66.0	100.0	65.7	100.0	65.8

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 17: CH – Switzerland. Individual norm data for KIDSCREEN-52: Physical Well-being

Raw-Score	0-100 Score	Females (n=287)		Children 8-11 Males (n=267)		All (n=554)		Females (n=592)		Adolescents 12-18 Males (n=499)		All (n=1091)		Females (n=879)		Children & Adolescents 8-18 Males (n=766)		All (n=1645)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00																		
6	5.56																		
7	11.11							0.5	15.2	0.3	7.0	0.4	12.3	0.4	13.3	0.2	5.1	0.2	10.3
8	16.67							1.2	18.5	0.3	10.7	0.7	15.7	0.8	16.6	0.2	8.9	0.5	13.7
9	22.22	0.6	12.9			0.3	10.2	2.0	21.8	0.5	14.4	1.3	19.1	1.5	19.9	0.3	12.6	0.9	17.2
10	27.78	0.6	16.6			0.3	14.0	2.9	25.0	0.5	18.1	1.7	22.5	2.1	23.2	0.3	16.3	1.2	20.6
11	33.33	0.9	20.3	0.9	13.9	0.7	17.8	4.2	28.3	1.6	21.8	3.0	25.9	3.1	26.5	1.3	20.0	2.3	24.1
12	38.89	1.5	24.0	1.3	18.0	1.3	21.6	6.2	31.6	3.0	25.5	4.8	29.3	4.7	29.8	2.3	23.8	3.6	27.5
13	44.44	3.8	27.7	1.7	22.1	2.7	25.5	10.1	34.8	4.2	29.2	7.4	32.7	8.1	33.1	3.3	27.5	5.8	31.0
14	50.00	6.3	31.4	3.4	26.2	4.9	29.3	14.7	38.1	8.0	32.9	11.6	36.1	11.9	36.4	6.4	31.2	9.4	34.4
15	55.56	12.9	35.1	6.4	30.3	9.7	33.1	20.1	41.4	12.6	36.6	16.7	39.5	17.7	39.7	10.4	34.9	14.3	37.8
16	61.11	18.1	38.8	9.4	34.3	13.9	36.9	31.4	44.6	20.1	40.3	26.2	42.9	27.1	43.1	16.3	38.7	22.1	41.3
17	66.67	25.8	42.4	16.1	38.4	21.1	40.7	42.1	47.9	29.8	44.1	36.5	46.3	36.7	46.4	25.0	42.4	31.3	44.7
18	72.22	35.8	46.1	25.1	42.5	30.7	44.6	55.7	51.2	43.1	47.8	49.9	49.7	49.2	49.7	36.8	46.1	43.4	48.2
19	77.78	49.9	49.8	40.5	46.6	45.3	48.4	70.6	54.4	59.6	51.5	65.6	53.1	63.8	53.0	52.9	49.9	58.7	51.6
20	83.33	67.6	53.5	53.5	50.7	60.8	52.2	83.5	57.7	74.4	55.2	79.3	56.5	78.3	56.3	67.1	53.6	73.1	55.0
21	88.89	81.2	57.2	72.3	54.7	76.9	56.0	93.1	61.0	87.2	58.9	90.4	59.9	89.2	59.6	81.9	57.3	85.8	58.5
22	94.44	91.3	60.9	86.2	58.8	88.8	59.8	97.8	64.3	94.8	62.6	96.4	63.3	95.7	62.9	91.8	61.1	93.9	61.9
23	100.00	100.0	64.6	100.0	62.9	100.0	63.6	100.0	67.5	100.0	66.3	100.0	66.7	100.0	66.2	100.0	64.8	100.0	65.4

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ($M = 50$, $SD = 10$).

Table A7_D - 18: CH – Switzerland. Individual norm data for KIDSCREEN-52: Psychological Well-being

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=298)		Males (n=267)		All (n=565)		Females (n=601)		Males (n=503)		All (n=1104)		Females (n=899)		Males (n=770)		All (n=1659)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00																		
7	4.17																		
8	8.33																		
9	12.50																		
10	16.67			0.6	-12.1	0.3	-14.2	0.4	9.4			0.1	2.4	0.2	2.1			0.1	-1.6
11	20.83			0.6	-8.5	0.3	-10.4	0.9	12.1			0.2	5.3	0.3	4.9	0.2	-3.8	0.2	1.5
12	25.00			0.6	-4.8	0.3	-6.7	1.1	14.8			0.5	8.2	0.6	7.8	0.2	-0.5	0.4	4.5
13	29.17			0.6	-1.2	0.3	-2.9	1.4	17.5			0.6	11.1	0.7	10.7	0.2	2.9	0.5	7.6
14	33.33			1.2	2.5	0.6	0.9	1.7	20.2	0.3	11.4	0.8	14.0	0.9	13.5	0.2	6.2	0.6	10.6
15	37.50			1.2	6.2	0.6	4.7	2.4	22.9	1.0	14.7	1.0	16.9	1.2	16.4	0.5	9.5	0.8	13.7
16	41.67	0.5	7.1	1.2	9.8	0.8	8.5	3.2	25.5	2.0	18.0	1.7	19.8	1.6	19.3	1.0	12.8	1.3	16.7
17	45.83	0.5	11.0	1.2	13.5	0.8	12.3	4.8	28.2	3.4	21.3	2.6	22.7	2.2	22.2	1.7	16.2	2.0	19.8
18	50.00	0.5	14.9	1.7	17.1	1.0	16.1	6.9	30.9	3.7	24.6	4.2	25.6	3.3	25.0	2.6	19.5	3.0	22.8
19	54.17	1.4	18.8	1.7	20.8	1.4	19.9	9.3	33.6	4.8	27.9	5.4	28.6	4.7	27.9	2.9	22.8	3.8	25.9
20	58.33	2.4	22.8	2.1	24.4	2.1	23.6	10.7	36.3	5.8	31.2	7.3	31.5	6.7	30.8	3.6	26.2	5.3	28.9
21	62.50	2.9	26.7	2.7	28.1	2.7	27.4	14.5	39.0	8.6	34.5	8.4	34.4	7.9	33.6	4.4	29.5	6.3	32.0
22	66.67	5.7	30.6	5.2	31.8	5.5	31.2	19.7	41.7	12.4	37.8	11.8	37.3	10.6	36.5	6.5	32.8	8.7	35.0
23	70.83	10.3	34.6	7.9	35.4	9.2	35.0	24.7	44.3	18.5	41.1	16.4	40.2	15.0	39.4	9.9	36.2	12.7	38.1
24	75.00	15.4	38.5	14.6	39.1	15.0	38.8	35.7	47.0	26.4	44.4	21.9	43.1	19.9	42.2	14.8	39.5	17.6	41.1
25	79.17	25.1	42.4	24.0	42.7	24.6	42.6	46.1	49.7	40.0	47.7	31.5	46.0	28.9	45.1	22.3	42.8	25.9	44.2
26	83.33	39.4	46.3	34.5	46.4	37.1	46.4	57.4	52.4	52.8	51.0	43.3	48.9	39.1	48.0	34.4	46.2	37.0	47.2
27	87.50	54.3	50.3	51.3	50.0	52.9	50.2	73.2	55.1	72.3	54.3	55.3	51.8	51.4	50.8	46.5	49.5	49.1	50.3
28	91.67	66.3	54.2	66.6	53.7	66.5	53.9	84.0	57.8	85.4	57.6	72.8	54.7	66.9	53.7	65.0	52.8	66.0	53.3
29	95.83	82.1	58.1	83.5	57.4	82.8	57.7	92.4	60.5	92.0	60.9	84.7	57.6	78.2	56.6	78.9	56.2	78.5	56.4
30	100.00	100.0	62.0	100.0	61.0	100.0	61.5	100.0	63.2	100.0	64.1	100.0	63.4	100.0	62.3	100.0	62.8	100.0	62.5

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 19: CH – Switzerland. Individual norm data for KIDSCREEN-52: Moods & Emotions

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=290)		Males (n=270)		All (n=560)		Females (n=602)		Males (n=508)		All (n=1110)		Females (n=892)		Males (n=778)		All (n=1670)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
7	0.00																		
8	3.57																		
9	7.14							0.3	8.6			0.1	3.6	0.2	5.4			0.1	0.7
10	10.71							0.3	10.7			0.1	5.9	0.2	7.6			0.1	3.1
11	14.29							0.3	12.9			0.1	8.2	0.2	9.8			0.1	5.4
12	17.86			0.6	-1.6	0.3	-0.9	0.4	15.0	0.3	1.1	0.3	10.5	0.3	12.0	0.3	0.4	0.2	7.8
13	21.43			0.6	1.1	0.3	1.8	0.4	17.1	0.5	3.8	0.4	12.7	0.3	14.2	0.5	3.1	0.3	10.2
14	25.00			0.6	3.9	0.3	4.5	0.4	19.2	0.5	6.5	0.4	15.0	0.3	16.4	0.5	5.8	0.3	12.6
15	28.57			0.6	6.6	0.3	7.2	1.2	21.3	0.5	9.2	0.8	17.3	0.8	18.6	0.5	8.5	0.6	15.0
16	32.14			1.0	9.3	0.5	9.9	1.8	23.5	0.7	11.9	1.3	19.6	1.2	20.8	0.7	11.2	1.0	17.3
17	35.71			1.0	12.0	0.5	12.6	2.5	25.6	0.7	14.6	1.6	21.9	1.7	23.0	0.7	13.9	1.2	19.7
18	39.29	1.1	15.8	1.0	14.8	0.9	15.3	3.7	27.7	0.9	17.3	2.3	24.2	2.8	25.3	0.9	16.6	1.9	22.1
19	42.86	1.1	5.4	1.0	17.5	0.9	18.6	5.2	29.8	1.1	19.9	3.3	26.5	3.8	27.5	1.0	19.3	2.5	24.4
20	46.43	2.2	21.2	1.4	20.2	1.6	20.8	7.2	32.0	1.8	22.6	4.7	28.8	5.5	29.7	1.5	22.0	3.7	26.8
21	50.00	2.9	23.8	2.6	23.0	2.7	23.5	9.5	34.1	2.1	25.3	6.0	31.1	7.3	31.9	2.2	24.6	4.9	29.2
22	53.57	4.2	26.5	3.2	25.7	3.6	26.2	12.1	36.2	3.3	28.0	8.1	33.4	9.5	34.1	3.2	27.3	6.6	31.5
23	57.14	6.6	29.2	4.2	28.4	5.4	28.9	15.5	38.3	5.5	30.7	10.9	35.6	12.6	36.3	5.0	30.0	9.1	33.9
24	60.71	7.3	31.9	5.6	31.1	6.5	31.6	20.3	40.5	7.3	33.4	14.3	37.9	16.1	38.5	6.7	32.7	11.7	36.3
25	64.29	9.7	34.6	7.1	33.9	8.4	34.3	24.0	42.6	11.4	36.1	18.2	40.2	19.3	40.7	9.9	35.4	15.0	38.7
26	67.86	13.1	37.3	11.2	36.6	12.2	37.0	28.6	44.7	15.6	38.8	22.7	42.5	23.6	42.9	14.1	38.1	19.2	41.0
27	71.43	16.6	40.0	15.3	39.3	15.9	39.7	33.8	46.8	22.5	41.5	28.6	44.8	28.2	45.1	20.0	40.8	24.4	43.4
28	75.00	23.1	42.7	21.9	42.0	22.5	42.4	42.7	48.9	28.6	44.1	36.2	47.1	36.3	47.3	26.3	43.5	31.6	45.8
29	78.57	30.4	45.4	31.5	44.8	30.9	45.1	51.9	51.1	35.6	46.8	44.4	49.4	44.9	49.5	34.2	46.1	39.9	48.1
30	82.14	39.7	48.1	39.3	47.5	39.5	47.8	60.0	53.2	46.3	49.5	53.7	51.7	53.4	51.7	43.8	48.8	48.9	50.5
31	85.71	49.0	50.8	47.8	50.2	48.4	50.5	69.4	55.3	57.6	52.2	64.0	54.0	62.7	53.9	54.2	51.5	58.8	52.9
32	89.29	61.4	53.5	58.5	53.0	60.0	53.2	78.6	57.4	68.5	54.9	74.0	56.3	73.0	56.1	65.1	54.2	69.3	55.3
33	92.86	74.5	56.1	70.9	55.7	72.7	55.9	87.9	59.6	80.1	57.6	84.3	58.5	83.5	58.3	76.9	56.9	80.4	57.6
34	96.43	85.5	58.8	84.1	58.4	84.8	58.6	93.0	61.7	91.3	60.3	92.2	60.8	90.6	60.5	88.8	59.6	89.8	60.0
35	100.00	100.0	61.5	100.0	61.1	100.0	61.3	100.0	63.8	100.0	63.0	100.0	63.1	100.0	62.8	100.0	62.3	100.0	62.4

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 20: CH – Switzerland. Individual norm data for KIDSCREEN-52: Self Perception

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=291)		Males (n=271)		All (n=563)		Females (n=596)		Males (n=509)		All (n=1105)		Females (n=887)		Males (n=781)		All (n=1668)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00							0.3	13.3			0.1	8.6	0.2	10.1			0.1	4.6
6	5.00							0.4	15.9			0.2	11.3	0.3	12.8			0.2	7.5
7	10.00							0.4	18.5			0.2	14.1	0.3	15.4			0.2	10.4
8	15.00							0.6	21.1			0.3	16.8	0.4	18.0			0.2	13.2
9	20.00							1.4	23.7			0.7	19.6	0.9	20.6			0.5	16.0
10	25.00							2.4	26.3	0.3	13.0	1.4	22.3	1.6	23.2	0.2	9.6	0.9	18.9
11	30.00							3.9	28.9	0.5	16.3	2.3	25.1	2.6	25.9	0.3	13.0	1.5	21.7
12	35.00							5.4	31.5	0.7	19.6	3.2	27.8	3.6	28.5	0.5	16.4	2.1	24.5
13	40.00	0.5	14.3	0.9	6.8	0.6	11.3	8.6	34.1	1.8	22.9	5.4	30.6	5.9	31.1	1.4	19.8	3.8	27.4
14	45.00	1.1	18.1	0.9	11.2	0.9	15.3	12.6	36.7	3.7	26.2	8.5	33.3	8.8	33.7	2.7	23.3	5.9	30.2
15	50.00	2.4	21.9	1.6	15.5	1.9	19.3	18.0	39.3	5.5	29.5	12.2	36.0	12.9	36.4	4.1	26.7	8.8	33.1
16	55.00	4.8	25.7	2.6	19.9	3.7	23.3	24.2	41.9	8.4	32.8	16.9	38.8	17.8	39.0	6.4	30.1	12.5	35.9
17	60.00	6.2	29.5	4.0	24.2	5.1	27.3	31.3	44.5	12.8	36.1	22.7	41.5	23.0	41.6	9.7	33.5	16.8	38.8
18	65.00	9.6	33.3	5.5	28.5	7.6	31.3	40.8	47.1	18.2	39.4	30.4	44.3	30.6	44.2	13.8	37.0	22.7	41.6
19	70.00	13.4	37.1	7.0	32.9	10.3	35.4	51.2	49.7	25.7	42.7	39.5	47.0	38.8	46.8	19.2	40.4	29.6	44.4
20	75.00	19.5	40.9	13.2	37.2	16.5	39.4	59.1	52.3	34.6	46.0	47.8	49.8	46.1	49.5	27.1	43.8	37.2	47.3
21	80.00	31.9	44.7	21.6	41.6	26.9	43.4	69.4	54.9	46.9	49.3	59.0	52.5	57.1	52.1	38.1	47.2	48.2	50.1
22	85.00	42.2	48.5	32.0	45.9	37.3	47.4	76.9	57.5	61.1	52.6	69.6	55.2	65.5	54.7	51.0	50.7	58.7	53.0
23	90.00	57.3	52.3	49.4	50.3	53.5	51.4	87.6	60.1	74.3	55.9	81.5	58.0	77.7	57.3	65.6	54.1	72.0	55.8
24	95.00	72.4	56.1	68.1	54.6	70.3	55.4	93.6	62.7	85.7	59.2	90.0	60.7	86.7	60.0	79.5	57.5	83.3	58.7
25	100.00	100.0	59.9	100.0	59.0	100.0	59.4	100.0	65.3	100.0	62.5	100.0	63.5	100.0	62.6	100.0	60.9	100.0	61.5

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7_D - 21: CH – Switzerland. Individual norm data for KIDSCREEN-52: Autonomy

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=297)		Males (n=272)		All (n=569)		Females (n=601)		Males (n=502)		All (n=1103)		Females (n=898)		Males (n=774)		All (n=1672)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00							0.3	8.2			0.1	5.4	0.2	5.3			0.1	2.1
6	5.00							0.4	11.0			0.2	8.3	0.3	8.2			0.2	5.1
7	10.00							0.4	13.8			0.2	11.2	0.3	11.1			0.2	8.2
8	15.00							0.4	16.5	0.3	9.8	0.3	14.0	0.3	14.0	0.2	6.7	0.2	11.2
9	20.00	0.5	8.7			0.3	6.0	0.9	19.3	0.5	12.9	0.6	16.9	0.7	16.9	0.3	10.0	0.5	14.2
10	25.00	0.9	12.1	0.6	6.1	0.6	9.6	1.7	22.1	1.0	16.0	1.4	19.8	1.3	19.7	0.8	13.3	1.1	17.2
11	30.00	1.2	15.4	0.6	9.9	0.8	13.1	3.7	24.9	1.3	19.1	2.6	22.7	2.8	22.6	1.0	16.6	1.9	20.3
12	35.00	1.5	18.8	0.9	13.6	1.1	16.6	5.0	27.6	1.8	22.2	3.6	25.6	3.8	25.5	1.4	19.8	2.7	23.3
13	40.00	1.9	22.2	0.9	17.4	1.3	20.2	6.9	30.4	2.2	25.3	4.7	28.4	5.1	28.4	1.7	23.1	3.5	26.3
14	45.00	3.1	25.5	1.6	21.2	2.3	23.7	8.5	33.2	4.6	28.4	6.7	31.3	6.7	31.3	3.5	26.4	5.2	29.4
15	50.00	5.4	28.9	2.6	25.0	4.0	27.2	11.5	36.0	6.9	31.5	9.4	34.2	9.5	34.2	5.4	29.7	7.6	32.4
16	55.00	7.1	32.3	4.4	28.7	5.8	30.8	14.8	38.7	9.8	34.6	12.5	37.1	12.3	37.1	7.9	32.9	10.2	35.4
17	60.00	10.8	35.6	8.0	32.5	9.5	34.3	20.6	41.5	13.5	37.7	17.4	40.0	17.4	40.0	11.6	36.2	14.7	38.5
18	65.00	18.3	39.0	12.0	36.3	15.3	37.8	27.1	44.3	20.3	40.8	24.0	42.9	24.2	42.9	17.4	39.5	21.1	41.5
19	70.00	22.6	42.4	18.0	40.0	20.4	41.4	35.5	47.1	28.2	43.9	32.2	45.7	31.2	45.8	24.6	42.8	28.2	44.5
20	75.00	29.0	45.7	29.0	43.8	29.0	44.9	46.6	49.8	39.1	47.0	43.2	48.6	40.8	48.7	35.6	46.0	38.4	47.6
21	80.00	45.8	49.1	43.0	47.6	44.5	48.4	60.5	52.6	48.3	50.1	55.0	51.5	55.7	51.6	46.5	49.3	51.4	50.6
22	85.00	63.3	52.5	56.2	51.3	59.9	52.0	72.6	55.4	61.8	53.2	67.7	54.4	69.6	54.5	59.8	52.6	65.1	53.6
23	90.00	76.1	55.9	72.8	55.1	74.5	55.5	83.8	58.1	74.8	56.3	79.7	57.3	81.3	57.3	74.1	55.9	77.9	56.7
24	95.00	87.2	59.2	86.4	58.9	86.8	59.0	93.3	60.9	87.6	59.4	90.7	60.2	91.3	60.2	87.2	59.1	89.4	59.7
25	100.00	100.0	62.6	100.0	62.7	100.0	62.6	100.0	63.7	100.0	62.5	100.0	63.0	100.0	63.1	100.0	62.4	100.0	62.7

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7_D - 22: CH – Switzerland. Individual norm data for KIDSCREEN-52: Parent Relations & Home Life

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=285)		Males (n=269)		All (n=554)		Females (n=583)		Males (n=492)		All (n=1075)		Females (n=868)		Males (n=761)		All (n=1029)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00							0.3	3.5			0.2	-1.6	0.2	-1.8			0.1	-6.5
7	4.17							0.3	5.9			0.2	1.0	0.2	0.8			0.1	-3.7
8	8.33							0.3	8.3			0.2	3.7	0.2	3.4			0.1	-0.9
9	12.50							0.3	10.7			0.2	6.3	0.2	5.9			0.1	1.9
10	16.67							0.5	13.1			0.2	8.9	0.3	8.5			0.2	4.7
11	20.83			0.6	-7.7	0.3	-8.1	1.4	15.5			0.8	11.5	0.9	11.1	0.2	1.8	0.6	7.5
12	25.00			0.6	-4.1	0.3	-4.5	1.6	17.8	0.3	7.7	1.0	14.1	1.1	13.7	0.3	5.0	0.7	10.3
13	29.17			0.6	-0.6	0.3	-0.9	2.0	20.2	0.7	10.8	1.3	16.8	1.3	16.3	0.6	8.1	0.9	13.1
14	33.33			0.6	3.0	0.3	2.6	2.6	22.6	0.7	13.9	1.7	19.4	1.7	18.9	0.6	11.3	1.2	15.9
15	37.50			0.6	6.6	0.3	6.2	3.6	25.0	1.1	16.9	2.4	22.0	2.4	21.5	0.8	14.4	1.7	18.7
16	41.67	0.6	9.5	0.6	10.2	0.5	9.8	4.6	27.4	1.6	19.9	3.2	24.6	3.2	24.1	1.2	17.5	2.3	21.5
17	45.83	0.6	13.1	0.6	13.7	0.5	13.4	6.3	29.8	2.4	22.9	4.5	27.3	4.4	26.6	1.7	20.7	3.1	24.3
18	50.00	1.8	16.7	1.0	17.3	1.3	17.0	8.4	32.2	2.7	26.0	5.7	29.9	6.2	29.2	2.0	23.8	4.2	27.1
19	54.17	2.3	20.3	1.3	20.8	1.7	20.6	9.8	34.6	3.4	29.0	6.9	32.5	7.3	31.8	2.6	26.9	5.1	29.9
20	58.33	2.9	23.9	3.0	24.4	2.9	24.2	11.6	37.0	5.7	32.0	8.9	35.1	8.7	34.4	4.7	30.1	6.9	32.7
21	62.50	4.6	27.6	5.9	28.0	5.2	27.8	15.3	39.3	9.3	35.1	12.5	37.8	11.8	37.0	8.1	33.2	10.0	35.5
22	66.67	8.8	31.2	7.7	31.5	8.3	31.4	19.9	41.7	14.4	38.1	17.4	40.4	16.3	39.6	12.0	36.3	14.3	38.3
23	70.83	9.9	34.8	10.7	35.1	10.2	35.0	24.0	44.1	20.7	41.2	22.5	43.0	19.4	42.2	17.2	39.5	18.3	41.1
24	75.00	14.0	38.4	13.7	38.6	13.9	38.6	31.6	46.5	32.5	44.2	32.0	45.6	25.8	44.7	25.9	42.6	25.8	43.9
25	79.17	21.8	42.0	22.2	42.2	22.0	42.1	37.7	48.9	39.2	47.2	38.4	48.2	32.5	47.3	33.2	45.7	32.8	46.7
26	83.33	31.6	45.7	32.3	45.8	31.9	45.7	47.7	51.3	51.2	50.3	49.3	50.9	42.4	49.9	44.5	48.9	43.4	49.5
27	87.50	44.9	49.3	41.9	49.3	43.5	49.3	61.9	53.7	62.2	53.3	62.1	53.5	56.3	52.5	55.0	52.0	55.7	52.3
28	91.67	59.0	52.9	61.7	52.9	60.3	52.9	74.9	56.1	76.2	56.3	75.5	56.1	69.7	55.1	71.1	55.1	70.4	55.1
29	95.83	78.2	56.5	77.7	56.5	78.0	56.5	87.5	58.4	85.4	59.4	86.5	58.7	84.5	57.7	82.6	58.3	83.6	57.9
30	100.00	100.0	60.2	100.0	60.0	100.0	60.1	100.0	60.8	100.0	62.4	100.0	61.4	100.0	60.3	100.0	61.4	100.0	60.7

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 23: CH – Switzerland. Individual norm data for KIDSCREEN-52: Social Support & Peers

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=289)		Males (n=268)		All (n=557)		Females (n=593)		Males (n=502)		All (n=1095)		Females (n=880)		Males (n=770)		All (n=1652:)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00			0.6	7.1	0.3	5.1			0.5	7.3	0.2	5.0			0.4	7.3	0.2	5.0
7	4.17			0.6	9.5	0.3	7.5			0.5	9.7	0.2	7.5			0.4	9.7	0.2	7.5
8	8.33			1.0	11.8	0.5	9.9			0.5	12.0	0.2	9.9			0.6	12.0	0.3	9.9
9	12.50			1.0	14.2	0.5	12.4	0.4	10.0	0.8	14.4	0.5	12.4	0.3	10.2	0.8	14.4	0.5	12.4
10	16.67			1.9	16.5	0.9	14.8	0.6	12.6	1.3	16.8	0.8	14.8	0.4	12.7	1.4	16.8	0.8	14.8
11	20.83	0.5	15.5	2.8	18.8	1.5	17.2	0.9	15.1	1.5	19.2	1.1	17.3	0.7	15.3	1.9	19.1	1.2	17.3
12	25.00	0.9	18.0	2.8	21.2	1.7	19.7	1.3	17.6	1.7	21.6	1.5	19.7	1.1	17.8	2.0	21.5	1.5	19.7
13	29.17	1.2	20.6	3.3	23.5	2.1	22.1	1.7	20.2	1.9	24.0	1.7	22.1	1.5	20.3	2.3	23.9	1.8	22.1
14	33.33	1.6	23.1	3.3	25.9	2.3	24.5	2.2	22.7	2.2	26.4	2.2	24.6	1.9	22.9	2.5	26.2	2.2	24.6
15	37.50	3.1	25.7	3.9	28.2	3.5	27.0	3.4	25.2	3.6	28.7	3.5	27.0	3.3	25.4	3.7	28.6	3.5	27.0
16	41.67	4.6	28.2	5.6	30.5	5.1	29.4	4.9	27.8	5.4	31.1	5.1	29.5	4.8	27.9	5.5	30.9	5.1	29.5
17	45.83	6.0	30.7	6.8	32.8	6.3	31.8	5.9	30.3	7.6	33.5	6.7	31.9	5.9	30.5	7.3	33.3	6.6	31.9
18	50.00	7.3	33.3	9.3	35.2	8.3	34.3	7.9	32.8	11.0	35.9	9.3	34.4	7.7	33.0	10.4	35.7	9.0	34.4
19	54.17	11.1	35.8	10.9	37.5	11.0	36.7	10.4	35.4	14.8	38.3	12.4	36.8	10.6	35.5	13.4	38.0	11.9	36.8
20	58.33	16.0	38.4	14.2	39.9	15.1	39.1	13.1	37.9	18.7	40.7	15.7	39.3	14.1	38.1	17.2	40.4	15.5	39.2
21	62.50	20.8	40.9	20.5	42.2	20.6	41.6	16.8	40.5	24.1	43.0	20.1	41.7	18.1	40.6	22.9	42.8	20.3	41.7
22	66.67	27.0	43.4	26.5	44.5	26.7	44.0	22.4	43.0	30.1	45.4	25.9	44.2	23.9	43.1	28.8	45.1	26.2	44.1
23	70.83	34.9	46.0	35.4	46.9	35.2	46.4	29.8	45.5	39.9	47.8	34.4	46.6	31.5	45.7	38.4	47.5	34.7	46.6
24	75.00	44.7	48.5	44.4	49.2	44.5	48.9	39.4	48.1	50.6	50.2	44.6	49.1	41.1	48.2	48.5	49.9	44.6	49.0
25	79.17	53.5	51.1	56.0	51.6	54.7	51.3	49.4	50.6	60.8	52.6	54.6	51.5	50.7	50.7	59.1	52.2	54.6	51.5
26	83.33	62.9	53.6	63.8	53.9	63.3	53.7	61.0	53.1	71.4	55.0	65.8	54.0	61.6	53.3	68.7	54.6	64.9	53.9
27	87.50	70.9	56.1	74.6	56.2	72.7	56.2	73.8	55.7	80.0	57.4	76.7	56.4	72.9	55.8	78.1	56.9	75.3	56.3
28	91.67	83.3	58.7	87.7	58.6	85.4	58.6	84.3	58.2	86.7	59.7	85.4	58.9	84.0	58.4	87.0	59.3	85.4	58.8
29	95.83	93.4	61.2	92.9	60.9	93.1	61.0	93.4	60.7	93.9	62.1	93.6	61.3	93.4	60.9	93.5	61.7	93.5	61.2
30	100.00	100.0	63.8	100.0	63.2	100.0	63.5	100.0	63.3	100.0	64.5	100.0	63.8	100.0	63.4	100.0	64.0	100.0	63.7

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 24: CH – Switzerland. Individual norm data for KIDSCREEN-52: School Environment

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=293)		Males (n=268)		All (n=561)		Females (n=572)		Males (n=500)		All (n=1072)		Females (n=865)		Males (n=768)		All (n=1633)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00							0.3	8.9	0.5	12.3	0.3	10.6	0.2	7.9	0.3	10.7	0.2	9.3
7	4.17							0.5	11.4	0.9	14.6	0.6	13.0	0.3	10.3	0.6	12.9	0.4	11.6
8	8.33							0.6	13.9	1.1	16.9	0.8	15.4	0.4	12.7	0.7	15.2	0.5	13.9
9	12.50							0.6	16.4	1.3	19.1	0.9	17.7	0.4	15.1	0.9	17.5	0.6	16.3
10	16.67							0.8	18.8	1.3	21.4	1.0	20.1	0.5	17.4	0.9	19.8	0.6	18.6
11	20.83							1.4	21.3	2.4	23.7	1.9	22.5	0.9	19.8	1.6	22.0	1.2	20.9
12	25.00	1.1	12.3	1.2	17.8	1.1	15.3	1.9	23.7	3.0	26.0	2.4	24.9	1.6	22.2	2.3	24.3	1.9	23.2
13	29.17	1.6	15.0	1.2	20.3	1.3	17.9	2.6	26.2	3.8	28.3	3.2	27.2	2.2	24.6	2.9	26.5	2.5	25.5
14	33.33	1.9	17.7	1.2	22.8	1.5	20.5	3.5	28.7	5.0	30.5	4.2	29.6	2.9	26.9	3.6	28.8	3.2	27.8
15	37.50	2.2	20.4	3.7	25.3	2.8	23.1	5.6	31.2	7.2	32.8	6.3	32.0	4.4	29.3	6.0	31.0	5.1	30.2
16	41.67	2.2	23.2	6.0	27.7	3.9	25.7	7.2	33.6	9.6	35.1	8.3	34.4	5.4	31.7	8.3	33.3	6.8	32.5
17	45.83	3.1	25.9	6.8	30.2	4.8	28.2	10.3	36.1	12.4	37.4	11.3	36.7	7.8	34.0	10.4	35.6	9.0	34.8
18	50.00	5.1	28.6	7.6	32.7	6.2	30.8	14.3	38.6	14.7	39.7	14.5	39.1	11.2	36.4	12.2	37.8	11.7	37.1
19	54.17	7.1	31.3	9.3	35.2	8.2	33.4	20.5	41.0	19.7	41.9	20.1	41.5	15.9	38.8	16.1	40.1	16.0	39.4
20	58.33	10.2	34.1	11.9	37.7	11.0	36.0	27.1	43.5	27.4	44.2	27.2	43.9	21.4	41.2	22.0	42.4	21.7	41.7
21	62.50	14.3	36.8	15.7	40.2	15.0	38.6	33.9	46.0	35.8	46.5	34.8	46.2	27.2	43.5	28.8	44.6	28.0	44.1
22	66.67	17.0	39.5	22.4	42.7	19.6	41.2	44.0	48.4	45.5	48.8	44.7	48.6	34.9	45.9	37.5	46.9	36.1	46.4
23	70.83	20.4	42.2	30.9	45.1	25.5	43.7	54.0	50.9	55.3	51.1	54.6	51.0	42.6	48.3	46.8	49.1	44.6	48.7
24	75.00	26.6	44.9	43.2	47.6	34.5	46.3	67.1	53.4	64.0	53.3	65.7	53.4	53.4	50.7	56.8	51.4	55.0	51.0
25	79.17	33.7	47.7	50.8	50.1	41.9	48.9	75.9	55.9	74.4	55.6	75.2	55.7	61.6	53.0	66.1	53.7	63.7	53.3
26	83.33	45.8	50.4	60.0	52.6	52.6	51.5	83.3	58.3	82.8	57.9	83.1	58.1	70.6	55.4	74.9	55.9	72.6	55.7
27	87.50	58.1	53.1	68.6	55.1	63.1	54.1	89.2	60.8	89.2	60.2	89.2	60.5	78.6	57.8	82.0	58.2	80.2	58.0
28	91.67	75.7	55.8	76.9	57.6	76.3	56.6	95.0	63.3	93.2	62.5	94.1	62.9	88.5	60.1	87.5	60.5	88.0	60.3
29	95.83	89.0	58.6	86.6	60.0	87.8	59.2	97.9	65.7	96.8	64.7	97.4	65.2	94.9	62.5	93.2	62.7	94.1	62.6
30	100.00	100.0	61.3	100.0	62.5	100.0	61.8	100.0	68.2	100.0	67.0	100.0	67.6	100.0	64.9	100.0	65.0	100.0	64.9

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 25: CH – Switzerland. Individual norm data for KIDSCREEN-52: Social Acceptance

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=298)		Males (n=271)		All (n=569)		Females (n=603)		Males (n=506)		All (n=1109)		Females (n=901)		Males (n=777)		All (n=1678)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
3	0.00			0.6	3.5	0.3	-2.0									0.2	-3.5	0.1	-6.7
4	8.33			0.6	8.2	0.3	3.1	0.4	-5.2			0.2	-4.5	0.3	-4.5	0.2	1.6	0.2	-1.3
5	16.67	0.5	1.8	1.0	12.8	0.6	8.1	0.4	0.4			0.2	1.1	0.4	1.1	0.3	6.7	0.3	4.0
6	25.00	0.5	7.5	1.6	17.4	0.9	13.1	0.8	6.0	0.8	7.3	0.8	6.7	0.7	6.7	1.0	11.8	0.8	9.4
7	33.33	0.9	13.2	2.3	22.0	1.4	18.2	1.3	11.6	1.6	12.9	1.4	12.3	1.1	12.3	1.8	17.0	1.4	14.7
8	41.67	1.2	18.8	3.4	26.6	2.1	23.2	2.0	17.3	2.4	18.4	2.2	17.9	1.7	17.9	2.7	22.1	2.2	20.1
9	50.00	3.7	24.5	8.2	31.2	5.8	28.3	3.8	22.9	3.9	24.0	3.9	23.4	3.8	23.5	5.4	27.2	4.5	25.4
10	58.33	8.0	30.2	12.6	35.8	10.2	33.3	6.0	28.5	6.3	29.6	6.1	29.0	6.6	29.1	8.5	32.3	7.5	30.7
11	66.67	12.1	35.8	20.7	40.4	16.2	38.4	10.7	34.1	11.0	35.2	10.9	34.6	11.2	34.7	14.4	37.4	12.7	36.1
12	75.00	25.1	41.5	31.0	45.0	27.9	43.4	16.4	39.7	20.3	40.7	18.2	40.2	19.3	40.3	24.1	42.5	21.5	41.4
13	83.33	39.1	47.2	46.9	49.6	42.8	48.5	26.9	45.3	33.6	46.3	30.0	45.8	31.0	46.0	38.3	47.6	34.4	46.8
14	91.67	59.0	52.8	63.9	54.2	61.3	53.5	48.2	51.0	53.6	51.9	50.7	51.4	51.8	51.6	57.2	52.7	54.3	52.1
15	100.00	100.0	58.5	100.0	58.8	100.0	58.6	100.0	56.6	100.0	57.4	100.0	57.0	100.0	57.2	100.0	57.9	100.0	57.5

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 26: CH – Switzerland. Individual norm data for KIDSCREEN-52: Financial Resources

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=279)		Males (n=265)		All (n=544)		Females (n=590)		Males (n=500)		All (n=1090)		Females (n=869)		Males (n=765)		All (n=1634)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
3	0.00	0.8	6.7			0.4	8.9			0.3	12.7	0.1	11.0	0.3	8.5	0.2	12.1	0.2	10.4
4	8.33	0.8	11.0	0.6	14.8	0.7	13.1	0.4	13.4	0.8	16.6	0.5	15.0	0.5	12.7	0.7	16.1	0.6	14.4
5	16.67	1.3	15.3	1.6	18.9	1.3	17.2	1.4	17.5	1.4	20.5	1.4	19.0	1.3	16.9	1.4	20.0	1.3	18.5
6	25.00	1.7	19.6	3.4	22.9	2.4	21.4	2.9	21.6	3.2	24.4	3.0	23.0	2.4	21.0	3.3	23.9	2.8	22.5
7	33.33	2.9	23.9	6.0	26.9	4.4	25.5	4.1	25.8	5.0	28.3	4.5	27.1	3.7	25.2	5.4	27.9	4.5	26.6
8	41.67	6.1	28.2	6.9	30.9	6.4	29.7	6.6	29.9	8.8	32.3	7.6	31.1	6.4	29.4	8.1	31.8	7.2	30.6
9	50.00	8.6	32.5	10.5	35.0	9.5	33.8	11.8	34.0	14.6	36.2	13.1	35.1	10.8	33.6	13.2	35.8	11.9	34.7
10	58.33	13.6	36.8	16.5	39.0	15.0	38.0	16.4	38.2	20.0	40.1	18.1	39.1	15.5	37.8	18.8	39.7	17.1	38.7
11	66.67	21.9	41.1	26.3	43.0	24.1	42.1	22.5	42.3	27.8	44.0	25.0	43.1	22.3	42.0	27.3	43.7	24.7	42.8
12	75.00	30.5	45.4	36.9	47.0	33.6	46.3	33.7	46.4	40.5	47.9	36.8	47.1	32.7	46.1	39.2	47.6	35.7	46.9
13	83.33	44.5	49.7	50.1	51.1	47.2	50.4	49.2	50.6	53.3	51.8	51.0	51.2	47.7	50.3	52.2	51.5	49.8	50.9
14	91.67	62.0	54.0	66.7	55.1	64.3	54.6	65.4	54.7	70.7	55.7	67.9	55.2	64.3	54.5	69.3	55.5	66.7	55.0
15	100.00	100.0	58.3	100.0	59.1	100.0	58.7	100.0	58.9	100.0	59.6	100.0	59.2	100.0	58.7	100.0	59.4	100.0	59.0

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ($M = 50$, $SD = 10$).

Table A7_D - 27: CH – Switzerland. Individual norm data for KIDSCREEN-27: Physical Well-being

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=287)		Males (n=267)		All (n=554)		Females (n=592)		Males (n=499)		All (n=1091)		Females (n=879)		Males (n=766)		All (n=1645)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00																		
6	5.56																		
7	11.11							0.5	15.2	0.3	7.0	0.4	12.3	0.4	13.3	0.2	5.1	0.2	10.3
8	16.67							1.2	18.5	0.3	10.7	0.7	15.7	0.8	16.6	0.2	8.9	0.5	13.8
9	22.22	0.5	13.0			0.3	10.2	2.0	21.7	0.5	14.4	1.3	19.1	1.5	19.9	0.3	12.6	0.9	17.2
10	27.78	0.5	16.7			0.3	14.0	2.9	25.0	0.5	18.1	1.8	22.5	2.1	23.2	0.3	16.3	1.2	20.6
11	33.33	0.9	20.3	0.9	13.9	0.8	17.8	4.2	28.3	1.6	21.8	3.0	25.9	3.1	26.5	1.3	20.0	2.3	24.1
12	38.89	1.5	24.0	1.4	18.0	1.3	21.7	6.3	31.6	3.0	25.5	4.8	29.3	4.7	29.8	2.3	23.7	3.6	27.5
13	44.44	3.8	27.7	1.7	22.1	2.7	25.5	10.2	34.8	4.2	29.2	7.4	32.7	8.1	33.1	3.3	27.5	5.8	31.0
14	50.00	6.3	31.4	3.4	26.2	4.9	29.3	14.7	38.1	8.0	32.9	11.7	36.1	12.0	36.4	6.4	31.2	9.4	34.4
15	55.56	12.9	35.1	6.4	30.2	9.7	33.1	20.1	41.4	12.6	36.6	16.7	39.5	17.7	39.8	10.5	34.9	14.4	37.8
16	61.11	18.1	38.8	9.4	34.3	13.9	36.9	31.4	44.6	20.0	40.3	26.2	42.9	27.1	43.1	16.3	38.7	22.1	41.3
17	66.67	25.8	42.5	16.1	38.4	21.1	40.7	42.1	47.9	29.9	44.0	36.5	46.3	36.7	46.4	25.1	42.4	31.3	44.7
18	72.22	36.0	46.2	25.1	42.5	30.8	44.6	55.7	51.2	43.1	47.8	50.0	49.7	49.3	49.7	36.9	46.1	43.5	48.2
19	77.78	49.8	49.8	40.4	46.6	45.3	48.4	70.6	54.5	59.6	51.5	65.6	53.1	63.8	53.0	52.9	49.9	58.7	51.6
20	83.33	67.5	53.5	53.5	50.7	60.8	52.2	83.5	57.7	74.4	55.2	79.3	56.5	78.3	56.3	67.1	53.6	73.1	55.0
21	88.89	81.1	57.2	72.2	54.7	76.8	56.0	93.1	61.0	87.2	58.9	90.4	59.9	89.2	59.6	82.0	57.3	85.8	58.5
22	94.44	91.2	60.9	86.1	58.8	88.8	59.8	97.8	64.3	94.8	62.6	96.4	63.3	95.7	62.9	91.8	61.1	93.8	61.9
23	100.00	100.0	64.6	100.0	62.9	100.0	63.6	100.0	67.5	100.0	66.3	100.0	66.7	100.0	66.2	100.0	64.8	100.0	65.4

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ($M = 50$, $SD = 10$).

Table A7_D - 28: CH – Switzerland. Individual norm data for KIDSCREEN-27: Psychological Well-being

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=295)		Males (n=269)		All (n=594)		Females (n=602)		Males (n=506)		All (n=1108)		Females (n=897)		Males (n=775)		All (n=1702)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
7	0.00																		
8	3.57																		
9	7.14																		
10	10.71							0.3	4.9			0.1	-0.2	0.2	1.3			0.1	-3.6
11	14.29							0.3	7.3			0.1	2.4	0.2	3.8			0.1	-0.9
12	17.86							0.4	9.7			0.2	5.0	0.3	6.2			0.2	1.8
13	21.43			0.6	-8.7	0.3	-7.0	0.4	12.1			0.2	7.6	0.3	8.7	0.2	-3.2	0.2	4.4
14	25.00			0.6	-5.5	0.3	-3.9	0.6	14.5	0.3	1.4	0.4	10.1	0.4	11.2	0.3	-0.2	0.3	7.1
15	28.57			0.6	2.3	0.3	-0.7	0.9	16.8	0.3	4.4	0.6	12.7	0.6	13.7	0.3	2.8	0.4	9.8
16	32.14			1.0	0.9	0.5	2.4	1.2	19.2	0.5	7.4	0.8	15.3	0.8	16.2	0.6	5.8	0.7	12.5
17	35.71	0.5	6.6	1.0	4.1	0.6	5.6	1.4	21.6	0.7	10.4	1.0	17.8	1.0	18.7	0.7	8.9	0.8	15.1
18	39.29	0.5	9.7	1.4	7.3	0.8	8.7	3.0	24.0	0.9	13.4	2.0	20.4	2.1	21.2	0.9	11.9	1.5	17.8
19	42.86	0.5	12.9	1.4	10.5	0.8	11.9	3.2	26.4	1.2	16.4	2.3	23.0	2.3	23.7	1.2	14.9	1.7	20.5
20	46.43	0.9	16.0	1.4	13.7	1.0	15.0	5.0	28.8	1.5	19.4	3.3	25.6	3.6	26.2	1.4	17.9	2.5	23.2
21	50.00	1.5	19.1	1.4	16.9	1.3	18.2	6.0	31.2	1.5	22.4	3.9	28.1	4.4	28.7	1.4	21.0	3.0	25.8
22	53.57	2.1	22.2	1.7	20.1	1.8	21.3	8.3	33.6	2.2	25.4	5.5	30.7	6.3	31.2	2.0	24.0	4.3	28.5
23	57.14	2.8	25.3	2.1	23.4	2.4	24.5	12.1	36.0	3.6	28.3	8.2	33.3	9.0	33.7	3.0	27.0	6.2	31.2
24	60.71	4.1	28.4	2.8	26.6	3.4	27.6	14.6	38.4	6.7	31.3	11.0	35.9	11.1	36.2	5.3	30.0	8.4	33.9
25	64.29	6.2	31.5	4.2	29.8	5.2	30.8	18.1	40.7	10.9	34.3	14.8	38.4	14.2	38.7	8.5	33.1	11.6	36.5
26	67.86	8.5	34.7	6.4	33.0	7.5	33.9	23.1	43.1	13.4	37.3	18.7	41.0	18.3	41.2	11.0	36.1	14.9	39.2
27	71.43	14.9	37.8	8.3	36.2	11.7	37.1	31.7	45.5	16.8	40.3	24.9	43.6	26.2	43.6	13.8	39.1	20.5	41.9
28	75.00	21.4	40.9	16.1	39.4	18.9	40.2	38.6	47.9	23.7	43.3	31.8	46.1	33.0	46.1	21.1	42.1	27.5	44.5
29	78.57	28.5	44.0	23.2	42.6	26.0	43.4	47.5	50.3	33.4	46.3	41.0	48.7	41.2	48.6	29.9	45.1	36.0	47.2
30	82.14	37.6	47.1	32.5	45.8	35.2	46.5	58.2	52.7	45.9	49.3	52.6	51.3	51.5	51.1	41.2	48.2	46.7	49.9
31	85.71	48.7	50.2	45.5	49.0	47.2	49.7	69.9	55.1	60.1	52.3	65.4	53.9	62.9	53.6	55.0	51.2	59.3	52.6
32	89.29	66.1	53.3	57.3	52.2	61.9	52.8	80.5	57.5	75.3	55.3	78.1	56.4	75.8	56.1	69.1	54.2	72.7	55.2
33	92.86	75.6	56.5	75.9	55.4	75.7	56.0	90.3	59.9	85.0	58.3	87.9	59.0	85.5	58.6	81.8	57.2	83.8	57.9
34	96.43	87.8	59.6	88.5	58.7	88.1	59.1	97.5	62.3	93.1	61.3	95.5	61.6	94.3	61.1	91.5	60.3	93.0	60.6
35	100.00	100.0	62.7	100.0	61.9	100.0	62.3	100.0	64.7	100.0	64.2	100.0	64.2	100.0	63.6	100.0	63.3	100.0	63.3

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 29: CH – Switzerland. Individual norm data for KIDSCREEN-27: Parent Relations & Autonomy

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=274)		Males (n=262)		All (n=536)		Females (n=581)		Males (n=491)		All (n=1072)		Females (n=855)		Males (n=753)		All (n=1608)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
7	0.00																		
8	3.57																		
9	7.14																		
10	10.71																		
11	14.29																		
12	17.86							0.3	7.7			0.1	5.9	0.2	5.2			0.1	3.5
13	21.43							0.4	10.2			0.2	8.4	0.3	7.7			0.2	6.1
14	25.00							0.6	12.6			0.3	11.0	0.4	10.3			0.2	8.7
15	28.57							0.6	15.1			0.3	13.6	0.4	12.8			0.2	11.4
16	32.14	0.6	7.5			0.3	7.4	0.9	17.5	0.5	14.0	0.7	16.1	0.7	15.3	0.3	12.2	0.5	14.0
17	35.71	1.0	10.4			0.5	10.3	1.2	20.0	0.7	16.7	0.9	18.6	1.1	17.8	0.5	14.9	0.7	16.6
18	39.29	1.0	13.3	0.9	13.0	0.8	13.2	1.6	22.4	0.9	19.3	1.2	21.1	1.3	20.4	0.8	17.6	1.1	19.2
19	42.86	1.0	16.1	0.9	16.0	0.8	16.1	2.6	24.9	1.6	22.0	2.1	23.7	2.0	22.9	1.3	20.4	1.7	21.8
20	46.43	1.6	19.0	2.0	18.9	1.7	19.0	3.0	27.3	2.9	24.6	2.9	26.2	2.5	25.4	2.5	23.1	2.5	24.4
21	50.00	2.3	21.9	2.8	21.8	2.5	21.9	5.3	29.8	4.7	27.3	5.1	28.7	4.3	28.0	4.0	25.8	4.2	27.0
22	53.57	2.3	24.8	3.6	24.7	2.9	24.8	7.6	32.2	5.7	29.9	6.7	31.3	5.8	30.5	4.9	28.5	5.4	29.6
23	57.14	4.4	27.7	4.7	27.6	4.5	27.7	9.8	34.7	7.5	32.6	8.8	33.8	8.1	33.0	6.5	31.2	7.4	32.2
24	60.71	5.8	30.6	5.5	30.6	5.6	30.6	12.2	37.2	10.0	35.3	11.2	36.3	10.2	35.6	8.4	33.9	9.3	34.8
25	64.29	8.4	33.5	6.6	33.5	7.5	33.5	16.9	39.6	14.1	37.9	15.6	38.9	14.1	38.1	11.5	36.6	12.9	37.4
26	67.86	12.0	36.4	9.9	36.4	11.0	36.4	22.2	42.1	19.2	40.6	20.8	41.4	18.9	40.6	16.0	39.3	17.5	40.1
27	71.43	14.9	39.3	15.3	39.3	15.1	39.3	29.9	44.5	25.5	43.2	27.9	44.0	25.1	43.1	21.9	42.1	23.6	42.7
28	75.00	20.3	42.2	21.8	42.3	21.1	42.2	37.6	47.0	32.6	45.9	35.3	46.5	32.1	45.7	28.9	44.8	30.6	45.3
29	78.57	30.5	45.1	32.1	45.2	31.3	45.1	44.7	49.4	40.7	48.5	42.9	49.0	40.2	48.2	37.8	47.5	39.0	47.9
30	82.14	41.5	48.0	44.3	48.1	42.9	48.0	53.9	51.9	54.3	51.2	54.0	51.6	49.9	50.7	50.8	50.2	50.3	50.5
31	85.71	51.8	50.8	57.3	51.0	54.5	50.9	64.9	54.3	65.7	53.9	65.2	54.1	60.7	53.3	62.8	52.9	61.7	53.1
32	89.29	63.8	53.7	66.1	53.9	64.9	53.8	76.8	56.8	77.5	56.5	77.1	56.6	72.6	55.8	73.5	55.6	73.0	55.7
33	92.86	76.3	56.6	75.6	56.9	75.9	56.7	87.9	59.2	87.3	59.2	87.6	59.2	84.2	58.3	83.2	58.3	83.7	58.3
34	96.43	89.8	59.5	87.7	59.8	88.8	59.6	95.2	61.7	94.3	61.8	94.8	61.7	93.4	60.8	92.0	61.0	92.8	60.9
35	100.00	100.0	62.4	100.0	62.7	100.0	62.5	100.0	64.1	100.0	64.5	100.0	64.3	100.0	63.4	100.0	63.7	100.0	63.5

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 30: CH – Switzerland. Individual norm data for KIDSCREEN-27: Social Support & Peers

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=293)		Males (n=270)		All (n=563)		Females (n=595)		Males (n=505)		All (n=1100)		Females (n=888)		Males (n=775)		All (n=1663)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
4	0.00			0.9	4.6	0.4	2.5			0.6	4.2	0.3	2.2			0.6	4.5	0.3	2.4
5	6.25			0.9	8.2	0.5	6.2	0.3	4.0	0.6	7.9	0.4	6.0	0.2	4.0	0.6	8.2	0.4	6.1
6	12.50			1.3	11.7	0.6	9.8	0.4	7.9	0.6	11.6	0.5	9.8	0.3	7.9	0.8	11.8	0.5	9.8
7	18.75	0.6	11.7	1.9	15.2	1.1	13.5	0.7	11.7	1.2	15.3	0.9	13.5	0.6	11.7	1.4	15.4	1.0	13.6
8	25.00	0.6	15.6	2.7	18.7	1.5	17.2	1.1	15.6	1.6	18.9	1.3	17.3	0.8	15.6	1.9	19.0	1.3	17.3
9	31.25	1.8	19.4	3.2	22.3	2.3	20.9	1.9	19.5	1.6	22.6	1.7	21.1	1.8	19.5	2.1	22.6	1.9	21.1
10	37.50	2.8	23.2	3.2	25.8	2.9	24.6	3.0	23.4	2.2	26.3	2.6	24.9	2.9	23.4	2.5	26.2	2.7	24.8
11	43.75	3.8	27.1	4.1	29.3	3.9	28.2	4.2	27.3	5.5	30.0	4.8	28.6	4.1	27.2	5.0	29.8	4.5	28.5
12	50.00	6.9	30.9	6.3	32.9	6.6	31.9	6.9	31.2	7.9	33.7	7.4	32.4	6.9	31.1	7.3	33.4	7.1	32.3
13	56.25	10.0	34.7	10.0	36.4	10.0	35.6	10.4	35.1	13.0	37.3	11.6	36.2	10.3	35.0	11.9	37.0	11.0	36.0
14	62.50	16.4	38.6	15.6	39.9	16.0	39.3	14.8	39.0	19.7	41.0	17.0	40.0	15.3	38.8	18.3	40.7	16.7	39.7
15	68.75	24.6	42.4	24.5	43.4	24.5	43.0	23.2	42.8	29.6	44.7	26.1	43.7	23.7	42.7	27.8	44.3	25.6	43.5
16	75.00	36.9	46.3	36.0	47.0	36.5	46.6	37.3	46.7	45.3	48.4	41.0	47.5	37.2	46.6	42.1	47.9	39.5	47.2
17	81.25	53.6	50.1	52.3	50.5	53.0	50.3	52.5	50.6	61.6	52.1	56.7	51.3	52.9	50.5	58.3	51.5	55.4	51.0
18	87.50	66.9	54.0	67.5	54.0	67.2	54.0	72.4	54.5	76.4	55.7	74.2	55.1	70.6	54.3	73.3	55.1	71.8	54.7
19	93.75	81.0	57.8	84.1	57.6	82.5	57.7	87.3	58.4	87.9	59.4	87.6	58.8	85.2	58.2	86.6	58.7	85.8	58.4
20	100.00	100.0	61.7	100.0	61.1	100.0	61.4	100.0	62.3	100.0	63.1	100.0	62.6	100.0	62.1	100.0	62.3	100.0	62.2

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 31: CH – Switzerland. Individual norm data for KIDSCREEN-27: School Environment

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=293)		Males (n=269)		All (n=562)		Females (n=580)		Males (n=502)		All (n=1082)		Females (n=873)		Males (n=771)		All (n=1644)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
4	0.00							0.3	5.0	0.5	8.5	0.3	6.7	0.2	4.0	0.3	6.0	0.2	5.0
5	6.25							0.4	8.9	0.8	12.0	0.6	10.5	0.3	7.8	0.5	9.6	0.4	8.7
6	12.50	0.5	2.3			0.3	3.5	0.6	12.8	1.1	15.6	0.8	14.2	0.5	11.6	0.7	13.3	0.5	12.4
7	18.75	0.5	6.5			0.3	7.7	0.9	16.7	1.4	19.2	1.1	17.9	0.7	15.3	0.9	16.9	0.8	16.1
8	25.00	0.9	10.7			0.5	11.9	1.6	20.6	2.2	22.8	1.8	21.7	1.3	19.1	1.4	20.6	1.3	19.8
9	31.25	1.5	14.9	0.6	17.0	0.9	16.0	2.8	24.5	3.2	26.4	3.0	25.4	2.3	22.9	2.2	24.2	2.3	23.6
10	37.50	1.9	19.1	2.2	21.1	2.0	20.2	4.7	28.4	5.3	30.0	5.0	29.2	3.7	26.7	4.3	27.9	3.9	27.3
11	43.75	2.5	23.4	3.7	25.3	3.0	24.4	6.7	32.3	8.4	33.5	7.5	32.9	5.3	30.5	6.7	31.5	6.0	31.0
12	50.00	4.5	27.6	4.9	29.4	4.6	28.6	10.2	36.1	12.2	37.1	11.1	36.6	8.3	34.3	9.6	35.2	8.9	34.7
13	56.25	7.9	31.8	9.0	33.6	8.4	32.7	17.6	40.0	17.7	40.7	17.6	40.4	14.3	38.1	14.6	38.8	14.5	38.4
14	62.50	12.3	36.0	11.9	37.7	12.1	36.9	28.8	43.9	28.3	44.3	28.6	44.1	23.3	41.9	22.6	42.4	22.9	42.1
15	68.75	18.4	40.2	23.0	41.9	20.6	41.1	43.8	47.8	41.9	47.9	42.9	47.9	35.3	45.7	35.3	46.1	35.3	45.9
16	75.00	26.3	44.4	40.9	46.0	33.3	45.2	62.7	51.7	62.0	51.4	62.4	51.6	50.5	49.4	54.7	49.7	52.5	49.6
17	81.25	42.7	48.7	57.7	50.2	49.9	49.4	78.5	55.6	74.6	55.0	76.6	55.3	66.5	53.2	68.7	53.4	67.5	53.3
18	87.50	65.9	52.9	69.6	54.3	67.7	53.6	88.8	59.5	86.0	58.6	87.5	59.1	81.1	57.0	80.3	57.0	80.7	57.0
19	93.75	83.3	57.1	81.1	58.5	82.2	57.7	96.6	63.4	95.0	62.2	95.8	62.8	92.1	60.8	90.1	60.7	91.2	60.7
20	100.00	100.0	61.3	100.0	62.6	100.0	61.9	100.0	67.3	100.0	65.8	100.0	66.5	100.0	64.6	100.0	64.3	100.0	64.5

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 32: CH – Switzerland. Individual norm data for KIDSCREEN-10 Index

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=283)		Males (n=262)		All (n=545)		Females (n=576)		Males (n=495)		All (n=1071)		Females (n=859)		Males (n=757)		All (n=1619)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
10	0.00																		
11	2.50																		
12	5.00																		
13	7.50																		
14	10.00																		
15	12.50																		
16	15.00																		
17	17.50																		
18	20.00			0.6	-11.6	0.3	-8.7									0.2	-4.5	0.1	1.4
19	22.50			0.6	-9.2	0.3	-6.4	0.3	8.5			0.1	5.4	0.2	6.7	0.2	-2.3	0.2	3.4
20	25.00			0.6	-6.8	0.3	-4.1	0.3	10.5			0.1	7.5	0.2	8.7	0.2	0.0	0.2	5.5
21	27.50			0.6	-4.4	0.3	-1.7	0.3	12.5			0.1	9.5	0.2	10.7	0.2	2.2	0.2	7.6
22	30.00			0.6	-2.0	0.3	0.6	0.3	14.5			0.1	11.6	0.2	12.6	0.2	4.4	0.2	9.6
23	32.50	0.6	4.6	0.6	0.4	0.5	2.9	0.6	16.5			0.3	13.6	0.5	14.6	0.2	6.7	0.3	11.7
24	35.00	0.6	6.9	0.6	2.7	0.5	5.2	0.6	18.5	0.3	10.4	0.4	15.6	0.5	16.6	0.3	8.9	0.4	13.7
25	37.50	0.6	9.2	0.6	5.1	0.5	7.5	0.9	20.4	0.3	12.6	0.6	17.7	0.7	18.5	0.3	11.2	0.5	15.8
26	40.00	0.6	11.4	0.6	7.5	0.5	9.9	1.3	22.4	0.5	14.8	0.9	19.7	1.0	20.5	0.5	13.4	0.7	17.8
27	42.50	0.9	13.7	0.6	9.9	0.7	12.1	1.8	24.4	0.5	17.1	1.1	21.8	1.4	22.5	0.5	15.7	0.9	19.9
28	45.00	0.9	16.0	0.6	12.3	0.7	14.4	3.0	26.4	0.9	19.3	2.0	23.9	2.2	24.5	0.7	17.9	1.5	22.0
29	47.50	0.9	18.3	0.6	14.7	0.7	16.7	4.0	28.4	1.6	21.6	2.9	25.9	2.9	26.4	1.2	20.1	2.1	24.0
30	50.00	0.9	20.5	0.6	17.1	0.7	19.0	5.1	30.4	2.3	23.8	3.8	28.0	3.6	28.4	1.6	22.3	2.7	26.1
31	52:50	1.5	22.8	1.0	19.5	1.1	21.4	7.0	32.4	2.5	26.1	4.9	30.0	5.1	30.4	1.9	24.6	3.6	28.1
32	55.00	1.5	25.1	1.4	21.9	1.4	23.7	8.9	34.3	3.7	28.3	6.5	32.1	6.4	32.4	2.8	26.8	4.7	30.2
33	57.50	3.5	27.3	1.8	24.3	2.6	26.0	12.2	36.3	4.9	30.5	8.8	34.1	9.3	34.3	3.7	29.0	6.7	32.3
34	60.00	5.3	29.6	1.8	26.7	3.5	28.3	15.5	38.3	6.9	32.8	11.5	36.2	12.1	36.3	5.0	31.3	8.8	34.3
35	62.50	6.4	31.8	2.8	29.1	4.6	30.6	18.5	40.3	9.5	35.0	14.3	38.2	14.5	38.3	7.1	33.5	11.0	36.4
36	65.00	8.8	34.1	4.3	31.5	6.6	33.0	21.8	42.3	13.6	37.3	18.0	40.3	17.5	40.3	10.3	35.7	14.1	38.4
37	67.50	10.9	36.4	6.9	33.9	9.0	35.3	26.8	44.3	16.8	39.5	22.2	42.4	21.6	42.2	13.4	38.0	17.7	40.5
38	70.00	13.8	38.6	11.4	36.3	12.7	37.6	33.2	46.2	20.4	41.8	27.3	44.4	26.8	44.2	17.3	40.2	22.4	42.6
39	72.50	20.1	40.9	14.9	38.7	17.6	39.9	40.6	48.2	26.5	44.0	34.0	46.5	33.8	46.2	22.5	42.4	28.5	44.6
40	75.00	24.0	43.2	19.8	41.0	22.0	42.2	47.3	50.2	34.3	46.2	41.3	48.5	39.6	48.2	29.3	44.7	34.8	46.7
41	77.50	30.0	45.4	27.4	43.4	28.8	44.5	58.2	52:2	42.8	48.5	51.1	50.6	48.9	50.2	37.5	46.9	43.6	48.7
42	80.00	38.8	47.7	35.0	45.8	37.0	46.8	67.4	54.2	54.0	50.7	61.2	52:6	57.9	52:1	47.4	49.1	53.0	50.8
43	82.50	49.1	50.0	42.7	48.2	46.0	49.2	75.5	56.2	62.0	53.0	69.3	54.7	66.8	54.1	55.3	51.4	61.4	52:9
44	85.00	60.4	52:2	51.9	50.6	56.3	51.5	83.6	58.1	74.4	55.2	79.3	56.8	75.9	56.1	66.6	53.6	71.5	54.9
45	87.50	70.2	54.5	59.9	53.0	65.3	53.8	89.3	60.1	81.2	57.5	85.6	58.8	83.0	58.1	73.8	55.8	78.7	57.0
46	90.00	77.3	56.8	70.2	55.4	73.9	56.1	94.0	62.1	87.1	59.7	90.8	60.9	88.5	60.0	81.3	58.1	85.1	59.0
47	92.50	85.4	59.0	81.7	57.8	83.7	58.4	96.2	64.1	91.3	61.9	94.0	62.9	92.7	62.0	88.0	60.3	90.5	61.1
48	95.00	91.5	61.3	90.5	60.2	91.0	60.7	98.4	66.1	96.4	64.2	97.5	65.0	96.1	64.0	94.3	62.5	95.3	63.2
49	97.50	95.4	63.6	95.1	62.6	95.2	63.0	99.1	68.1	98.4	66.4	98.8	67.0	97.9	66.0	97.2	64.8	97.6	65.2
50	100.00	100.0	65.8	100.0	65.0	100.0	65.3	100.0	70.1	100.0	68.7	100.0	69.1	100.0	67.9	100.0	67.0	100.0	67.3

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 33: CZ – Czech Republic. Individual norm data KIDSCREEN-52: Physical Well-being

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=279)		Males (n=270)		All (n=549)		Females (n=501)		Males (n=522)		All (n=1023)		Females (n=780)		Males (n=792)		All (n=1572)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00																		
6	5.56	0.6	15.6	0.8	15.9	0.6	15.8	0.3	22.5	0.8	19.2	0.5	21.3	0.3	20.8	0.8	18.2	0.5	19.8
7	11.11	0.6	18.4	1.3	18.6	0.8	18.6	1.2	25.1	1.4	21.8	1.3	23.9	0.9	23.5	1.3	20.8	1.1	22.4
8	16.67	1.5	21.2	2.6	21.3	2.0	21.3	3.0	27.7	2.1	24.3	2.6	26.4	2.5	26.1	2.3	23.4	2.4	25.0
9	22.22	2.3	24.1	3.5	24.0	2.8	24.1	5.0	30.4	2.7	26.9	3.8	29.0	4.0	28.7	2.9	26.1	3.5	27.6
10	27.78	3.0	26.9	4.2	26.7	3.5	26.9	7.4	33.0	4.8	29.5	6.1	31.5	5.8	31.4	4.5	28.7	5.2	30.2
11	33.33	4.7	29.7	5.6	29.5	5.1	29.6	9.8	35.6	6.1	32.1	7.9	34.1	8.0	34.0	5.9	31.3	6.9	32.8
12	38.89	6.8	32.5	7.5	32.2	7.1	32.4	14.4	38.2	9.9	34.6	12.1	36.6	11.7	36.6	9.1	33.9	10.4	35.4
13	44.44	9.3	35.4	9.3	34.9	9.3	35.2	21.4	40.9	13.6	37.2	17.4	39.2	17.0	39.3	12.1	36.5	14.6	38.0
14	50.00	13.9	38.2	13.4	37.6	13.7	37.9	30.4	43.5	19.9	39.8	25.0	41.7	24.5	41.9	17.7	39.1	21.1	40.6
15	55.56	22.9	41.0	17.8	40.3	20.4	40.7	39.5	46.1	26.8	42.4	33.0	44.3	33.6	44.5	23.7	41.7	28.6	43.2
16	61.11	29.3	43.9	24.5	43.0	26.9	43.5	50.3	48.7	34.1	44.9	42.0	46.8	42.8	47.2	30.8	44.3	36.8	45.8
17	66.67	38.3	46.7	31.1	45.8	34.8	46.2	57.1	51.4	39.4	47.5	48.1	49.4	50.4	49.8	36.6	46.9	43.4	48.4
18	72.22	52.3	49.5	41.4	48.5	47.0	49.0	68.1	54.0	48.5	50.1	58.1	51.9	62.4	52.4	46.1	49.6	54.2	51.0
19	77.78	63.0	52.4	54.7	51.2	58.9	51.8	76.1	56.6	56.9	52.7	66.3	54.5	71.4	55.0	56.2	52.2	63.7	53.6
20	83.33	70.9	55.2	64.4	53.9	67.7	54.5	82.8	59.2	67.3	55.2	74.9	57.0	78.6	57.7	66.3	54.8	72.4	56.2
21	88.89	77.4	58.0	75.2	56.6	76.3	57.3	89.6	61.9	79.0	57.8	84.2	59.6	85.3	60.3	77.7	57.4	81.4	58.7
22	94.44	87.5	60.9	87.4	59.3	87.5	60.1	95.4	64.5	90.3	60.4	92.8	62.1	92.6	62.9	89.3	60.0	90.9	61.3
23	100.00	100.0	63.7	100.0	62.1	100.0	62.8	100.0	67.1	100.0	63.0	100.0	64.7	100.0	65.6	100.0	62.6	100.0	63.9

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ($M = 50$, $SD = 10$).

Table A7_D - 34: CZ – Czech Republic. Individual norm data KIDSCREEN-52: Psychological Well-being

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=278)		Males (n=273)		All (n=551)		Females (n=503)		Males (n=525)		All (n=1028)		Females (n=781)		Males (n=798)		All (n=1579)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00			0.6	-4.2	0.3	-3.2	0.3	10.3			0.2	8.3	0.2	7.8	0.2	3.4	0.1	5.8
7	4.17			0.6	-1.3	0.3	-0.4	0.3	12.6			0.2	10.7	0.2	10.2	0.2	6.0	0.1	8.3
8	8.33			0.6	1.5	0.3	2.4	0.3	15.0			0.2	13.2	0.2	12.6	0.2	8.5	0.1	10.7
9	12.50			0.6	4.4	0.3	5.2	0.5	17.3	0.3	13.3	0.3	15.6	0.3	15.0	0.3	11.1	0.3	13.2
10	16.67			0.6	7.3	0.3	8.0	0.5	19.7	0.3	15.8	0.3	18.0	0.3	17.4	0.3	13.7	0.3	15.7
11	20.83	0.6	11.3	0.6	10.1	0.5	10.8	0.8	22.1	0.6	18.3	0.7	20.4	0.6	19.8	0.5	16.3	0.6	18.2
12	25.00	0.6	14.1	0.6	13.0	0.5	13.6	1.8	24.4	1.2	20.8	1.5	22.8	1.3	22.2	0.9	18.9	1.1	20.6
13	29.17	0.9	16.8	0.6	15.8	0.7	16.4	2.4	26.8	2.5	23.3	2.4	25.2	1.8	24.5	1.8	21.4	1.8	23.1
14	33.33	0.9	19.6	1.2	18.7	1.0	19.2	3.6	29.1	2.8	25.8	3.1	27.6	2.6	26.9	2.2	24.0	2.3	25.6
15	37.50	2.5	22.3	1.2	21.6	1.8	22.0	5.2	31.5	4.0	28.3	4.6	30.1	4.2	29.3	3.0	26.6	3.6	28.0
16	41.67	3.6	25.0	2.3	24.4	2.9	24.8	8.0	33.9	4.8	30.8	6.3	32.5	6.4	31.7	3.9	29.2	5.1	30.5
17	45.83	5.0	27.7	3.1	27.3	4.0	27.5	11.4	36.2	7.2	33.3	9.3	34.9	9.1	34.1	5.8	31.7	7.4	33.0
18	50.00	5.8	30.5	5.2	30.1	5.4	30.3	17.7	38.6	11.8	35.8	14.7	37.3	13.4	36.5	9.5	34.3	11.5	35.5
19	54.17	9.0	33.2	6.7	33.0	7.8	33.1	23.1	41.0	15.2	38.3	19.1	39.7	18.1	38.9	12.3	36.9	15.2	37.9
20	58.33	10.8	36.0	10.3	35.8	10.5	35.9	28.5	43.3	20.2	40.8	24.2	42.1	22.2	41.3	16.8	39.4	19.5	40.4
21	62.50	13.9	38.7	14.3	38.7	14.1	38.7	33.7	45.7	26.8	43.4	30.2	44.6	26.6	43.7	22.5	42.0	24.6	42.9
22	66.67	18.6	41.5	17.9	41.6	18.3	41.5	41.2	48.0	32.1	45.9	36.6	47.0	33.2	46.1	27.3	44.6	30.2	45.4
23	70.83	27.3	44.2	26.8	44.4	27.0	44.3	49.5	50.4	41.7	48.4	45.5	49.4	41.6	48.5	36.6	47.2	39.1	47.8
24	75.00	39.6	47.0	41.0	47.3	40.3	47.1	61.9	52.8	54.9	50.9	58.3	51.8	53.9	50.9	50.2	49.7	52.0	50.3
25	79.17	46.7	49.7	55.7	50.1	51.2	49.9	71.8	55.1	65.6	53.4	68.6	54.2	62.9	53.3	62.2	52.3	62.5	52.8
26	83.33	56.0	52.5	67.8	53.0	61.9	52.7	79.3	57.5	75.4	55.9	77.3	56.6	71.0	55.6	72.8	54.9	71.9	55.3
27	87.50	73.3	55.2	77.3	55.9	75.3	55.5	87.9	59.9	84.2	58.4	86.0	59.1	82.7	58.0	81.9	57.5	82.3	57.7
28	91.67	84.1	57.9	83.5	58.7	83.8	58.3	92.5	62.2	89.3	60.9	90.9	61.5	89.5	60.4	87.3	60.0	88.4	60.2
29	95.83	90.6	60.7	88.6	61.6	89.6	61.1	96.6	64.6	93.9	63.4	95.2	63.9	94.5	62.8	92.1	62.6	93.3	62.7
30	100.00	100.0	63.4	100.0	64.4	100.0	63.9	100.0	66.9	100.0	65.9	100.0	66.3	100.0	65.2	100.0	65.2	100.0	65.2

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 35: CZ – Czech Republic. Individual norm data KIDSCREEN-52: Moods & Emotions

Raw-Score	0-100 Score	Females (n=274)		Children 8-11 Males (n=269)		All (n=543)		Females (n=505)		Adolescents 12-18 Males (n=525)		All (n=1030)		Children & Adolescents 8-18 Females (n=779)		Males (n=794)		All (n=1573)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
7	0.00																		
8	3.57																		
9	7.14									0.3	7.8	0.2	10.0			0.2	5.0	0.1	6.9
10	10.71									0.5	10.0	0.2	12.1			0.3	7.3	0.2	9.1
11	14.29									0.5	12.2	0.2	14.2			0.3	9.6	0.2	11.3
12	17.86									0.7	14.3	0.4	16.3			0.5	11.8	0.2	13.5
13	21.43			0.6	7.2	0.3	7.1	0.3	19.9	0.7	16.5	0.4	18.4	0.2	17.1	0.6	14.1	0.3	15.7
14	25.00			1.0	9.8	0.5	9.7	0.6	22.0	1.2	18.6	0.9	20.5	0.4	19.2	1.0	16.3	0.7	17.9
15	28.57	1.2	12.0	1.0	12.4	1.0	12.3	1.4	24.1	1.4	20.8	1.4	22.6	1.3	21.4	1.2	18.6	1.2	20.1
16	32.14	2.0	14.6	1.0	15.0	1.4	14.8	2.9	26.2	2.1	23.0	2.5	24.7	2.5	23.6	1.6	20.9	2.1	22.3
17	35.71	2.0	17.2	1.0	17.6	1.4	17.4	3.5	28.3	3.1	25.1	3.3	26.9	2.9	25.7	2.3	23.1	2.6	24.5
18	39.29	2.4	19.8	1.3	20.2	1.7	20.0	4.7	30.3	3.5	27.3	4.0	29.0	3.8	27.9	2.7	25.4	3.2	26.7
19	42.86	2.8	22.3	1.7	22.7	2.1	22.6	8.9	32.4	4.6	29.5	6.7	31.1	6.6	30.0	3.5	27.7	5.1	28.9
20	46.43	3.2	24.9	2.1	25.3	2.5	25.2	11.0	34.5	6.7	31.6	8.8	33.2	8.2	32.2	5.0	29.9	6.6	31.1
21	50.00	4.4	27.5	3.7	27.9	4.1	27.7	13.4	36.6	8.6	33.8	10.9	35.3	10.2	34.4	6.9	32.2	8.6	33.3
22	53.57	5.5	30.1	5.6	30.5	5.5	30.3	17.1	38.7	11.8	36.0	14.4	37.4	13.0	36.5	9.7	34.5	11.3	35.6
23	57.14	6.7	32.7	7.1	33.1	6.8	32.9	20.3	40.7	15.2	38.1	17.7	39.5	15.5	38.7	12.5	36.8	14.0	37.8
24	60.71	8.4	35.3	11.6	35.7	10.0	35.5	25.3	42.8	18.1	40.3	21.6	41.6	19.3	40.8	15.9	39.0	17.6	40.0
25	64.29	11.7	37.8	15.3	38.3	13.5	38.1	30.8	44.9	22.1	42.5	26.4	43.7	24.1	43.0	19.8	41.3	21.9	42.2
26	67.86	15.0	40.4	19.0	40.8	16.9	40.6	36.9	47.0	27.8	44.6	32.3	45.8	29.2	45.2	24.8	43.6	27.0	44.4
27	71.43	21.9	43.0	24.2	43.4	23.0	43.2	40.8	49.1	33.3	46.8	37.0	47.9	34.2	47.3	30.2	45.8	32.2	46.6
28	75.00	31.7	45.6	32.7	46.0	32.2	45.8	51.1	51.1	42.2	49.0	46.6	50.1	44.3	49.5	39.0	48.1	41.6	48.8
29	78.57	40.8	48.2	43.5	48.6	42.2	48.4	60.1	53.2	50.9	51.1	55.4	52.2	53.3	51.6	48.4	50.4	50.8	51.0
30	82.14	53.2	50.8	52.8	51.2	53.0	51.0	68.8	55.3	59.9	53.3	64.3	54.3	63.3	53.8	57.5	52.6	60.4	53.2
31	85.71	63.4	53.3	66.5	53.8	64.9	53.5	79.1	57.4	70.9	55.5	74.9	56.4	73.6	56.0	69.4	54.9	71.5	55.4
32	89.29	74.0	55.9	77.6	56.3	75.8	56.1	87.7	59.5	82.3	57.6	84.9	58.5	82.9	58.1	80.7	57.2	81.8	57.6
33	92.86	84.2	58.5	85.1	58.9	84.6	58.7	92.3	61.5	90.1	59.8	91.2	60.6	89.4	60.3	88.4	59.4	88.9	59.8
34	96.43	95.6	61.1	92.5	61.5	94.1	61.3	96.8	63.6	95.1	62.0	95.9	62.7	96.4	62.4	94.2	61.7	95.3	62.0
35	100.00	100.0	63.7	100.0	64.1	100.0	63.9	100.0	65.7	100.0	64.1	100.0	64.8	100.0	64.6	100.0	64.0	100.0	64.2

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 36: CZ – Czech Republic. Individual norm data KIDSCREEN-52: Self Perception

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=279)		Males (n=273)		All (n=552)		Females (n=506)		Males (n=526)		All (n=1032)		Females (n=785)		Males (n=799)		All (n=1584)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00																		
6	5.00							0.8	23.4			0.4	19.9	0.5	22.2			0.3	18.4
7	10.00							1.4	25.8			0.7	22.3	0.9	24.5			0.5	20.8
8	15.00	0.6	21.5			0.3	18.4	2.2	28.2	0.3	18.2	1.2	24.7	1.5	26.8	0.2	17.1	0.8	23.2
9	20.00	1.8	24.0			0.9	21.0	4.3	30.6	0.5	21.0	2.3	27.2	3.4	29.1	0.3	19.8	1.8	25.7
10	25.00	3.9	26.4	1.1	19.5	2.5	23.6	7.7	33.0	1.5	23.7	4.6	29.6	6.4	31.5	1.4	22.6	3.8	28.1
11	30.00	5.3	28.9	1.9	22.4	3.6	26.2	11.1	35.4	2.7	26.4	6.8	32.0	9.1	33.8	2.4	25.3	5.7	30.5
12	35.00	7.1	31.3	3.0	25.2	5.0	28.8	15.1	37.8	3.7	29.2	9.2	34.5	12.2	36.1	3.4	28.1	7.8	33.0
13	40.00	9.3	33.8	4.1	28.1	6.7	31.4	20.0	40.2	6.3	31.9	13.0	36.9	16.2	38.4	5.5	30.8	10.8	35.4
14	45.00	10.7	36.2	5.5	30.9	8.1	34.0	26.1	42.6	9.8	34.7	17.8	39.3	20.7	40.7	8.4	33.6	14.5	37.8
15	50.00	16.8	38.7	8.8	33.8	12.9	36.6	33.4	44.9	14.8	37.4	23.9	41.8	27.5	43.0	12.7	36.3	20.1	40.3
16	55.00	22.6	41.1	14.3	36.7	18.5	39.2	42.3	47.3	20.9	40.1	31.4	44.2	35.3	45.4	18.6	39.1	26.9	42.7
17	60.00	28.3	43.6	18.7	39.5	23.6	41.8	50.2	49.7	26.6	42.9	38.2	46.6	42.5	47.7	23.9	41.8	33.1	45.2
18	65.00	35.1	46.0	23.8	42.4	29.5	44.4	59.7	52.1	35.9	45.6	47.6	49.1	51.0	50.0	31.8	44.6	41.3	47.6
19	70.00	41.2	48.5	34.9	45.2	38.1	47.0	69.4	54.5	43.8	48.4	56.4	51.5	59.4	52.3	40.8	47.4	50.0	50.0
20	75.00	51.6	50.9	42.7	48.1	47.2	49.6	78.5	56.9	55.8	51.1	67.0	54.0	69.0	54.6	51.3	50.1	60.1	52.5
21	80.00	60.9	53.4	51.1	51.0	56.0	52.3	84.4	59.3	65.7	53.8	74.9	56.4	76.1	57.0	60.7	52.9	68.3	54.9
22	85.00	70.9	55.8	61.6	53.8	66.3	54.9	90.4	61.7	74.6	56.6	82.4	58.8	83.5	59.3	70.2	55.6	76.8	57.3
23	90.00	80.2	58.3	73.0	56.7	76.7	57.5	94.5	64.1	84.9	59.3	89.6	61.3	89.4	61.6	80.9	58.4	85.1	59.8
24	95.00	91.3	60.7	89.8	59.5	90.6	60.1	97.7	66.5	91.8	62.1	94.7	63.7	95.4	63.9	91.1	61.1	93.2	62.2
25	100.00	100.0	63.2	100.0	62.4	100.0	62.7	100.0	68.9	100.0	64.8	100.0	66.1	100.0	66.2	100.0	63.9	100.0	64.6

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7_D - 37: CZ – Czech Republic. Individual norm data KIDSCREEN-52: Autonomy

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=278)		Males (n=271)		All (n=549)		Females (n=502)		Males (n=526)		All (n=1028)		Females (n=780)		Males (n=797)		All (n=1579)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00																		
6	5.00							0.3	17.3	0.3	11.0	0.2	14.7	0.2	15.7	0.2	10.6	0.1	13.4
7	10.00							0.8	19.9	0.3	13.9	0.5	17.4	0.5	18.3	0.2	13.5	0.3	16.1
8	15.00							1.2	22.5	0.3	16.7	0.7	20.1	0.8	20.9	0.2	16.3	0.5	18.9
9	20.00			0.6	18.4	0.3	18.9	2.0	25.1	0.5	19.6	1.2	22.8	1.3	23.5	0.4	19.2	0.8	21.6
10	25.00	1.1	22.0	1.2	21.4	1.1	21.7	4.1	27.7	0.8	22.4	2.4	25.4	3.0	26.2	0.9	22.1	2.0	24.3
11	30.00	2.8	24.8	2.0	24.3	2.4	24.6	5.2	30.3	1.1	25.3	3.0	28.1	4.3	28.8	1.3	25.0	2.8	27.1
12	35.00	4.0	27.7	2.5	27.2	3.1	27.5	7.6	32.9	2.4	28.1	4.9	30.8	6.3	31.4	2.4	27.8	4.3	29.8
13	40.00	5.7	30.5	4.1	30.1	4.9	30.3	9.9	35.5	4.7	31.0	7.3	33.5	8.4	34.1	4.5	30.7	6.5	32.5
14	45.00	7.2	33.3	7.0	33.0	7.1	33.2	14.3	38.1	6.8	33.9	10.5	36.2	11.7	36.7	6.9	33.6	9.3	35.3
15	50.00	13.6	36.1	12.2	36.0	12.9	36.1	21.4	40.7	14.2	36.7	17.7	38.9	18.7	39.3	13.5	36.5	16.1	38.0
16	55.00	17.6	38.9	17.3	38.9	17.4	38.9	25.6	43.3	20.3	39.6	22.9	41.6	22.8	42.0	19.3	39.3	21.0	40.7
17	60.00	22.9	41.8	25.1	41.8	24.0	41.8	34.4	45.9	26.6	42.4	30.4	44.3	30.4	44.6	26.1	42.2	28.2	43.5
18	65.00	31.3	44.6	31.4	44.7	31.3	44.7	44.6	48.5	34.4	45.3	39.4	47.0	39.9	47.2	33.4	45.1	36.6	46.2
19	70.00	36.0	47.4	42.1	47.6	39.0	47.5	55.0	51.1	43.1	48.1	48.9	49.7	48.2	49.9	42.8	48.0	45.5	48.9
20	75.00	54.0	50.2	58.7	50.6	56.3	50.4	69.5	53.7	62.6	51.0	66.0	52.3	64.0	52.5	61.2	50.8	62.6	51.7
21	80.00	63.3	53.1	63.8	53.5	63.6	53.3	76.9	56.3	69.0	53.8	72.9	55.0	72.1	55.1	67.3	53.7	69.6	54.4
22	85.00	74.8	55.9	77.5	56.4	76.1	56.1	84.3	58.9	75.3	56.7	79.7	57.7	80.9	57.7	76.1	56.6	78.4	57.2
23	90.00	83.8	58.7	84.1	59.3	84.0	59.0	90.0	61.5	83.3	59.6	86.6	60.4	87.8	60.4	83.5	59.5	85.7	59.9
24	95.00	89.9	61.5	90.0	62.2	89.9	61.9	95.0	64.1	89.4	62.4	92.1	63.1	93.2	63.0	89.6	62.3	91.4	62.6
25	100.00	100.0	64.3	100.0	65.2	100.0	64.7	100.0	66.7	100.0	65.3	100.0	65.8	100.0	65.6	100.0	65.2	100.0	65.4

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7_D - 38: CZ – Czech Republic. Individual norm data KIDSCREEN-52: Parent Relation & Home Life

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=280)		Males (n=274)		All (n=554)		Females (n=503)		Males (n=527)		All (n=1030)		Females (n=783)		Males (n=801)		All (n=1584)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00																		
7	4.17							0.3	17.4			0.2	16.5	0.2	15.0			0.1	14.2
8	8.33							0.5	19.5			0.3	18.6	0.3	17.1			0.2	16.4
9	12.50	0.6	11.7			0.3	11.7	0.5	21.6	0.3	19.9	0.3	20.8	0.5	19.3	0.2	17.8	0.3	18.6
10	16.67	0.6	14.1			0.3	14.1	1.0	23.7	0.6	22.0	0.8	22.9	0.8	21.4	0.4	20.0	0.6	20.8
11	20.83	0.6	16.5			0.3	16.6	2.6	25.8	1.0	24.2	1.8	25.0	1.8	23.6	0.7	22.2	1.2	22.9
12	25.00	0.9	18.9			0.5	19.0	3.6	27.9	2.1	26.3	2.8	27.1	2.6	25.7	1.4	24.4	2.0	25.1
13	29.17	1.3	21.4	0.6	21.4	0.8	21.4	4.6	30.0	2.7	28.5	3.6	29.2	3.3	27.9	1.9	26.6	2.6	27.3
14	33.33	1.9	23.8	0.9	23.9	1.3	23.9	6.0	32.1	3.6	30.6	4.8	31.4	4.5	30.0	2.6	28.8	3.5	29.4
15	37.50	2.6	26.2	2.2	26.3	2.3	26.3	8.6	34.2	6.8	32.7	7.7	33.5	6.4	32.1	5.2	31.0	5.8	31.6
16	41.67	3.6	28.6	3.3	28.8	3.4	28.7	10.6	36.3	10.8	34.9	10.7	35.6	8.1	34.3	8.2	33.2	8.1	33.8
17	45.83	5.0	31.1	5.9	31.2	5.4	31.2	14.5	38.4	13.4	37.0	14.0	37.7	11.1	36.4	10.8	35.5	11.0	35.9
18	50.00	7.9	33.5	9.2	33.7	8.5	33.6	20.7	40.5	17.4	39.2	19.0	39.8	16.1	38.6	14.6	37.7	15.3	38.1
19	54.17	11.8	35.9	12.4	36.1	12.1	36.0	26.2	42.6	23.7	41.3	24.9	42.0	21.1	40.7	19.8	39.9	20.4	40.3
20	58.33	17.1	38.4	17.2	38.6	17.1	38.5	31.2	44.7	29.8	43.5	30.5	44.1	26.2	42.8	25.5	42.1	25.8	42.5
21	62.50	21.0	40.8	23.8	41.1	22.4	40.9	38.4	46.8	36.4	45.6	37.4	46.2	32.2	45.0	32.1	44.3	32.1	44.6
22	66.67	27.5	43.2	28.8	43.5	28.2	43.4	47.5	48.9	42.9	47.7	45.1	48.3	40.4	47.1	38.1	46.5	39.2	46.8
23	70.83	34.3	45.6	38.0	46.0	36.1	45.8	54.6	51.0	49.5	49.9	52.0	50.4	47.4	49.3	45.5	48.7	46.4	49.0
24	75.00	42.5	48.1	45.7	48.4	44.1	48.2	61.8	53.1	57.1	52.0	59.4	52.5	54.9	51.4	53.2	50.9	54.0	51.1
25	79.17	50.4	50.5	52.9	50.9	51.6	50.7	67.5	55.2	64.7	54.2	66.1	54.7	61.4	53.6	60.6	53.1	61.0	53.3
26	83.33	58.6	52.9	60.6	53.3	59.6	53.1	76.3	57.3	71.7	56.3	74.0	56.8	70.0	55.7	67.9	55.3	68.9	55.5
27	87.50	67.5	55.3	67.9	55.8	67.7	55.5	84.9	59.4	79.7	58.5	82.2	58.9	78.7	57.8	75.7	57.5	77.1	57.7
28	91.67	78.6	57.8	77.7	58.2	78.2	58.0	90.2	61.5	87.1	60.6	88.6	61.0	86.1	60.0	83.9	59.7	85.0	59.8
29	95.83	87.8	60.2	87.9	60.7	87.9	60.4	95.0	63.6	93.3	62.7	94.2	63.1	92.4	62.1	91.5	61.9	92.0	62.0
30	100.00	100.0	62.6	100.0	63.1	100.0	62.9	100.0	65.7	100.0	64.9	100.0	65.3	100.0	64.3	100.0	64.1	100.0	64.2

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ($M = 50$, $SD = 10$).

Table A7_D - 39: CZ – Czech Republic. Individual norm data KIDSCREEN-52: Social Support & Peers

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=276)		Males (n=270)		All (n=546)		Females (n=505)		Males (n=528)		All (n=1033)		Females (n=781)		Males (n=798)		All (n=1579)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00	0.6	13.4			0.3	13.6	0.3	14.2	0.3	11.8	0.2	13.1	0.3	14.0	0.2	12.5	0.2	13.3
7	4.17	0.6	15.6			0.3	15.8	0.3	16.4	0.3	14.1	0.2	15.4	0.3	16.2	0.2	14.8	0.2	15.5
8	8.33	0.6	17.8	0.6	18.1	0.5	17.9	0.5	18.6	0.3	16.5	0.3	17.6	0.5	18.4	0.3	17.0	0.3	17.7
9	12.50	0.6	19.9	0.6	20.3	0.5	20.1	0.7	20.8	0.5	18.8	0.5	19.8	0.6	20.5	0.4	19.3	0.5	19.9
10	16.67	0.6	22.1	0.9	22.5	0.7	22.3	1.2	23.0	0.7	21.1	0.9	22.1	0.9	22.7	0.7	21.6	0.8	22.2
11	20.83	1.2	24.3	1.6	24.7	1.3	24.5	1.8	25.2	0.9	23.4	1.3	24.3	1.5	24.9	1.0	23.9	1.3	24.4
12	25.00	2.9	26.4	3.7	26.9	3.3	26.7	3.2	27.4	2.1	25.7	2.6	26.6	3.1	27.1	2.6	26.2	2.8	26.6
13	29.17	4.0	28.6	3.7	29.1	3.9	28.9	4.6	29.6	2.9	28.1	3.7	28.8	4.4	29.3	3.2	28.4	3.7	28.9
14	33.33	6.2	30.8	7.0	31.3	6.6	31.1	6.0	31.7	4.5	30.4	5.2	31.1	6.0	31.4	5.4	30.7	5.7	31.1
15	37.50	7.7	33.0	9.6	33.6	8.6	33.3	8.3	33.9	7.0	32.7	7.6	33.3	8.1	33.6	7.9	33.0	8.0	33.3
16	41.67	9.8	35.1	11.8	35.8	10.8	35.5	12.3	36.1	8.5	35.0	10.3	35.6	11.4	35.8	9.6	35.3	10.5	35.5
17	45.83	12.4	37.3	13.3	38.0	12.8	37.7	14.7	38.3	11.2	37.3	12.9	37.8	13.9	38.0	11.9	37.6	12.9	37.8
18	50.00	17.8	39.5	18.1	40.2	17.9	39.8	20.4	40.5	19.3	39.6	19.8	40.1	19.5	40.2	18.9	39.8	19.2	40.0
19	54.17	21.8	41.7	21.8	42.4	21.8	42.0	23.8	42.7	24.8	42.0	24.3	42.3	23.1	42.3	23.8	42.1	23.4	42.2
20	58.33	28.3	43.8	28.5	44.6	28.4	44.2	30.1	44.9	32.9	44.3	31.5	44.6	29.5	44.5	31.4	44.4	30.5	44.5
21	62.50	34.2	46.0	38.0	46.8	36.1	46.4	37.8	47.1	38.4	46.6	38.1	46.8	36.5	46.7	38.3	46.7	37.4	46.7
22	66.67	41.8	48.2	46.6	49.0	44.2	48.6	47.9	49.3	45.2	48.9	46.5	49.1	45.7	48.9	45.7	49.0	45.7	48.9
23	70.83	50.9	50.3	55.1	51.3	53.0	50.8	55.3	51.5	54.3	51.2	54.8	51.3	53.7	51.1	54.6	51.2	54.2	51.2
24	75.00	62.0	52.5	66.3	53.5	64.1	53.0	67.1	53.7	66.6	53.5	66.9	53.6	65.3	53.2	66.5	53.5	65.9	53.4
25	79.17	70.0	54.7	74.5	55.7	72.2	55.2	73.7	55.8	74.6	55.9	74.2	55.9	72.4	55.4	74.6	55.8	73.5	55.6
26	83.33	76.9	56.9	82.2	57.9	79.5	57.4	80.8	58.0	81.4	58.2	81.2	58.1	79.4	57.6	81.7	58.1	80.6	57.8
27	87.50	85.2	59.0	86.3	60.1	85.7	59.6	87.0	60.2	87.9	60.5	87.4	60.4	86.3	59.8	87.4	60.4	86.8	60.1
28	91.67	89.5	61.2	91.2	62.3	90.3	61.7	93.1	62.4	92.4	62.8	92.7	62.6	91.8	62.0	92.0	62.6	91.9	62.3
29	95.83	92.4	63.4	95.6	64.5	94.0	63.9	96.1	64.6	96.2	65.1	96.1	64.9	94.8	64.1	96.0	64.9	95.4	64.5
30	100.00	100.0	65.6	100.0	66.7	100.0	66.1	100.0	66.8	100.0	67.5	100.0	67.1	100.0	66.3	100.0	67.2	100.0	66.8

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 40: CZ – Czech Republic. Individual norm data KIDSCREEN-52: School Environment

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=279)		Males (n=272)		All (n=551)		Females (n=500)		Males (n=523)		All (n=1023)		Females (n=779)		Males (n=795)		All (n=1574)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00									0.3	23.0	0.2	22.5			0.2	22.9	0.1	21.8
7	4.17			0.6	22.7	0.3	19.7	0.3	23.9	0.6	25.1	0.4	24.6	0.2	22.3	0.5	24.9	0.3	23.8
8	8.33			1.0	24.6	0.5	21.8	0.5	26.0	1.5	27.2	1.0	26.7	0.3	24.4	1.3	26.9	0.8	25.8
9	12.50	0.8	20.1	1.6	26.5	1.1	23.8	2.4	28.1	2.3	29.3	2.3	28.8	1.8	26.4	2.0	28.8	1.9	27.8
10	16.67	0.8	22.3	2.3	28.5	1.5	25.8	3.4	30.2	4.2	31.4	3.8	30.8	2.4	28.5	3.5	30.8	3.0	29.8
11	20.83	1.9	24.5	2.8	30.4	2.2	27.9	5.0	32.3	6.9	33.5	6.0	32.9	3.9	30.5	5.4	32.8	4.6	31.8
12	25.00	1.9	26.8	5.2	32.3	3.5	29.9	7.6	34.4	10.1	35.6	8.9	35.0	5.5	32.5	8.4	34.8	7.0	33.8
13	29.17	2.9	29.0	9.2	34.2	6.0	32.0	10.4	36.4	12.8	37.7	11.6	37.1	7.7	34.6	11.6	36.8	9.7	35.8
14	33.33	4.0	31.2	10.7	36.2	7.3	34.0	14.8	38.5	17.6	39.8	16.2	39.2	10.9	36.6	15.2	38.8	13.1	37.8
15	37.50	6.5	33.4	13.3	38.1	9.8	36.0	20.6	40.6	24.1	41.9	22.4	41.3	15.5	38.6	20.4	40.7	18.0	39.8
16	41.67	9.7	35.6	18.7	40.0	14.2	38.1	25.8	42.7	31.2	44.0	28.5	43.4	20.0	40.7	26.9	42.7	23.5	41.8
17	45.83	14.8	37.8	24.6	41.9	19.6	40.1	33.1	44.8	37.6	46.0	35.4	45.4	26.6	42.7	33.2	44.7	29.9	43.8
18	50.00	20.5	40.1	31.6	43.9	26.0	42.2	44.5	46.9	48.6	48.1	46.6	47.5	35.9	44.8	42.8	46.7	39.4	45.8
19	54.17	26.6	42.3	38.6	45.8	32.5	44.2	51.1	48.9	54.3	50.2	52.8	49.6	42.3	46.8	49.0	48.7	45.7	47.8
20	58.33	32.6	44.5	45.9	47.7	39.2	46.2	58.4	51.0	62.7	52.3	60.6	51.7	49.2	48.8	57.0	50.6	53.1	49.8
21	62.50	41.3	46.7	53.6	49.6	47.4	48.3	66.6	53.1	71.3	54.4	69.0	53.8	57.5	50.9	65.3	52.6	61.4	51.8
22	66.67	47.7	48.9	58.8	51.6	53.2	50.3	73.0	55.2	78.0	56.5	75.5	55.9	63.9	52.9	71.4	54.6	67.7	53.8
23	70.83	54.1	51.2	63.2	53.5	58.6	52.4	80.4	57.3	81.3	58.6	80.8	57.9	71.0	55.0	75.1	56.6	73.1	55.8
24	75.00	64.2	53.4	71.7	55.4	67.9	54.4	85.6	59.4	87.9	60.7	86.8	60.0	77.9	57.0	82.4	58.6	80.2	57.8
25	79.17	70.6	55.6	75.7	57.3	73.1	56.4	89.2	61.5	91.2	62.8	90.2	62.1	82.5	59.0	85.9	60.6	84.2	59.8
26	83.33	78.5	57.8	82.6	59.3	80.6	58.5	91.2	63.5	94.3	64.9	92.8	64.2	86.7	61.1	90.3	62.5	88.5	61.8
27	87.50	85.6	60.0	86.0	61.2	85.8	60.5	93.6	65.6	95.8	67.0	94.7	66.3	90.7	63.1	92.5	64.5	91.6	63.8
28	91.67	92.1	62.3	90.4	63.1	91.3	62.6	95.4	67.7	97.5	69.1	96.5	68.4	94.2	65.1	95.1	66.5	94.7	65.8
29	95.83	94.6	64.5	94.5	65.0	94.5	64.6	98.0	69.8	98.7	71.1	98.3	70.4	96.8	67.2	97.2	68.5	97.0	67.8
30	100.00	100.0	66.7	100.0	67.0	100.0	66.6	100.0	71.9	100.0	73.2	100.0	72.5	100.0	69.2	100.0	70.5	100.0	69.8

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ($M = 50$, $SD = 10$).

Table A7_D - 41: CZ – Czech Republic. Individual norm data KIDSCREEN-52: Social Acceptance

Raw-Score	0-100 Score	Females (n=280)		Children 8-11 Males (n=271)		All (n=551)		Females (n=506)		Adolescents 12-18 Males (n=526)		All (n=1032)		Children & Adolescents 8-18 Females (n=786)		Males (n=797)		All (n=1583)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
3	0.00									0.3	-11.0	0.2	-10.3			0.2	-7.5	0.1	-5.7
4	8.33									0.3	-5.3	0.2	-4.6			0.2	-2.0	0.1	-0.4
5	16.67	0.8	12.0			0.4	10.1	0.5	1.6	0.3	0.4	0.3	1.1	0.5	6.3	0.2	3.4	0.3	4.9
6	25.00	2.5	16.7	1.9	12.8	2.2	14.9	0.7	7.2	1.3	6.1	1.0	6.7	1.3	11.5	1.5	8.9	1.4	10.2
7	33.33	4.3	21.3	2.7	17.9	3.4	19.8	1.4	12.9	1.6	11.8	1.5	12.4	2.4	16.6	1.9	14.4	2.1	15.6
8	41.67	5.7	26.0	3.4	23.0	4.5	24.7	2.6	18.5	1.9	17.6	2.2	18.1	3.7	21.8	2.4	19.8	3.0	20.9
9	50.00	8.2	30.7	6.2	28.2	7.3	29.6	4.7	24.2	3.8	23.3	4.2	23.7	6.0	27.0	4.6	25.3	5.3	26.2
10	58.33	9.7	35.3	9.2	33.3	9.4	34.4	6.7	29.8	5.7	29.0	6.2	29.4	7.8	32.2	6.9	30.7	7.3	31.5
11	66.67	15.0	40.0	14.7	38.5	14.9	39.3	11.1	35.5	9.6	34.7	10.3	35.1	12.5	37.4	11.3	36.2	11.9	36.8
12	75.00	26.2	44.6	23.5	43.6	24.9	44.2	18.0	41.1	17.4	40.4	17.7	40.8	20.9	42.6	19.5	41.6	20.2	42.1
13	83.33	42.9	49.3	43.8	48.7	43.4	49.0	34.4	46.7	30.5	46.1	32.4	46.4	37.4	47.8	35.0	47.1	36.2	47.4
14	91.67	69.3	53.9	69.7	53.9	69.5	53.9	62.3	52.4	59.7	51.8	61.0	52.1	64.8	53.0	63.1	52.6	63.9	52.8
15	100.00	100.0	58.6	100.0	59.0	100.0	58.8	100.0	58.0	100.0	57.6	100.0	57.8	100.0	58.2	100.0	58.0	100.0	58.1

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ($M = 50$, $SD = 10$).

Table A7_D - 42: CZ – Czech Republic. Individual norm data KIDSCREEN-52: Financial Resources

Raw-Score	0-100 Score	Females (n=279)		Children 8-11 Males (n=271)		All (n=550)		Females (n=505)		Adolescents 12-18 Males (n=525)		All (n=1030)		Children & Adolescents 8-18 Females (n=784)		Males (n=796)		All (n=1580)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
3	0.00	4.0	28.6	3.7	29.5	3.8	29.0	2.2	28.2	2.3	27.5	2.2	27.9	2.8	28.4	2.8	28.3	2.8	28.3
4	8.33	5.4	31.8	5.2	32.6	5.3	32.2	6.0	31.5	3.6	30.7	4.8	31.1	5.8	31.6	4.2	31.4	5.0	31.5
5	16.67	9.7	35.0	9.9	35.8	9.8	35.4	8.1	34.8	7.2	33.9	7.7	34.4	8.7	34.9	8.2	34.6	8.4	34.8
6	25.00	17.6	38.2	18.3	39.0	17.9	38.6	18.0	38.1	17.3	37.1	17.7	37.6	17.8	38.2	17.7	37.8	17.8	38.0
7	33.33	24.0	41.4	29.0	42.2	26.5	41.8	24.3	41.5	22.1	40.3	23.2	40.9	24.2	41.5	24.5	40.9	24.3	41.2
8	41.67	30.9	44.7	39.4	45.3	35.1	45.0	33.8	44.8	28.9	43.4	31.3	44.1	32.8	44.7	32.5	44.1	32.6	44.4
9	50.00	52.0	47.9	55.2	48.5	53.6	48.2	53.1	48.1	45.5	46.6	49.2	47.3	52.7	48.0	48.8	47.3	50.8	47.6
10	58.33	61.0	51.1	59.7	51.7	60.3	51.4	62.4	51.4	54.8	49.8	58.5	50.6	61.9	51.3	56.5	50.5	59.2	50.9
11	66.67	70.9	54.3	69.4	54.8	70.1	54.6	70.1	54.7	63.7	53.0	66.8	53.8	70.4	54.5	65.6	53.6	68.0	54.1
12	75.00	80.6	57.5	81.5	58.0	81.1	57.8	82.4	58.0	77.0	56.2	79.6	57.0	81.8	57.8	78.5	56.8	80.1	57.3
13	83.33	86.4	60.7	87.1	61.2	86.7	60.9	87.3	61.3	83.1	59.4	85.2	60.3	87.0	61.1	84.4	60.0	85.7	60.5
14	91.67	91.4	63.9	93.0	64.4	92.2	64.1	93.7	64.6	89.4	62.6	91.5	63.5	92.9	64.4	90.6	63.1	91.7	63.7
15	100.00	100.0	67.2	100.0	67.5	100.0	67.3	100.0	67.9	100.0	65.8	100.0	66.8	100.0	67.6	100.0	66.3	100.0	66.9

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ($M = 50$, $SD = 10$).

Table A7_D - 43: CZ – Czech Republic. Individual norm data KIDSCREEN-27: Physical Well-being

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=279)		Males (n=270)		All (n=549)		Females (n=501)		Males (n=522)		All (n=1023)		Females (n=780)		Males (n=792)		All (n=1572)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00																		
6	5.56	0.6	15.6	0.8	15.9	0.6	15.8	0.3	22.5	0.8	19.3	0.5	21.3	0.3	20.8	0.7	18.3	0.5	19.8
7	11.11	0.6	18.5	1.3	18.6	0.8	18.6	1.2	25.1	1.4	21.8	1.3	23.9	0.9	23.5	1.3	20.9	1.1	22.4
8	16.67	1.5	21.3	2.6	21.3	2.0	21.4	3.0	27.7	2.1	24.4	2.6	26.4	2.5	26.1	2.3	23.5	2.4	25.0
9	22.22	2.3	24.1	3.4	24.0	2.7	24.1	5.0	30.3	2.7	27.0	3.8	29.0	4.0	28.7	2.9	26.1	3.4	27.6
10	27.78	3.0	26.9	4.1	26.8	3.5	26.9	7.4	33.0	4.8	29.5	6.1	31.5	5.8	31.4	4.5	28.7	5.2	30.2
11	33.33	4.7	29.8	5.6	29.5	5.1	29.7	9.8	35.6	6.1	32.1	7.9	34.1	8.0	34.0	5.9	31.3	6.9	32.8
12	38.89	6.9	32.6	7.4	32.2	7.1	32.4	14.4	38.2	10.0	34.7	12.1	36.6	11.7	36.6	9.1	33.9	10.4	35.4
13	44.44	9.4	35.4	9.2	34.9	9.3	35.2	21.3	40.9	13.6	37.2	17.4	39.2	17.1	39.3	12.1	36.5	14.6	38.0
14	50.00	14.1	38.2	13.3	37.6	13.7	38.0	30.3	43.5	19.9	39.8	25.0	41.7	24.5	41.9	17.7	39.1	21.0	40.6
15	55.56	23.0	41.1	17.7	40.3	20.4	40.7	39.5	46.1	26.8	42.4	33.0	44.3	33.6	44.5	23.7	41.7	28.6	43.2
16	61.11	29.4	43.9	24.4	43.0	26.9	43.5	50.3	48.7	34.1	45.0	42.0	46.8	42.8	47.2	30.8	44.4	36.8	45.8
17	66.67	38.4	46.7	31.1	45.8	34.8	46.2	57.1	51.4	39.5	47.5	48.1	49.4	50.4	49.8	36.6	47.0	43.5	48.4
18	72.22	52.4	49.5	41.5	48.5	47.0	49.0	68.1	54.0	48.4	50.1	58.1	51.9	62.5	52.4	46.1	49.6	54.2	51.0
19	77.78	63.1	52.4	54.8	51.2	59.0	51.8	76.1	56.6	56.8	52.7	66.2	54.5	71.4	55.0	56.1	52.2	63.7	53.6
20	83.33	70.9	55.2	64.5	53.9	67.7	54.5	82.8	59.2	67.2	55.2	74.9	57.0	78.6	57.7	66.3	54.8	72.4	56.2
21	88.89	77.4	58.0	75.2	56.6	76.3	57.3	89.6	61.9	78.9	57.8	84.2	59.6	85.3	60.3	77.7	57.4	81.4	58.7
22	94.44	87.5	60.9	87.4	59.3	87.5	60.1	95.4	64.5	90.2	60.4	92.8	62.1	92.6	62.9	89.3	60.0	90.9	61.3
23	100.00	100.0	63.7	100.0	62.1	100.0	62.8	100.0	67.1	100.0	63.0	100.0	64.7	100.0	65.6	100.0	62.6	100.0	63.9

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ($M = 50$, $SD = 10$).

Table A7_D - 44: CZ – Czech Republic. Individual norm data KIDSCREEN-27: Psychological Well-being

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=277)		Males (n=273)		All (n=550)		Females (n=503)		Males (n=527)		All (n=1030)		Females (n=780)		Males (n=800)		All (n=1580)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
7	0.00																		
8	3.57																		
9	7.14																		
10	10.71			0.6	-0.6	0.3	0.4								0.2	6.4	0.1	8.7	
11	14.29			0.6	2.1	0.3	3.1								0.2	8.8	0.1	11.0	
12	17.86			0.6	4.8	0.3	5.7								0.2	11.3	0.1	13.4	
13	21.43			0.6	7.5	0.3	8.4	0.3	19.4	0.4	15.8	0.3	18.0	0.2	17.3	0.4	13.7	0.3	15.7
14	25.00	0.8	11.7	0.6	10.2	0.6	11.0	0.8	21.7	0.4	18.2	0.6	20.3	0.8	19.6	0.4	16.1	0.6	18.1
15	28.57	0.8	14.3	0.6	12.9	0.6	13.7	1.6	24.0	0.7	20.5	1.1	22.6	1.3	21.9	0.6	18.5	0.9	20.4
16	32.14	1.3	16.9	0.6	15.6	0.8	16.3	2.0	26.3	1.3	22.9	1.7	24.9	1.7	24.3	1.0	21.0	1.3	22.8
17	35.71	1.6	19.6	0.9	18.3	1.1	19.0	2.8	28.6	2.1	25.2	2.4	27.2	2.3	26.6	1.6	23.4	2.0	25.1
18	39.29	2.3	22.2	1.3	21.0	1.7	21.6	4.6	30.9	3.8	27.5	4.2	29.5	3.7	28.9	2.9	25.8	3.3	27.5
19	42.86	3.3	24.8	1.9	23.6	2.5	24.3	7.3	33.2	5.9	29.9	6.6	31.8	5.9	31.2	4.5	28.2	5.2	29.9
20	46.43	3.9	27.4	2.7	26.3	3.1	26.9	11.1	35.6	7.6	32.2	9.3	34.1	8.4	33.5	5.9	30.6	7.1	32.2
21	50.00	4.4	30.0	3.7	29.0	4.0	29.6	15.6	37.9	10.6	34.6	13.1	36.4	11.6	35.9	8.2	33.1	9.9	34.6
22	53.57	5.8	32.6	6.2	31.7	6.0	32.2	20.6	40.2	12.9	36.9	16.7	38.7	15.3	38.2	10.6	35.5	12.9	36.9
23	57.14	9.7	35.3	9.1	34.4	9.4	34.9	25.8	42.5	17.2	39.3	21.4	41.0	20.1	40.5	14.5	37.9	17.2	39.3
24	60.71	13.7	37.9	11.4	37.1	12.5	37.5	31.2	44.8	21.4	41.6	26.2	43.3	24.9	42.8	18.0	40.3	21.4	41.6
25	64.29	19.1	40.5	15.4	39.8	17.3	40.2	39.9	47.1	27.7	43.9	33.7	45.6	32.5	45.2	23.5	42.7	27.9	44.0
26	67.86	23.8	43.1	22.0	42.5	22.9	42.8	47.3	49.4	33.4	46.3	40.2	47.9	39.0	47.5	29.5	45.2	34.2	46.3
27	71.43	31.8	45.7	30.5	45.2	31.1	45.5	55.9	51.8	40.2	48.6	47.8	50.2	47.3	49.8	36.9	47.6	42.0	48.7
28	75.00	41.8	48.3	41.0	47.9	41.4	48.1	68.0	54.1	52.4	51.0	60.0	52.5	58.7	52.1	48.5	50.0	53.5	51.1
29	78.57	53.1	51.0	54.2	50.6	53.6	50.8	77.2	56.4	64.3	53.3	70.6	54.8	68.6	54.4	60.9	52.4	64.7	53.4
30	82.14	66.1	53.6	68.2	53.2	67.1	53.4	83.5	58.7	73.1	55.6	78.2	57.1	77.3	56.8	71.4	54.8	74.3	55.8
31	85.71	78.3	56.2	80.2	55.9	79.3	56.1	89.1	61.0	83.3	58.0	86.1	59.4	85.3	59.1	82.2	57.3	83.7	58.1
32	89.29	86.3	58.8	86.0	58.6	86.2	58.7	94.0	63.3	90.1	60.3	92.0	61.7	91.3	61.4	88.7	59.7	90.0	60.5
33	92.86	92.8	61.4	89.0	61.3	90.9	61.4	97.6	65.6	94.6	62.7	96.1	64.0	95.9	63.7	92.7	62.1	94.3	62.8
34	96.43	97.1	64.0	94.5	64.0	95.8	64.0	99.4	68.0	97.5	65.0	98.4	66.3	98.6	66.0	96.5	64.5	97.5	65.2
35	100.00	100.0	66.7	100.0	66.7	100.0	66.7	100.0	70.3	100.0	67.3	100.0	68.6	100.0	68.4	100.0	66.9	100.0	67.5

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 45: CZ – Czech Republic. Individual norm data KIDSCREEN-27: Parent Relations & Autonomy

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=277)		Males (n=271)		All (n=548)		Females (n=503)		Males (n=526)		All (n=1029)		Females (n=780)		Males (n=797)		All (n=1577)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
7	0.00																		
8	3.57																		
9	7.14	0.6	11.1			0.3	11.4							0.2	15.0			0.1	14.7
10	10.71	0.6	13.3			0.3	13.6	0.3	18.4			0.2	18.1	0.3	17.1			0.2	16.8
11	14.29	0.6	15.6			0.3	15.8	0.5	20.5			0.3	20.2	0.5	19.2			0.2	18.9
12	17.86	0.6	17.8			0.3	18.1	0.9	22.6	0.4	21.7	0.6	22.3	0.7	21.4	0.3	20.7	0.4	21.1
13	21.43	0.6	20.0			0.3	20.3	1.3	24.7	0.4	23.8	0.8	24.3	0.9	23.5	0.3	22.8	0.6	23.2
14	25.00	0.6	22.3			0.3	22.5	2.2	26.9	0.8	25.8	1.5	26.4	1.5	25.6	0.5	24.8	1.0	25.3
15	28.57	1.2	24.5	0.6	24.9	0.8	24.7	3.6	29.0	1.4	27.8	2.4	28.5	2.7	27.8	1.0	26.9	1.8	27.4
16	32.14	1.7	26.7	1.5	27.1	1.5	27.0	4.8	31.1	2.7	29.9	3.7	30.6	3.6	29.9	2.3	29.0	2.9	29.5
17	35.71	2.6	29.0	3.0	29.3	2.7	29.2	7.0	33.2	4.6	31.9	5.8	32.7	5.4	32.0	4.0	31.1	4.7	31.6
18	39.29	5.4	31.2	4.1	31.6	4.8	31.4	9.2	35.4	6.7	34.0	7.9	34.7	7.8	34.2	5.8	33.2	6.8	33.7
19	42.86	7.9	33.4	7.4	33.8	7.7	33.6	13.2	37.5	11.3	36.0	12.2	36.8	11.3	36.3	10.0	35.3	10.6	35.8
20	46.43	10.5	35.7	11.4	36.0	11.0	35.8	17.9	39.6	15.5	38.1	16.7	38.9	15.3	38.4	14.1	37.4	14.7	37.9
21	50.00	14.4	37.9	16.6	38.2	15.5	38.0	23.7	41.7	20.9	40.1	22.3	41.0	20.4	40.5	19.5	39.5	19.9	40.1
22	53.57	19.5	40.1	19.2	40.4	19.3	40.3	30.7	43.9	25.7	42.2	28.1	43.0	26.7	42.7	23.5	41.6	25.1	42.2
23	57.14	27.0	42.4	26.2	42.6	26.6	42.5	36.8	46.0	33.5	44.2	35.1	45.1	33.3	44.8	31.0	43.7	32.2	44.3
24	60.71	32.5	44.6	35.4	44.8	33.9	44.7	43.0	48.1	39.6	46.3	41.2	47.2	39.2	46.9	38.2	45.8	38.7	46.4
25	64.29	40.0	46.8	44.2	47.0	42.1	46.9	53.4	50.3	47.2	48.4	50.2	49.3	48.6	49.1	46.2	47.9	47.4	48.5
26	67.86	45.5	49.0	51.6	49.2	48.5	49.1	61.5	52.4	54.8	50.4	58.1	51.3	55.8	51.2	53.7	50.0	54.7	50.6
27	71.43	54.9	51.3	58.3	51.4	56.6	51.4	68.8	54.5	60.9	52.5	64.8	53.4	63.9	53.3	60.0	52.1	61.9	52.7
28	75.00	63.6	53.5	67.1	53.6	65.3	53.6	76.4	56.6	69.2	54.5	72.7	55.5	71.8	55.5	68.5	54.2	70.1	54.8
29	78.57	71.9	55.7	75.3	55.9	73.6	55.8	83.5	58.8	75.3	56.6	79.3	57.6	79.4	57.6	75.3	56.3	77.3	56.9
30	82.14	80.8	58.0	78.6	58.1	79.7	58.0	87.5	60.9	81.0	58.6	84.2	59.6	85.1	59.7	80.2	58.4	82.6	59.0
31	85.71	89.2	60.2	84.9	60.3	87.1	60.2	91.5	63.0	86.1	60.7	88.7	61.7	90.6	61.9	85.7	60.5	88.2	61.2
32	89.29	92.4	62.4	88.6	62.5	90.5	62.4	96.4	65.1	90.3	62.7	93.3	63.8	95.0	64.0	89.7	62.6	92.3	63.3
33	92.86	95.3	64.6	94.1	64.7	94.7	64.7	99.0	67.3	94.9	64.8	96.9	65.9	97.7	66.1	94.6	64.7	96.1	65.4
34	96.43	98.9	66.9	98.5	66.9	98.7	66.9	99.6	69.4	97.0	66.8	98.3	68.0	99.4	68.3	97.5	66.8	98.4	67.5
35	100.00	100.0	69.1	100.0	69.1	100.0	69.1	100.0	71.5	100.0	68.9	100.0	70.0	100.0	70.4	100.0	68.9	100.0	69.6

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 46: CZ – Czech Republic. Individual norm data KIDSCREEN-27: Social Support & Peers

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=276)		Males (n=271)		All (n=547)		Females (n=505)		Males (n=528)		All (n=1033)		Females (n=781)		Males (n=799)		All (n=1580)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
4	0.00	0.6	11.3			0.3	12.6	0.3	13.6	0.3	10.9	0.2	12.3	0.3	12.9	0.2	11.9	0.2	12.4
5	6.25	0.6	14.6	0.6	17.0	0.5	15.9	0.3	16.9	0.3	14.4	0.2	15.7	0.3	16.2	0.3	15.3	0.3	15.7
6	12.50	0.6	17.9	0.6	20.2	0.5	19.2	0.7	20.1	0.3	17.8	0.4	19.0	0.5	19.4	0.3	18.7	0.4	19.1
7	18.75	1.2	21.2	1.0	23.4	0.9	22.4	1.0	23.3	0.8	21.3	0.9	22.3	1.0	22.7	0.8	22.0	0.9	22.4
8	25.00	2.6	24.5	4.1	26.6	3.3	25.6	3.4	26.6	1.9	24.7	2.6	25.7	3.1	25.9	2.6	25.4	2.9	25.7
9	31.25	4.0	27.8	6.3	29.8	5.1	28.9	5.4	29.8	3.6	28.2	4.5	29.0	4.9	29.2	4.5	28.8	4.7	29.0
10	37.50	5.5	31.1	8.5	33.0	7.0	32.1	7.9	33.1	6.0	31.6	7.0	32.4	7.1	32.4	6.9	32.1	7.0	32.3
11	43.75	8.7	34.4	10.8	36.2	9.7	35.4	11.9	36.3	9.3	35.1	10.6	35.7	10.8	35.7	9.8	35.5	10.3	35.6
12	50.00	14.9	37.7	18.1	39.5	16.5	38.6	19.3	39.6	17.8	38.5	18.5	39.1	17.7	38.9	17.9	38.9	17.8	38.9
13	56.25	21.4	41.0	25.2	42.7	23.3	41.9	25.6	42.8	25.0	42.0	25.3	42.4	24.1	42.2	25.1	42.2	24.6	42.2
14	62.50	30.8	44.3	36.3	45.9	33.5	45.1	35.8	46.1	37.0	45.5	36.4	45.8	34.0	45.5	36.7	45.6	35.4	45.5
15	68.75	43.1	47.6	47.4	49.1	45.2	48.4	50.1	49.3	49.1	48.9	49.6	49.1	47.6	48.7	48.5	49.0	48.1	48.8
16	75.00	56.1	50.9	65.1	52.3	60.5	51.6	65.3	52.6	62.6	52.4	64.0	52.5	62.1	52.0	63.5	52.3	62.8	52.2
17	81.25	69.2	54.2	73.9	55.5	71.5	54.9	74.5	55.8	75.9	55.8	75.2	55.8	72.6	55.2	75.2	55.7	73.9	55.5
18	87.50	81.2	57.5	83.4	58.7	82.3	58.1	84.0	59.1	85.5	59.3	84.8	59.2	83.0	58.5	84.8	59.1	83.9	58.8
19	93.75	88.5	60.8	91.5	61.9	90.0	61.4	93.3	62.3	93.5	62.7	93.4	62.5	91.6	61.7	92.8	62.4	92.2	62.1
20	100.00	100.0	64.1	100.0	65.2	100.0	64.6	100.0	65.5	100.0	66.2	100.0	65.9	100.0	65.0	100.0	65.8	100.0	65.4

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ($M = 50$, $SD = 10$).

Table A7_D - 47: CZ – Czech Republic. Individual norm data KIDSCREEN-27: School Environment

Raw-Score	0-100 Score	Females (n=280)		Children 8-11 Males (n=272)		All (n=552)		Females (n=503)		Adolescents 12-18 Males (n=523)		All (n=1026)		Children & Adolescents 8-18 Females (n=783)		Males (n=795)		All (n=1578)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
4	0.00									0.3	20.7	0.2	20.2			0.2	20.7	0.1	19.6
5	6.25			0.6	21.9	0.3	19.2	0.3	22.8	0.8	24.0	0.5	23.4	0.2	21.4	0.6	23.8	0.4	22.7
6	12.50	0.6	18.8	1.2	24.9	0.8	22.3	1.2	26.0	1.5	27.2	1.4	26.7	0.9	24.5	1.4	26.8	1.1	25.8
7	18.75	1.2	22.1	2.2	27.9	1.6	25.4	3.6	29.2	3.6	30.4	3.6	29.9	2.7	27.6	3.1	29.9	2.9	28.9
8	25.00	2.2	25.5	4.0	30.9	3.1	28.5	5.6	32.4	7.7	33.6	6.6	33.1	4.3	30.8	6.4	33.0	5.4	32.0
9	31.25	3.3	28.9	7.7	33.8	5.5	31.7	9.7	35.7	12.6	36.8	11.2	36.3	7.4	33.9	10.9	36.1	9.2	35.1
10	37.50	5.0	32.3	14.4	36.8	9.6	34.8	17.3	38.9	18.9	40.1	18.1	39.5	12.9	37.1	17.3	39.1	15.1	38.2
11	43.75	11.4	35.6	19.5	39.8	15.4	37.9	25.7	42.1	29.8	43.3	27.8	42.7	20.6	40.2	26.3	42.2	23.4	41.3
12	50.00	18.2	39.0	28.3	42.8	23.2	41.1	38.2	45.3	44.3	46.5	41.3	45.9	31.1	43.4	38.8	45.3	35.0	44.4
13	56.25	27.2	42.4	39.3	45.7	33.2	44.2	51.9	48.5	56.2	49.7	54.1	49.1	43.1	46.5	50.4	48.3	46.8	47.5
14	62.50	38.7	45.7	51.5	48.7	45.0	47.3	62.6	51.7	66.9	53.0	64.8	52.3	54.1	49.7	61.6	51.4	57.9	50.5
15	68.75	51.2	49.1	59.2	51.7	55.1	50.5	73.9	54.9	77.4	56.2	75.7	55.6	65.8	52.8	71.2	54.5	68.5	53.6
16	75.00	64.4	52.5	70.5	54.7	67.4	53.6	83.5	58.1	85.8	59.4	84.7	58.8	76.7	56.0	80.6	57.5	78.6	56.7
17	81.25	73.6	55.9	79.0	57.7	76.3	56.7	89.4	61.4	92.5	62.6	91.0	62.0	83.8	59.1	87.9	60.6	85.9	59.8
18	87.50	85.4	59.2	85.6	60.6	85.5	59.9	93.8	64.6	95.2	65.8	94.5	65.2	90.8	62.2	91.9	63.7	91.4	62.9
19	93.75	91.8	62.6	94.1	63.6	92.9	63.0	96.6	67.8	97.7	69.1	97.2	68.4	94.9	65.4	96.5	66.8	95.7	66.0
20	100.00	100.0	66.0	100.0	66.6	100.0	66.1	100.0	71.0	100.0	72.3	100.0	71.6	100.0	68.5	100.0	69.8	100.0	69.1

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 48: CZ – Czech Republic. Individual norm data KIDSCREEN-10 Index

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=275)		Males (n=265)		All (n=540)		Females (n=498)		Males (n=516)		All (n=1014)		Females (n=773)		Males (n=781)		All (n=1554)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
10	0.00																		
11	2.50																		
12	5.00																		
13	7.50																		
14	10.00																		
15	12.50																		
16	15.00																		
17	17.50																		
18	20.00	0.6	8.5			0.3	8.2							0.2	15.4			0.1	13.2
19	22.50	0.6	10.4			0.5	10.1	0.3	18.6			0.2	16.4	0.3	17.1			0.2	15.0
20	25.00	0.6	12.2			0.5	12.0	0.5	20.4			0.3	18.2	0.5	18.9			0.2	16.9
21	27.50	0.9	14.1			0.5	13.9	0.9	22.2			0.4	20.0	0.8	20.6			0.4	18.7
22	30.00	0.9	16.0	0.6	15.5	0.7	15.8	1.6	24.0			0.8	21.9	1.3	22.4	0.2	18.1	0.7	20.5
23	32.50	1.3	17.9	1.0	17.5	1.0	17.8	2.2	25.7	0.3	20.9	1.2	23.7	1.8	24.1	0.4	20.0	1.1	22.3
24	35.00	1.3	19.8	1.0	19.5	1.0	19.7	2.8	27.5	0.8	22.8	1.8	25.5	2.2	25.9	0.8	21.9	1.5	24.1
25	37.50	1.7	21.7	1.3	21.4	1.4	21.6	3.8	29.3	1.4	24.7	2.6	27.3	3.0	27.6	1.3	23.8	2.1	25.9
26	40.00	2.3	23.6	1.3	23.4	1.7	23.5	4.8	31.1	2.3	26.6	3.6	29.1	3.9	29.4	1.9	25.7	2.9	27.7
27	42.50	2.3	25.5	1.7	25.3	2.0	25.4	6.2	32.9	3.9	28.5	5.0	31.0	4.8	31.2	3.1	27.6	3.9	29.6
28	45.00	2.7	27.4	2.4	27.2	2.4	27.4	8.2	34.7	4.8	30.4	6.5	32.8	6.2	32.9	4.0	29.5	5.1	31.4
29	47.50	3.4	29.3	3.1	29.2	3.1	29.3	11.4	36.5	6.2	32.3	8.8	34.6	8.5	34.7	5.1	31.4	6.8	33.2
30	50.00	4.4	31.2	4.9	31.1	4.6	31.2	13.2	38.2	8.7	34.2	10.9	36.4	10.1	36.4	7.4	33.3	8.7	35.0
31	52.50	5.8	33.1	6.4	33.1	6.1	33.1	16.9	40.0	11.4	36.2	14.1	38.3	12.9	38.2	9.7	35.3	11.3	36.8
32	55.00	8.4	35.0	7.0	35.0	7.6	35.0	23.3	41.8	14.5	38.1	18.8	40.1	18.0	39.9	11.9	37.2	14.9	38.6
33	57.50	11.3	36.9	9.4	37.0	10.3	36.9	27.2	43.6	17.6	40.0	22.3	41.9	21.6	41.7	14.8	39.1	18.2	40.5
34	60.00	15.3	38.8	13.6	38.9	14.4	38.9	33.5	45.4	23.0	41.9	28.1	43.7	27.0	43.4	19.8	41.0	23.4	42.3
35	62.50	18.9	40.7	20.4	40.9	19.6	40.8	38.9	47.2	27.8	43.8	33.3	45.6	31.8	45.2	25.3	42.9	28.5	44.1
36	65.00	22.9	42.6	26.4	42.8	24.6	42.7	46.0	49.0	34.0	45.7	39.9	47.4	37.8	46.9	31.4	44.8	34.6	45.9
37	67.50	30.2	44.5	32.4	44.7	31.3	44.6	54.3	50.7	41.0	47.6	47.5	49.2	45.7	48.7	38.1	46.7	41.9	47.7
38	70.00	34.9	46.4	40.0	46.7	37.4	46.5	61.7	52.5	48.2	49.5	54.8	51.0	52.2	50.4	45.4	48.6	48.8	49.5
39	72.50	41.4	48.3	48.6	48.6	45.0	48.5	68.9	54.3	55.2	51.4	61.9	52.8	59.1	52.2	53.0	50.5	56.0	51.3
40	75.00	52.0	50.2	55.1	50.6	53.5	50.4	74.9	56.1	63.2	53.3	68.9	54.7	66.8	53.9	60.4	52.4	63.6	53.2
41	77.50	59.3	52.1	62.2	52.5	60.7	52.3	81.3	57.9	72.5	55.2	76.8	56.5	73.5	55.7	69.0	54.3	71.2	55.0
42	80.00	65.1	54.0	67.9	54.5	66.5	54.2	84.7	59.7	78.9	57.1	81.8	58.3	77.8	57.4	75.1	56.2	76.4	56.8
43	82.50	74.5	55.9	75.8	56.4	75.2	56.1	89.6	61.5	83.5	59.0	86.5	60.1	84.2	59.2	80.9	58.1	82.6	58.6
44	85.00	79.3	57.8	81.5	58.4	80.4	58.1	93.0	63.2	89.2	60.9	91.0	62.0	88.1	60.9	86.6	60.0	87.3	60.4
45	87.50	86.2	59.7	87.4	60.3	86.8	60.0	95.2	65.0	93.4	62.9	94.3	63.8	92.0	62.7	91.4	61.9	91.7	62.2
46	90.00	90.9	61.6	89.4	62.3	90.2	61.9	97.8	66.8	96.3	64.8	97.1	65.6	95.3	64.4	94.0	63.8	94.7	64.0
47	92.50	95.3	63.5	94.3	64.2	94.8	63.8	98.8	68.6	97.9	66.7	98.3	67.4	97.5	66.2	96.7	65.7	97.1	65.9
48	95.00	98.5	65.4	97.0	66.2	97.8	65.7	99.8	70.4	98.5	68.6	99.1	69.2	99.4	67.9	98.0	67.6	98.7	67.7
49	97.50	99.3	67.3	98.5	68.1	98.9	67.7	100.0	72.2	99.2	70.5	99.6	71.1	99.7	69.7	99.0	69.5	99.4	69.5
50	100.00	100.0	69.2	100.0	70.0	100.0	69.6	100.0	74.0	100.0	72.4	100.0	72.9	100.0	71.4	100.0	71.4	100.0	71.3

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 49: DE – Germany. Individual norm data for KIDSCREEN-52: Physical Well-being

Raw-Score	0-100 Score	Females (n=298)		Children 8-11 Males (n=303)		All (n=601)		Females (n=567)		Adolescents 12-18 Males (n=52;4)		All (n=1091)		Children & Adolescents 8-18 Females (n=865)		Males (n=827)		All (n=1692)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00																		
6	5.56	0.5	-3.9			0.3	-5.5			0.3	7.8	0.1	9.9	0.2	8.8	0.2	4.4	0.1	7.0
7	11.11	0.5	0.1			0.3	-1.4	0.3	14.5	0.8	11.2	0.5	13.3	0.3	12.1	0.5	8.0	0.4	10.4
8	16.67	0.9	4.1	0.5	1.1	0.6	2.7	0.6	17.9	1.1	14.7	0.8	16.6	0.6	15.5	0.8	11.6	0.7	13.9
9	22.22	0.9	8.1	0.5	5.3	0.6	6.8	1.2	21.2	1.3	18.1	1.2	20.0	1.0	18.9	0.9	15.1	1.0	17.3
10	27.78	0.9	12.2	0.5	9.5	0.6	10.9	2.0	24.6	1.8	21.5	1.8	23.4	1.5	22.3	1.2	18.7	1.4	20.8
11	33.33	0.9	16.2	1.1	13.7	0.9	15.0	3.3	28.0	2.0	25.0	2.7	26.8	2.4	25.7	1.6	22.2	2.0	24.2
12	38.89	1.2	20.2	2.1	17.9	1.5	19.1	6.0	31.4	4.2	28.4	5.1	30.1	4.3	29.1	3.4	25.8	3.8	27.7
13	44.44	1.8	24.2	2.7	22.1	2.2	23.2	9.5	34.8	6.3	31.8	8.0	33.5	6.8	32.5	5.0	29.4	5.9	31.1
14	50.00	2.8	28.2	3.4	26.3	3.0	27.3	14.6	38.2	8.6	35.3	11.7	36.9	10.5	35.9	6.7	32.9	8.6	34.6
15	55.56	6.4	32.2	5.3	30.5	5.9	31.4	23.1	41.5	15.6	38.7	19.5	40.3	17.4	39.3	11.8	36.5	14.7	38.0
16	61.11	11.4	36.3	9.6	34.7	10.5	35.5	34.1	44.9	25.4	42.1	29.9	43.6	26.3	42.7	19.6	40.1	23.0	41.5
17	66.67	20.8	40.3	14.6	38.9	17.6	39.6	46.1	48.3	33.2	45.6	39.9	47.0	37.4	46.1	26.3	43.6	32.0	44.9
18	72.22	32.6	44.3	25.7	43.1	29.1	43.7	60.6	51.7	47.7	49.0	54.4	50.4	51.0	49.5	39.6	47.2	45.4	48.4
19	77.78	44.4	48.3	38.6	47.3	41.4	47.9	74.9	55.1	61.3	52.4	68.4	53.8	64.4	52.8	52.9	50.8	58.8	51.8
20	83.33	62.2	52.4	62.1	51.6	62.1	52.0	83.0	58.4	76.9	55.8	80.1	57.1	75.9	56.2	71.5	54.3	73.7	55.3
21	88.89	78.2	56.4	78.9	55.8	78.6	56.1	92.0	61.8	87.8	59.3	90.0	60.5	87.3	59.6	84.5	57.9	85.9	58.7
22	94.44	94.0	60.4	92.4	60.0	93.2	60.2	97.9	65.2	96.6	62.7	97.2	63.9	96.5	63.0	95.1	61.5	95.8	62.2
23	100.00	100.0	64.4	100.0	64.2	100.0	64.3	100.0	68.6	100.0	66.1	100.0	67.3	100.0	66.4	100.0	65.0	100.0	65.7

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 50: DE – Germany. Individual norm data for KIDSCREEN-52: Psychological Well-being

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=296)		Males (n=300)		All (n=596)		Females (n=574)		Males (n=52:6)		All (n=1100)		Females (n=870)		Males (n=826)		All (n=1696)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00																		
7	4.17									0.3	-0.2	0.1	3.3			0.2	-4.6	0.1	-1.5
8	8.33									0.3	2.6	0.1	5.9			0.2	-1.7	0.1	1.3
9	12.50	0.5	-18.3	0.5	-13.6	0.4	-15.6	0.5	10.8	0.3	5.3	0.4	8.5	0.5	6.2	0.3	1.2	0.4	4.0
10	16.67	0.5	-14.5	0.5	-10.0	0.4	-12.0	0.9	13.3	0.3	8.1	0.6	11.1	0.7	8.9	0.3	4.2	0.5	6.8
11	20.83	0.5	-10.8	0.5	-6.5	0.4	-8.3	1.3	15.8	0.6	10.8	0.9	13.7	1.0	11.5	0.5	7.1	0.7	9.5
12	25.00	0.5	-7.0	0.9	-2.9	0.6	-4.7	1.8	18.3	0.9	13.6	1.3	16.3	1.3	14.2	0.8	10.0	1.0	12.3
13	29.17	0.5	-3.2	0.9	0.7	0.6	-1.0	2.0	20.7	1.4	16.4	1.6	18.9	1.4	16.8	1.1	12.9	1.2	15.0
14	33.33	0.5	0.6	0.9	4.3	0.6	2.7	3.0	23.2	1.8	19.1	2.4	21.5	2.1	19.4	1.4	15.8	1.7	17.8
15	37.50	0.5	4.5	0.9	7.8	0.6	6.3	4.0	25.7	2.3	21.9	3.2	24.1	2.8	22.1	1.7	18.7	2.2	20.6
16	41.67	0.5	8.1	1.2	11.4	0.8	10.0	4.6	28.2	3.2	24.7	3.9	26.7	3.1	24.7	2.4	21.6	2.8	23.3
17	45.83	0.9	11.9	1.2	15.0	0.9	13.6	6.1	30.7	3.7	27.4	4.9	29.3	4.3	27.3	2.7	24.5	3.5	26.1
18	50.00	1.2	15.6	1.2	18.5	1.1	17.3	8.2	33.2	5.5	30.2	6.9	31.9	5.8	30.0	3.9	27.4	4.8	28.8
19	54.17	1.5	19.4	2.0	22.1	1.7	20.9	11.3	35.6	8.2	33.0	9.8	34.5	7.9	32.6	5.9	30.4	7.0	31.6
20	58.33	2.1	23.2	2.7	25.7	2.3	24.6	13.6	38.1	10.3	35.7	12.0	37.1	9.7	35.3	7.5	33.3	8.6	34.4
21	62.50	3.7	26.9	4.3	29.3	4.0	28.2	17.5	40.6	13.5	38.5	15.6	39.7	12.8	37.9	10.2	36.2	11.5	37.1
22	66.67	4.8	30.7	5.7	32.8	5.2	31.9	20.4	43.1	18.3	41.3	19.4	42.3	15.1	40.5	13.7	39.1	14.4	39.9
23	70.83	7.8	34.4	9.9	36.4	8.9	35.5	27.1	45.6	25.6	44.1	26.4	44.9	20.5	43.2	19.9	42.0	20.2	42.6
24	75.00	12.9	38.2	16.3	40.0	14.6	39.2	35.4	48.0	35.2	46.8	35.3	47.5	27.7	45.8	28.3	44.9	28.0	45.4
25	79.17	22.0	42.0	24.1	43.6	23.1	42.8	49.7	50.5	45.6	49.6	47.7	50.1	40.3	48.5	37.8	47.8	39.1	48.2
26	83.33	33.8	45.7	37.8	47.1	35.8	46.5	61.5	53.0	57.0	52.4	59.4	52.7	52.1	51.1	50.0	50.7	51.1	50.9
27	87.50	50.7	49.5	55.4	50.7	53.1	50.1	76.9	55.5	74.9	55.1	75.9	55.3	68.0	53.7	67.8	53.6	67.9	53.7
28	91.67	65.6	53.3	71.4	54.3	68.5	53.8	84.9	58.0	85.6	57.9	85.2	57.9	78.3	56.4	80.4	56.6	79.3	56.4
29	95.83	78.4	57.0	84.4	57.9	81.4	57.4	91.0	60.4	91.7	60.7	91.3	60.5	86.7	59.0	89.0	59.5	87.8	59.2
30	100.00	100.0	60.8	100.0	61.5	100.0	61.1	100.0	62.9	100.0	63.4	100.0	63.1	100.0	61.6	100.0	62.4	100.0	62.0

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7_D - 51: DE – Germany. Individual norm data for KIDSCREEN-52: Moods & Emotions

Raw-Score	0-100 Score	Females (n=299)		Children 8-11 Males (n=299)		All (n=598)		Females (n=576)		Adolescents 12-18 Males (n=533)		All (n=1109)		Children & Adolescents 8-18 Females (n=875)		Males (n=832)		All (n=1707)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
7	0.00																		
8	3.57																		
9	7.14																		
10	10.71																		
11	14.29							0.3	14.7			0.1	11.6	0.2	11.6			0.1	8.6
12	17.86							0.7	16.7			0.4	13.7	0.5	13.7			0.2	10.9
13	21.43							1.3	18.8			0.7	15.9	0.8	15.9			0.4	13.1
14	25.00							1.5	20.8			0.8	18.0	1.0	18.0			0.5	15.3
15	28.57	0.5	9.8			0.3	9.3	3.0	22.9	0.3	16.0	1.6	20.2	2.1	20.1	0.2	14.0	1.1	17.6
16	32.14	0.5	12.4			0.3	11.9	3.5	24.9	0.5	18.3	2.0	22.3	2.4	22.2	0.3	16.4	1.4	19.8
17	35.71	1.4	14.9	0.8	13.9	1.0	14.5	4.2	27.0	1.0	20.7	2.6	24.5	3.2	24.4	0.8	18.8	2.1	22.0
18	39.29	1.9	17.5	0.8	16.5	1.3	17.1	5.0	29.0	2.4	23.0	3.8	26.6	3.9	26.5	1.8	21.2	2.9	24.3
19	42.86	2.5	20.1	0.8	19.2	1.6	19.7	6.2	31.1	3.4	25.3	4.9	28.8	4.9	28.6	2.4	23.6	3.7	26.5
20	46.43	2.5	22.7	1.4	21.8	1.9	22.3	7.5	33.1	4.5	27.7	6.0	30.9	5.7	30.8	3.4	26.0	4.6	28.7
21	50.00	3.1	25.2	2.4	24.4	2.7	24.8	9.6	35.2	5.6	30.0	7.7	33.1	7.3	32.9	4.4	28.4	5.9	31.0
22	53.57	3.5	27.8	3.4	27.0	3.4	27.4	11.2	37.2	7.0	32.3	9.1	35.2	8.5	35.0	5.6	30.8	7.1	33.2
23	57.14	5.1	30.4	4.1	29.6	4.5	30.0	15.6	39.3	10.7	34.7	13.3	37.4	12.0	37.1	8.3	33.2	10.2	35.4
24	60.71	7.4	33.0	7.7	32.2	7.5	32.6	20.3	41.3	13.9	37.0	17.2	39.5	15.9	39.3	11.7	35.6	13.8	37.7
25	64.29	11.1	35.6	11.7	34.8	11.4	35.2	25.4	43.4	17.5	39.3	21.6	41.7	20.5	41.4	15.4	38.0	18.0	39.9
26	67.86	14.4	38.1	15.0	37.5	14.7	37.8	29.9	45.4	21.6	41.6	25.9	43.8	24.6	43.5	19.2	40.4	22.0	42.1
27	71.43	19.4	40.7	20.1	40.1	19.8	40.4	36.6	47.5	28.5	44.0	32.7	46.0	30.7	45.7	25.5	42.8	28.2	44.4
28	75.00	24.1	43.3	25.8	42.7	25.0	43.0	42.9	49.5	33.6	46.3	38.4	48.1	36.5	47.8	30.8	45.2	33.7	46.6
29	78.57	32.2	45.9	30.5	45.3	31.3	45.6	54.3	51.6	40.7	48.6	47.8	50.3	46.7	49.9	37.0	47.6	42.0	48.8
30	82.14	40.9	48.5	40.2	47.9	40.5	48.2	63.4	53.6	49.0	51.0	56.4	52.4	55.7	52.0	45.8	50.0	50.9	51.1
31	85.71	50.2	51.0	48.2	50.5	49.2	50.8	70.5	55.7	58.6	53.3	64.8	54.5	63.6	54.2	54.8	52.3	59.3	53.3
32	89.29	62.3	53.6	57.2	53.1	59.8	53.4	80.7	57.7	70.0	55.6	75.6	56.7	74.4	56.3	65.4	54.7	70.0	55.5
33	92.86	72.9	56.2	67.9	55.8	70.4	56.0	88.3	59.8	82.8	58.0	85.7	58.8	83.1	58.4	77.4	57.1	80.3	57.8
34	96.43	86.6	58.8	83.0	58.4	84.8	58.6	95.1	61.8	91.0	60.3	93.1	61.0	92.2	60.6	88.1	59.5	90.2	60.0
35	100.00	100.0	61.4	100.0	61.0	100.0	61.2	100.0	63.9	100.0	62.6	100.0	63.1	100.0	62.7	100.0	61.9	100.0	62.2

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 52: DE – Germany. Individual norm data for KIDSCREEN-52: Self Perception

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=300)		Males (n=300)		All (n=600)		Females (n=571)		Males (n=52:9)		All (n=1100)		Females (n=871)		Males (n=829)		All (n=1700)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00																		
6	5.00							0.4	21.4			0.2	17.2	0.3	18.6			0.1	14.0
7	10.00							1.1	23.8			0.6	19.7	0.7	20.9			0.4	16.6
8	15.00			0.5	1.2	0.3	4.5	2.1	26.1			1.1	22.1	1.4	23.3	0.2	11.2	0.8	19.1
9	20.00			0.9	4.6	0.4	7.7	3.8	28.4	0.3	16.5	2.1	24.6	2.5	25.6	0.4	14.1	1.5	21.6
10	25.00	0.8	13.1	0.9	8.0	0.7	10.9	5.0	30.8	0.6	19.4	2.9	27.1	3.5	27.9	0.6	17.1	2.1	24.1
11	30.00	0.8	16.3	0.9	11.3	0.7	14.2	7.1	33.1	1.2	22.4	4.3	29.5	4.9	30.3	1.0	20.0	3.0	26.6
12	35.00	1.4	19.4	1.2	14.7	1.2	17.4	11.2	35.5	1.9	25.3	6.7	32.0	7.8	32.6	1.6	23.0	4.8	29.1
13	40.00	2.4	22.5	1.2	18.1	1.7	20.6	14.7	37.8	3.6	28.2	9.3	34.4	10.4	35.0	2.6	25.9	6.6	31.7
14	45.00	3.7	25.7	1.5	21.5	2.5	23.9	20.2	40.1	6.6	31.1	13.7	36.9	14.5	37.3	4.7	28.8	9.7	34.2
15	50.00	6.3	28.8	3.6	24.9	5.0	27.1	25.0	42.5	10.9	34.0	18.2	39.4	18.6	39.6	8.3	31.8	13.6	36.7
16	55.00	8.7	31.9	4.7	28.3	6.7	30.3	32.7	44.8	15.1	36.9	24.2	41.8	24.4	42.0	11.3	34.7	18.0	39.2
17	60.00	11.0	35.1	8.0	31.7	9.5	33.6	41.4	47.2	20.4	39.8	31.3	44.3	31.0	44.3	15.9	37.7	23.6	41.7
18	65.00	14.7	38.2	10.3	35.0	12.5	36.8	48.2	49.5	24.3	42.7	36.7	46.8	36.7	46.7	19.2	40.6	28.2	44.2
19	70.00	21.4	41.4	16.0	38.4	18.7	40.0	56.8	51.8	33.6	45.6	45.7	49.2	44.6	49.0	27.2	43.5	36.1	46.8
20	75.00	28.1	44.5	21.6	41.8	24.8	43.3	66.5	54.2	44.2	48.6	55.8	51.7	53.3	51.3	36.0	46.5	44.9	49.3
21	80.00	38.0	47.6	29.6	45.2	33.8	46.5	74.9	56.5	53.4	51.5	64.6	54.2	62.2	53.7	44.8	49.4	53.7	51.8
22	85.00	46.0	50.8	38.3	48.6	42.2	49.7	82.5	58.9	65.3	54.4	74.2	56.6	69.9	56.0	55.5	52.4	62.9	54.3
23	90.00	62.0	53.9	50.4	52.0	56.2	53.0	89.5	61.2	78.4	57.3	84.2	59.1	80.1	58.3	68.3	55.3	74.3	56.8
24	95.00	80.4	57.1	69.4	55.3	74.9	56.2	94.8	63.5	90.0	60.2	92.4	61.6	89.8	60.7	82.5	58.3	86.3	59.3
25	100.00	100.0	60.2	100.0	58.7	100.0	59.4	100.0	65.9	100.0	63.1	100.0	64.0	100.0	63.0	100.0	61.2	100.0	61.9

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7_D - 53: DE – Germany. Individual norm data for KIDSCREEN-52: Autonomy

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=301)		Males (n=304)		All (n=605)		Females (n=571)		Males (n=52:8)		All (n=1099)		Females (n=872)		Males (n=832)		All (n=1704)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00																		
6	5.00																		
7	10.00																		
8	15.00							0.6	14.3			0.3	11.9	0.4	11.5			0.2	9.9
9	20.00			0.8	10.0	0.4	8.7	1.6	17.1	0.3	11.6	0.9	14.8	1.0	14.4	0.4	11.1	0.7	12.9
10	25.00	0.8	10.5	1.2	13.3	0.8	12.1	2.1	19.9	1.1	14.7	1.6	17.7	1.6	17.4	1.1	14.3	1.3	16.0
11	30.00	0.8	14.0	1.2	16.7	0.8	15.5	2.7	22.7	1.4	17.8	2.0	20.6	2.0	20.4	1.3	17.5	1.6	19.1
12	35.00	1.7	17.5	1.7	20.0	1.6	18.8	4.4	25.5	1.6	20.9	3.0	23.6	3.4	23.4	1.6	20.6	2.5	22.1
13	40.00	2.7	21.0	2.4	23.3	2.5	22.2	5.6	28.3	2.8	24.0	4.3	26.5	4.6	26.3	2.6	23.8	3.6	25.2
14	45.00	3.7	24.5	3.1	26.6	3.3	25.6	6.6	31.1	4.2	27.1	5.4	29.4	5.6	29.3	3.7	27.0	4.7	28.2
15	50.00	5.3	27.9	5.9	29.9	5.6	29.0	8.6	33.9	6.2	30.3	7.5	32.3	7.4	32.3	6.1	30.2	6.8	31.3
16	55.00	6.3	31.4	7.6	33.2	6.9	32.4	11.7	36.6	9.5	33.4	10.6	35.2	9.8	35.2	8.8	33.3	9.3	34.4
17	60.00	8.3	34.9	12.1	36.5	10.2	35.8	15.4	39.4	13.2	36.5	14.4	38.2	13.0	38.2	12.8	36.5	12.9	37.4
18	65.00	12.0	38.4	17.7	39.9	14.9	39.2	20.0	42.2	17.8	39.6	18.9	41.1	17.2	41.2	17.8	39.7	17.5	40.5
19	70.00	19.6	41.9	25.0	43.2	22.3	42.6	27.7	45.0	21.9	42.7	24.9	44.0	24.9	44.1	23.1	42.9	24.0	43.6
20	75.00	34.3	45.4	35.5	46.5	34.9	45.9	38.7	47.8	29.8	45.8	34.4	46.9	37.2	47.1	31.9	46.1	34.6	46.6
21	80.00	46.9	48.8	48.6	49.8	47.8	49.3	49.9	50.6	43.9	48.9	47.0	49.8	48.9	50.1	45.6	49.2	47.3	49.7
22	85.00	60.2	52:3	64.0	53.1	62.1	52:7	63.4	53.4	55.1	52:0	59.4	52:7	62.3	53.0	58.3	52:4	60.4	52:7
23	90.00	76.7	55.8	78.5	56.4	77.6	56.1	75.8	56.2	71.1	55.1	73.6	55.7	76.1	56.0	73.8	55.6	75.0	55.8
24	95.00	88.0	59.3	89.4	59.8	88.7	59.5	86.5	59.0	85.0	58.2	85.8	58.6	87.1	59.0	86.6	58.8	86.8	58.9
25	100.00	100.0	62.8	100.0	63.1	100.0	62.9	100.0	61.7	100.0	61.3	100.0	61.5	100.0	61.9	100.0	61.9	100.0	61.9

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7_D - 54: DE – Germany. Individual norm data for KIDSCREEN-52: Parent Relations & Home Life

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=299)		Males (n=295)		All (n=594)		Females (n=575)		Males (n=518)		All (n=1093)		Females (n=874)		Males (n=813)		All (n=1687)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00							0.4	10.2	0.3	3.2	0.3	7.2	0.3	5.7	0.2	-0.2	0.2	3.1
7	4.17							0.6	12.3	0.3	5.7	0.4	9.5	0.4	8.0	0.2	2.4	0.3	5.6
8	8.33							0.8	14.4	0.3	8.2	0.5	11.8	0.5	10.3	0.2	5.0	0.3	8.0
9	12.50	0.5	-3.4			0.3	-1.8	1.0	16.6	0.3	10.6	0.6	14.1	0.7	12.6	0.2	7.6	0.4	10.4
10	16.67	0.5	-0.4			0.3	1.2	1.2	18.7	0.5	13.1	0.8	16.4	0.9	14.9	0.3	10.2	0.6	12.9
11	20.83	0.5	2.7	0.5	5.3	0.4	4.2	1.4	20.9	0.7	15.5	1.0	18.7	1.1	17.2	0.5	12.8	0.8	15.3
12	25.00	0.5	5.8	0.5	8.3	0.4	7.2	2.1	23.0	1.2	18.0	1.7	20.9	1.5	19.5	0.9	15.4	1.2	17.7
13	29.17	0.9	8.8	0.5	11.2	0.6	10.1	3.3	25.2	1.6	20.5	2.5	23.2	2.4	21.8	1.2	18.0	1.8	20.1
14	33.33	1.2	11.8	0.5	14.2	0.8	13.1	4.9	27.3	2.4	23.0	3.7	25.5	3.5	24.1	1.6	20.6	2.6	22.6
15	37.50	1.2	14.9	0.5	17.1	0.8	16.1	6.8	29.5	3.9	25.5	5.4	27.8	4.8	26.4	2.6	23.2	3.7	25.0
16	41.67	1.8	17.9	1.1	20.1	1.4	19.1	7.3	31.6	4.5	27.9	6.0	30.1	5.4	28.7	3.2	25.8	4.3	27.4
17	45.83	2.7	20.9	2.1	23.0	2.4	22.1	9.2	33.7	5.8	30.4	7.6	32.3	7.0	31.0	4.5	28.4	5.8	29.9
18	50.00	3.4	24.0	3.8	26.0	3.5	25.1	9.9	35.9	8.2	32.9	9.1	34.6	7.7	33.3	6.6	31.0	7.1	32.3
19	54.17	4.7	27.0	6.1	29.0	5.4	28.1	12.2	38.0	10.7	35.4	11.5	36.9	9.6	35.6	9.0	33.6	9.3	34.7
20	58.33	5.7	30.1	7.2	31.9	6.4	31.1	17.4	40.2	13.2	37.8	15.4	39.2	13.4	37.9	11.0	36.1	12.2	37.1
21	62.50	6.7	33.1	9.8	34.9	8.2	34.0	22.2	42.3	17.5	40.3	20.0	41.5	16.9	40.2	14.7	38.7	15.8	39.6
22	66.67	9.7	36.1	14.9	37.8	12.3	37.0	26.8	44.5	21.7	42.8	24.4	43.8	20.9	42.5	19.2	41.3	20.1	42.0
23	70.83	12.4	39.2	21.0	40.8	16.7	40.0	32.3	46.6	29.0	45.3	30.8	46.0	25.5	44.8	26.1	43.9	25.8	44.4
24	75.00	18.1	42.2	26.8	43.7	22.4	43.0	39.4	48.7	37.9	47.8	38.7	48.3	32.1	47.1	33.8	46.5	33.0	46.8
25	79.17	30.5	45.3	34.7	46.7	32.6	46.0	48.5	50.9	48.5	50.2	48.5	50.6	42.3	49.4	43.5	49.1	42.9	49.3
26	83.33	42.8	48.3	46.1	49.7	44.5	49.0	58.5	53.0	60.0	52.7	59.2	52.9	53.2	51.7	55.0	51.7	54.0	51.7
27	87.50	54.9	51.3	58.6	52.6	56.7	52.0	67.2	55.2	71.6	55.2	69.3	55.2	63.0	54.0	66.9	54.3	64.9	54.1
28	91.67	65.2	54.4	71.9	55.6	68.6	55.0	78.7	57.3	80.4	57.7	79.5	57.5	74.1	56.3	77.3	56.9	75.7	56.6
29	95.83	81.9	57.4	83.8	58.5	82.8	58.0	89.7	59.5	90.5	60.2	90.1	59.7	87.0	58.6	88.1	59.5	87.5	59.0
30	100.00	100.0	60.5	100.0	61.5	100.0	60.9	100.0	61.6	100.0	62.6	100.0	62.0	100.0	60.9	100.0	62.1	100.0	61.4

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7_D - 55: DE – Germany. Individual norm data for KIDSCREEN-52: Social Support & Peers

Raw-Score	0-100 Score	Females (n=302)		Children 8-11 Males (n=297)		All (n=599)		Females (n=577)		Adolescents 12-18 Males (n=52:5)		All (n=1102)		Children & Adolescents 8-18 Females (n=879)		Males (n=822)		All (n=1701)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00	0.8	6.0			0.4	5.2			0.6	8.1	0.3	7.8	0.3	6.8	0.4	6.8	0.3	6.9
7	4.17	0.8	8.4			0.4	7.7	0.3	9.5	0.9	10.5	0.5	10.1	0.4	9.1	0.6	9.2	0.4	9.3
8	8.33	1.2	10.7			0.6	10.1	0.4	11.8	1.1	12.8	0.7	12.4	0.6	11.5	0.7	11.6	0.6	11.7
9	12.50	1.2	13.1			0.6	12.6	0.6	14.1	1.4	15.2	0.9	14.8	0.7	13.8	0.9	14.1	0.8	14.0
10	16.67	1.5	15.5	0.5	14.3	0.9	15.0	0.9	16.5	1.4	17.6	1.1	17.1	1.0	16.2	1.0	16.5	1.0	16.4
11	20.83	1.5	17.9	0.9	16.8	1.1	17.5	1.9	18.8	1.8	19.9	1.8	19.4	1.7	18.5	1.3	18.9	1.5	18.8
12	25.00	1.5	20.2	0.9	19.4	1.1	20.0	2.2	21.1	2.0	22.3	2.0	21.8	1.9	20.8	1.5	21.3	1.7	21.2
13	29.17	1.9	22.6	1.5	21.9	1.5	22.4	3.0	23.4	2.2	24.6	2.5	24.1	2.5	23.2	1.8	23.7	2.2	23.5
14	33.33	2.2	25.0	2.1	24.5	2.0	24.9	3.4	25.7	3.4	27.0	3.3	26.4	2.9	25.5	2.9	26.2	2.9	25.9
15	37.50	3.3	27.4	3.7	27.1	3.5	27.3	5.2	28.1	4.7	29.3	5.0	28.7	4.5	27.9	4.3	28.6	4.5	28.3
16	41.67	4.7	29.8	5.4	29.6	5.0	29.8	6.8	30.4	5.7	31.7	6.2	31.1	6.0	30.2	5.6	31.0	5.8	30.6
17	45.83	6.0	32.1	6.7	32.2	6.3	32.2	8.0	32.7	8.3	34.0	8.1	33.4	7.3	32.5	7.8	33.4	7.5	33.0
18	50.00	8.0	34.5	9.4	34.7	8.7	34.7	9.9	35.0	10.6	36.4	10.2	35.7	9.2	34.9	10.2	35.8	9.7	35.4
19	54.17	12.9	36.9	14.1	37.3	13.5	37.1	13.2	37.3	13.1	38.7	13.1	38.0	13.1	37.2	13.5	38.3	13.3	37.7
20	58.33	15.2	39.3	17.8	39.9	16.5	39.6	16.1	39.7	19.4	41.1	17.7	40.4	15.8	39.5	18.8	40.7	17.3	40.1
21	62.50	20.2	41.7	23.9	42.4	22.0	42.0	19.8	42.0	24.1	43.4	21.8	42.7	19.9	41.9	24.0	43.1	21.9	42.5
22	66.67	26.8	44.0	31.3	45.0	29.0	44.5	24.9	44.3	30.8	45.8	27.7	45.0	25.6	44.2	31.0	45.5	28.2	44.9
23	70.83	32.7	46.4	38.4	47.5	35.5	47.0	30.8	46.6	40.1	48.2	35.2	47.4	31.5	46.6	39.5	47.9	35.3	47.2
24	75.00	42.7	48.8	50.1	50.1	46.4	49.4	40.4	49.0	51.2	50.5	45.5	49.7	41.2	48.9	50.8	50.4	45.8	49.6
25	79.17	52.3	51.2	62.2	52.7	57.2	51.9	49.9	51.3	60.5	52.9	55.0	52.0	50.7	51.2	61.1	52.8	55.7	52.0
26	83.33	62.5	53.6	69.2	55.2	65.9	54.3	63.5	53.6	70.9	55.2	67.0	54.3	63.2	53.6	70.3	55.2	66.6	54.3
27	87.50	76.1	55.9	79.4	57.8	77.8	56.8	74.9	55.9	82.9	57.6	78.7	56.7	75.3	55.9	81.6	57.6	78.4	56.7
28	91.67	84.0	58.3	89.9	60.3	86.9	59.2	85.7	58.2	89.9	59.9	87.7	59.0	85.1	58.3	89.9	60.0	87.4	59.1
29	95.83	91.0	60.7	96.7	62.9	93.8	61.7	93.6	60.6	95.6	62.3	94.6	61.3	92.7	60.6	96.0	62.5	94.3	61.4
30	100.00	100.0	63.1	100.0	65.4	100.0	64.2	100.0	62.9	100.0	64.6	100.0	63.7	100.0	62.9	100.0	64.9	100.0	63.8

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 56: DE – Germany. Individual norm data for KIDSCREEN-52: School Environment

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=297)		Males (n=297)		All (n=594)		Females (n=563)		Males (n=518)		All (n=1081)		Females (n=860)		Males (n=815)		All (n=1675)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00									0.3	14.8	0.1	14.3			0.2	15.1	0.1	13.9
7	4.17			0.5	15.5	0.3	11.7			0.3	17.1	0.1	16.6			0.3	17.2	0.2	16.0
8	8.33			0.9	17.6	0.4	13.9	0.3	18.2	0.6	19.3	0.4	18.8	0.2	16.9	0.6	19.4	0.4	18.2
9	12.50			1.2	19.7	0.6	16.1	0.9	20.5	1.6	21.5	1.2	21.0	0.6	19.1	1.4	21.5	1.0	20.3
10	16.67	0.8	13.1	1.2	21.7	0.9	18.3	1.3	22.8	2.0	23.8	1.6	23.3	1.1	21.3	1.6	23.6	1.3	22.5
11	20.83	0.8	15.5	1.2	23.8	0.9	20.5	2.1	25.0	2.0	26.1	2.0	25.5	1.6	23.5	1.6	25.7	1.6	24.7
12	25.00	0.8	18.0	2.7	25.8	1.7	22.7	3.4	27.3	2.9	28.3	3.1	27.8	2.4	25.7	2.8	27.8	2.6	26.8
13	29.17	0.8	20.4	4.1	27.9	2.4	24.9	4.6	29.6	4.1	30.5	4.3	30.0	3.3	27.9	4.1	30.0	3.6	29.0
14	33.33	1.5	22.8	6.1	30.0	3.7	27.1	6.0	31.8	5.8	32.7	5.9	32.3	4.4	30.0	5.9	32.1	5.1	31.1
15	37.50	2.7	25.3	8.4	32.0	5.6	29.3	8.2	34.1	9.3	35.0	8.7	34.5	6.3	32.2	9.0	34.2	7.6	33.3
16	41.67	3.5	27.7	10.8	34.1	7.1	31.5	10.7	36.4	13.1	37.2	11.8	36.8	8.1	34.4	12.3	36.3	10.2	35.4
17	45.83	5.8	30.2	12.2	36.1	9.0	33.7	14.8	38.6	16.4	39.4	15.5	39.0	11.6	36.6	14.8	38.4	13.2	37.6
18	50.00	8.1	32.6	14.9	38.2	11.5	35.9	21.7	40.9	22.0	41.7	21.8	41.3	17.0	38.8	19.4	40.6	18.2	39.7
19	54.17	11.5	35.0	17.6	40.3	14.5	38.1	26.9	43.2	28.4	43.9	27.6	43.5	21.5	41.0	24.5	42.7	23.0	41.9
20	58.33	14.8	37.5	22.6	42.3	18.7	40.3	32.0	45.4	36.9	46.2	34.3	45.8	26.1	43.2	31.7	44.8	28.8	44.0
21	62.50	20.2	39.9	28.3	44.4	24.3	42.4	41.1	47.7	46.5	48.4	43.7	48.0	33.9	45.4	39.9	46.9	36.8	46.2
22	66.67	22.6	42.3	31.7	46.4	27.1	44.6	50.0	50.0	54.5	50.6	52.1	50.3	40.5	47.6	46.2	49.0	43.2	48.3
23	70.83	29.2	44.8	40.7	48.5	35.0	46.8	60.1	52.2	63.3	52.9	61.6	52.5	49.4	49.8	55.1	51.2	52.2	50.5
24	75.00	36.3	47.2	51.1	50.6	43.7	49.0	70.0	54.5	72.0	55.1	71.0	54.8	58.4	52.0	64.4	53.3	61.3	52.6
25	79.17	44.4	49.6	56.5	52.6	50.5	51.2	78.6	56.8	78.5	57.3	78.6	57.0	66.8	54.2	70.5	55.4	68.6	54.8
26	83.33	54.9	52.1	64.6	54.7	59.7	53.4	85.5	59.0	85.3	59.6	85.4	59.3	74.9	56.4	77.8	57.5	76.3	56.9
27	87.50	64.9	54.5	74.0	56.7	69.4	55.6	89.8	61.3	90.6	61.8	90.1	61.5	81.2	58.6	84.5	59.6	82.8	59.1
28	91.67	76.0	56.9	84.5	58.8	80.2	57.8	94.0	63.6	95.2	64.1	94.6	63.8	87.8	60.7	91.3	61.8	89.5	61.2
29	95.83	86.2	59.4	91.9	60.9	89.0	60.0	97.2	65.8	97.9	66.3	97.5	66.0	93.4	62.9	95.7	63.9	94.5	63.4
30	100.00	100.0	61.8	100.0	62.9	100.0	62.2	100.0	68.1	100.0	68.5	100.0	68.3	100.0	65.1	100.0	66.0	100.0	65.5

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7_D - 57: DE – Germany. Individual norm data for KIDSCREEN-52: Social Acceptance

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=290)		Males (n=296)		All (n=586)		Females (n=570)		Males (n=52:9)		All (n=1099)		Females (n=860)		Males (n=825)		All (n=1685)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
3	0.00	0.8	-0.2			0.4	-0.7	0.3	-12.3			0.1	-11.7	0.4	-6.9			0.2	-6.7
4	8.33	0.8	4.7			0.4	4.2	0.5	-6.6	0.4	-5.6	0.4	-6.1	0.5	-1.6	0.3	-1.3	0.4	-1.4
5	16.67	0.8	9.5			0.4	9.1	0.6	-0.9	0.7	0.0	0.6	-0.4	0.7	3.7	0.4	4.1	0.5	3.9
6	25.00	0.8	14.4	0.5	13.7	0.6	14.0	0.8	4.8	0.9	5.7	0.8	5.3	0.8	9.0	0.6	9.4	0.7	9.2
7	33.33	1.8	19.2	1.4	18.7	1.5	19.0	1.3	10.5	1.7	11.3	1.5	10.9	1.4	14.3	1.6	14.7	1.5	14.5
8	41.67	3.8	24.0	4.0	23.7	3.9	23.9	2.1	16.1	2.1	16.9	2.1	16.6	2.7	19.6	2.8	20.0	2.7	19.8
9	50.00	6.9	28.9	8.1	28.7	7.5	28.8	3.8	21.8	4.0	22.6	3.9	22.2	4.9	24.9	5.4	25.3	5.1	25.1
10	58.33	10.3	33.7	11.5	33.7	10.9	33.7	5.4	27.5	6.0	28.2	5.7	27.9	7.1	30.2	8.0	30.6	7.5	30.4
11	66.67	14.8	38.6	16.2	38.7	15.5	38.7	8.9	33.2	9.3	33.8	9.1	33.5	10.9	35.5	11.7	35.9	11.3	35.7
12	75.00	23.5	43.4	25.3	43.7	24.4	43.6	14.2	38.9	14.5	39.5	14.3	39.2	17.3	40.8	18.4	41.2	17.8	41.0
13	83.33	40.0	48.3	42.3	48.7	41.1	48.5	24.1	44.6	25.5	45.1	24.8	44.9	29.5	46.1	31.5	46.5	30.5	46.3
14	91.67	61.4	53.1	64.9	53.7	63.1	53.4	43.7	50.3	48.0	50.7	45.8	50.5	49.7	51.3	54.1	51.9	51.8	51.6
15	100.00	100.0	58.0	100.0	58.7	100.0	58.3	100.0	56.0	100.0	56.4	100.0	56.2	100.0	56.6	100.0	57.2	100.0	56.9

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ($M = 50$, $SD = 10$).

Table A7_D - 58: DE – Germany. Individual norm data for KIDSCREEN-52: Financial Resources

Raw-Score	0-100 Score	Females (n=283)		Children 8-11 Males (n=293)		All (n=576)		Females (n=573)		Adolescents 12-18 Males (n=52:6)		All (n=1099)		Children & Adolescents 8-18 Females (n=856)		Males (n=819)		All (n=1675)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
3	0.00	1.1	11.1	2.1	14.2	1.6	12.8	0.9	14.2	1.0	13.0	0.9	13.6	0.9	13.3	1.4	13.4	1.1	13.4
4	8.33	1.1	14.6	2.1	17.9	1.6	16.7	2.1	17.9	1.4	16.8	1.7	17.4	1.8	17.0	1.6	17.2	1.7	17.1
5	16.67	1.6	19.1	2.1	21.7	1.8	20.5	3.2	21.5	1.9	20.6	2.5	21.1	2.6	20.8	2.0	21.0	2.3	20.9
6	25.00	3.5	23.0	4.1	25.4	3.8	24.3	4.9	25.2	4.1	24.3	4.5	24.8	4.5	24.6	4.1	24.7	4.3	24.7
7	33.33	4.6	27.0	6.2	29.1	5.4	28.1	5.9	28.9	6.4	28.1	6.2	28.6	5.5	28.3	6.3	28.5	5.9	28.4
8	41.67	7.1	30.9	8.2	32.8	7.7	32.0	8.5	32.6	8.1	31.9	8.3	32.3	8.1	32.1	8.2	32.3	8.1	32.2
9	50.00	12.7	34.9	12.7	36.6	12.7	35.8	13.1	36.3	11.7	35.7	12.4	36.0	13.0	35.9	12.0	36.0	12.5	36.0
10	58.33	15.6	38.9	17.5	40.3	16.5	39.6	16.6	40.0	17.0	39.5	16.8	39.8	16.3	39.6	17.2	39.8	16.7	39.7
11	66.67	22.3	42.8	26.0	44.1	24.2	43.5	22.4	43.7	23.7	43.3	23.0	43.5	22.4	43.4	24.5	43.6	23.4	43.5
12	75.00	35.8	46.8	39.7	47.8	37.8	47.3	37.7	47.4	35.5	47.1	36.7	47.2	37.1	47.2	37.0	47.4	37.1	47.3
13	83.33	48.9	50.7	53.7	51.5	51.3	51.1	50.4	51.0	48.5	50.9	49.4	51.0	49.9	50.9	50.3	51.1	50.1	51.0
14	91.67	64.7	54.7	67.3	55.3	66.1	55.0	62.9	54.7	63.9	54.7	63.4	54.7	63.5	54.7	65.1	54.9	64.3	54.8
15	100.00	100.0	58.6	100.0	59.0	100.0	58.8	100.0	58.4	100.0	58.5	100.0	58.4	100.0	58.5	100.0	58.7	100.0	58.6

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ($M = 50$, $SD = 10$).

Table A7_D - 59: DE – Germany. Individual norm data for KIDSCREEN-27: Physical Well-being

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=298)		Males (n=303)		All (n=601)		Females (n=567)		Males (n=52:4)		All (n=1091)		Females (n=865)		Males (n=827)		All (n=1692)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00																		
6	5.56	0.5	-3.9			0.3	-5.4			0.3	7.8	0.1	9.9	0.2	8.7	0.2	4.4	0.1	7.0
7	11.11	0.5	0.1			0.3	-1.3	0.3	14.4	0.8	11.2	0.5	13.3	0.3	12.1	0.5	8.0	0.4	10.4
8	16.67	0.9	4.1	0.5	1.1	0.6	2.8	0.6	17.8	1.1	14.7	0.7	16.6	0.6	15.5	0.8	11.6	0.7	13.9
9	22.22	0.9	8.1	0.5	5.3	0.6	6.9	1.2	21.2	1.3	18.1	1.2	20.0	1.1	18.9	0.9	15.1	0.9	17.3
10	27.78	0.9	12.2	0.5	9.5	0.6	11.0	2.0	24.6	1.7	21.5	1.8	23.4	1.5	22.3	1.2	18.7	1.4	20.8
11	33.33	0.9	16.2	1.1	13.7	0.9	15.1	3.4	28.0	2.0	25.0	2.7	26.8	2.4	25.7	1.6	22.3	2.0	24.2
12	38.89	1.2	20.2	2.1	17.9	1.5	19.2	6.0	31.4	4.2	28.4	5.1	30.1	4.3	29.1	3.4	25.8	3.8	27.7
13	44.44	1.8	24.2	2.8	22.1	2.2	23.3	9.5	34.8	6.3	31.8	8.0	33.5	6.8	32.5	5.0	29.4	5.9	31.1
14	50.00	2.7	28.2	3.4	26.4	3.0	27.4	14.6	38.1	8.6	35.3	11.7	36.9	10.5	35.9	6.6	33.0	8.6	34.6
15	55.56	6.4	32.2	5.3	30.6	5.8	31.5	23.1	41.5	15.6	38.7	19.5	40.3	17.4	39.3	11.8	36.5	14.7	38.0
16	61.11	11.4	36.3	9.6	34.8	10.5	35.6	34.3	44.9	25.3	42.1	30.0	43.6	26.4	42.7	19.6	40.1	23.0	41.5
17	66.67	20.8	40.3	14.5	39.0	17.6	39.7	46.2	48.3	33.1	45.6	39.9	47.0	37.5	46.1	26.3	43.6	32.0	44.9
18	72.22	32.5	44.3	25.7	43.2	29.1	43.8	60.7	51.7	47.7	49.0	54.4	50.4	51.0	49.5	39.6	47.2	45.4	48.4
19	77.78	44.3	48.3	38.7	47.4	41.5	47.9	75.0	55.1	61.2	52.4	68.4	53.8	64.4	52.8	53.0	50.8	58.8	51.8
20	83.33	62.1	52.3	62.1	51.6	62.1	52.0	83.1	58.5	76.9	55.8	80.1	57.1	75.9	56.2	71.5	54.3	73.7	55.3
21	88.89	78.3	56.4	78.9	55.8	78.6	56.1	92.1	61.9	87.7	59.3	90.0	60.5	87.3	59.6	84.5	57.9	85.9	58.7
22	94.44	94.0	60.4	92.4	60.0	93.2	60.2	97.9	65.2	96.5	62.7	97.2	63.9	96.6	63.0	95.0	61.5	95.8	62.2
23	100.00	100.0	64.4	100.0	64.2	100.0	64.3	100.0	68.6	100.0	66.1	100.0	67.3	100.0	66.4	100.0	65.0	100.0	65.7

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7_D - 60: DE – Germany. Individual norm data for KIDSCREEN-27: Psychological Well-being

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=295)		Males (n=299)		All (n=594)		Females (n=574)		Males (n=52:6)		All (n=1100)		Females (n=869)		Males (n=825)		All (n=1694)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
7	0.00																		
8	3.57																		
9	7.14																		
10	10.71																		
11	14.29																		
12	17.86							0.6	12.2			0.3	9.1	0.4	8.3			0.2	5.1
13	21.43							0.9	14.5			0.5	11.5	0.6	10.7			0.3	7.7
14	25.00							1.1	16.8			0.6	13.9	0.7	13.1			0.4	10.2
15	28.57							1.4	19.1	0.3	12.0	0.8	16.3	1.0	15.5	0.2	8.8	0.5	12.7
16	32.14							2.4	21.4	0.5	14.6	1.5	18.7	1.6	17.9	0.3	11.5	0.9	15.3
17	35.71			0.5	5.1	0.3	4.3	3.0	23.7	0.7	17.2	1.8	21.1	2.0	20.3	0.5	14.3	1.2	17.8
18	39.29	0.5	6.8	0.9	8.2	0.6	7.6	4.2	26.0	1.3	19.8	2.8	23.6	2.9	22.7	1.1	17.0	2.0	20.3
19	42.86	1.1	10.0	1.2	11.4	1.0	10.8	4.5	28.3	2.3	22.4	3.4	26.0	3.2	25.1	1.8	19.7	2.5	22.8
20	46.43	1.1	13.3	1.2	14.6	1.0	14.0	5.7	30.6	4.0	25.0	4.9	28.4	4.1	27.5	2.9	22.4	3.5	25.4
21	50.00	1.5	16.6	1.5	17.8	1.4	17.2	7.6	32.9	4.7	27.6	6.3	30.8	5.5	29.9	3.5	25.1	4.5	27.9
22	53.57	2.1	19.9	1.5	21.0	1.7	20.5	9.9	35.2	6.4	30.2	8.3	33.2	7.2	32.3	4.6	27.8	5.9	30.4
23	57.14	2.8	23.2	2.4	24.1	2.5	23.7	12.2	37.5	8.5	32.8	10.4	35.6	9.0	34.7	6.3	30.5	7.7	32.9
24	60.71	3.2	26.5	3.7	27.3	3.4	26.9	15.8	39.8	11.6	35.4	13.8	38.0	11.5	37.1	8.7	33.3	10.1	35.5
25	64.29	4.4	29.7	5.7	30.5	5.0	30.1	19.9	42.1	14.4	38.0	17.3	40.4	14.6	39.5	11.3	36.0	13.0	38.0
26	67.86	6.8	33.0	7.1	33.6	6.9	33.4	25.3	44.4	16.7	40.6	21.2	42.8	19.0	42.0	13.2	38.7	16.2	40.5
27	71.43	10.5	36.3	11.7	36.8	11.1	36.6	33.8	46.8	24.3	43.2	29.2	45.2	25.9	44.4	19.8	41.4	22.9	43.1
28	75.00	15.6	39.6	17.4	40.0	16.5	39.8	42.3	49.1	29.6	45.8	36.3	47.6	33.3	46.8	25.2	44.1	29.3	45.6
29	78.57	25.5	42.9	25.8	43.2	25.6	43.0	52.4	51.4	39.4	48.4	46.2	50.0	43.3	49.2	34.4	46.8	39.0	48.1
30	82.14	35.9	46.2	36.5	46.3	36.2	46.3	65.8	53.7	50.4	51.0	58.4	52.4	55.7	51.6	45.4	49.5	50.6	50.6
31	85.71	46.7	49.4	47.2	49.5	46.9	49.5	77.6	56.0	63.9	53.6	71.0	54.9	67.1	54.0	57.8	52.2	62.6	53.2
32	89.29	61.7	52.7	59.9	52.7	60.8	52.7	83.9	58.3	76.2	56.2	80.3	57.3	76.4	56.4	70.3	55.0	73.4	55.7
33	92.86	75.6	56.0	74.9	55.9	75.2	55.9	92.5	60.6	88.6	58.8	90.6	59.7	86.8	58.8	83.6	57.7	85.2	58.2
34	96.43	89.2	59.3	87.2	59.0	88.2	59.2	97.0	62.9	95.2	61.4	96.2	62.1	94.4	61.2	92.3	60.4	93.4	60.7
35	100.00	100.0	62.6	100.0	62.2	100.0	62.4	100.0	65.2	100.0	64.0	100.0	64.5	100.0	63.6	100.0	63.1	100.0	63.3

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 61: DE – Germany. Individual norm data for KIDSCREEN-27: Parent Relations & Autonomy

Raw- Score	0-100 Score	Females (n=283)		Children 8-11 Males (n=288)		All (n=571)		Females (n=569)		Adolescents 12-18 Males (n=515)		All (n=1084)		Females (n=852:)		Males (n=803)		All (n=1655)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
7	0.00			0.5	-2.6	0.3	-4.5	0.3	2.9			0.1	-0.4	0.2	0.5	0.2	-4.0	0.1	-1.5
8	3.57			0.5	-0.2	0.3	-2.1	0.3	5.1			0.1	1.9	0.2	2.7	0.2	-1.6	0.1	0.8
9	7.14			0.5	2.1	0.3	0.3	0.4	7.2			0.2	4.2	0.3	4.9	0.2	0.9	0.2	3.1
10	10.71			0.5	4.5	0.3	2.7	0.6	9.4			0.3	6.5	0.4	7.2	0.2	3.3	0.3	5.4
11	14.29			0.5	6.8	0.3	5.1	0.6	11.6			0.3	8.8	0.4	9.4	0.2	5.7	0.3	7.7
12	17.86			0.5	9.2	0.3	7.5	0.6	13.7			0.3	11.1	0.4	11.7	0.2	8.2	0.3	10.1
13	21.43	0.6	7.8	0.5	11.5	0.5	9.9	0.9	15.9	0.3	10.0	0.6	13.4	0.7	13.9	0.3	10.6	0.5	12.4
14	25.00	0.6	10.3	0.9	13.9	0.6	12.3	0.9	18.1	0.5	12.5	0.7	15.7	0.7	16.2	0.5	13.0	0.6	14.7
15	28.57	0.9	12.7	0.9	16.3	0.8	14.7	1.3	20.2	0.7	15.0	0.9	18.0	1.1	18.4	0.7	15.5	0.9	17.1
16	32.14	1.5	15.2	1.2	18.6	1.2	17.1	1.5	22.4	0.7	17.5	1.1	20.3	1.4	20.6	0.8	17.9	1.1	19.4
17	35.71	2.2	17.7	1.2	21.0	1.6	19.5	2.5	24.6	0.9	19.9	1.7	22.6	2.4	22.8	1.0	20.3	1.6	21.7
18	39.29	2.7	20.2	1.6	23.3	2.0	21.9	3.5	26.8	1.4	22.4	2.5	24.9	3.2	25.1	1.4	22.8	2.3	24.0
19	42.86	3.6	22.7	1.6	25.7	2.5	24.3	5.1	28.9	2.5	24.9	3.9	27.2	4.6	27.3	2.1	25.2	3.4	26.4
20	46.43	4.3	25.1	2.4	28.0	3.3	26.7	6.5	31.1	4.1	27.4	5.4	29.5	5.8	29.6	3.5	27.6	4.6	28.7
21	50.00	4.8	27.6	4.5	30.4	4.5	29.1	8.3	33.3	5.4	29.8	6.9	31.8	7.0	31.8	5.1	30.1	6.1	31.0
22	53.57	5.1	30.1	7.2	32.7	6.1	31.5	9.7	35.5	8.2	32.3	8.9	34.1	8.1	34.0	7.8	32.5	8.0	33.3
23	57.14	6.4	32.6	10.0	35.1	8.2	34.0	12.6	37.6	9.5	34.8	11.2	36.4	10.6	36.3	9.7	34.9	10.1	35.7
24	60.71	8.9	35.1	14.2	37.4	11.6	36.4	16.9	39.8	12.2	37.3	14.7	38.7	14.2	38.5	12.9	37.4	13.6	38.0
25	64.29	10.7	37.6	18.0	39.8	14.3	38.8	20.9	42.0	16.2	39.8	18.7	41.0	17.5	40.8	16.8	39.8	17.2	40.3
26	67.86	13.8	40.0	23.9	42.1	18.9	41.2	26.4	44.1	22.0	42.2	24.3	43.3	22.2	43.0	22.7	42.2	22.4	42.6
27	71.43	19.1	42.5	30.9	44.5	25.0	43.6	33.6	46.3	30.1	44.7	31.9	45.6	28.7	45.2	30.4	44.7	29.5	45.0
28	75.00	26.5	45.0	34.4	46.9	30.5	46.0	39.0	48.5	38.5	47.2	38.7	47.9	34.9	47.5	37.0	47.1	35.9	47.3
29	78.57	39.9	47.5	43.0	49.2	41.5	48.4	47.4	50.7	47.8	49.7	47.6	50.2	44.9	49.7	46.1	49.5	45.5	49.6
30	82.14	48.3	50.0	51.7	51.6	50.0	50.8	60.3	52:8	58.5	52:2	59.4	52:5	56.3	51.9	56.0	51.9	56.2	51.9
31	85.71	57.2	52:4	61.1	53.9	59.1	53.2	70.2	55.0	68.4	54.7	69.3	54.8	65.8	54.2	65.7	54.4	65.8	54.3
32	89.29	71.4	54.9	76.1	56.3	73.8	55.6	78.4	57.2	77.9	57.1	78.2	57.1	76.1	56.4	77.3	56.8	76.7	56.6
33	92.86	81.3	57.4	86.5	58.6	83.9	58.0	88.3	59.4	87.8	59.6	88.0	59.4	85.9	58.7	87.3	59.2	86.6	58.9
34	96.43	90.2	59.9	92.7	61.0	91.5	60.4	95.1	61.5	94.4	62.1	94.8	61.7	93.5	60.9	93.8	61.7	93.6	61.2
35	100.00	100.0	62.4	100.0	63.3	100.0	62.8	100.0	63.7	100.0	64.6	100.0	64.0	100.0	63.1	100.0	64.1	100.0	63.6

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7_D - 62: DE – Germany. Individual norm data for KIDSCREEN-27: Social Support & Peers

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=304)		Males (n=300)		All (n=604)		Females (n=578)		Males (n=52:8)		All (n=1106)		Females (n=882)		Males (n=828)		All (n=1710)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
4	0.00	0.7	3.0			0.4	2.1			0.8	6.6	0.4	6.2	0.3	4.8	0.5	4.8	0.3	4.9
5	6.25	1.4	6.6			0.7	5.8	0.3	9.1	1.1	10.2	0.6	9.7	0.6	8.4	0.7	8.5	0.6	8.5
6	12.50	1.4	10.2			0.7	9.6	0.6	12.7	1.4	13.7	0.9	13.2	0.8	11.9	0.9	12.1	0.8	12.1
7	18.75	1.4	13.9	0.8	12.5	1.0	13.3	1.4	16.2	1.4	17.3	1.4	16.8	1.4	15.5	1.1	15.7	1.2	15.7
8	25.00	1.4	17.5	0.8	16.4	1.0	17.1	2.4	19.7	1.7	20.8	2.1	20.3	2.0	19.0	1.4	19.4	1.7	19.3
9	31.25	1.8	21.1	1.2	20.3	1.4	20.8	3.1	23.2	2.3	24.3	2.7	23.8	2.6	22.6	1.8	23.0	2.2	22.9
10	37.50	1.8	24.8	3.0	24.2	2.3	24.6	4.5	26.7	4.3	27.8	4.4	27.3	3.5	26.1	3.9	26.7	3.7	26.4
11	43.75	4.6	28.4	4.4	28.1	4.5	28.3	6.2	30.3	5.9	31.4	6.0	30.8	5.7	29.7	5.3	30.3	5.5	30.0
12	50.00	6.9	32.0	8.7	32.0	7.8	32.1	8.8	33.8	9.3	34.9	9.0	34.3	8.2	33.2	9.1	34.0	8.6	33.6
13	56.25	10.2	35.6	11.4	35.9	10.8	35.8	13.8	37.3	14.8	38.4	14.3	37.9	12.6	36.8	13.5	37.6	13.0	37.2
14	62.50	15.5	39.3	19.3	39.8	17.4	39.6	19.0	40.8	21.2	42.0	20.0	41.4	17.8	40.3	20.5	41.2	19.1	40.8
15	68.75	23.4	42.9	25.3	43.7	24.4	43.3	25.9	44.3	31.6	45.5	28.6	44.9	25.1	43.9	29.3	44.9	27.1	44.4
16	75.00	35.9	46.5	43.0	47.6	39.5	47.0	38.6	47.9	45.8	49.0	42.0	48.4	37.7	47.4	44.8	48.5	41.1	48.0
17	81.25	49.4	50.2	57.8	51.5	53.6	50.8	52.3	51.4	60.6	52.5	56.3	51.9	51.3	51.0	59.6	52.2	55.3	51.5
18	87.50	67.2	53.8	72.6	55.4	69.9	54.5	73.2	54.9	78.6	56.1	75.8	55.4	71.1	54.5	76.4	55.8	73.7	55.1
19	93.75	83.6	57.4	89.6	59.3	86.6	58.3	89.4	58.4	91.9	59.6	90.6	59.0	87.4	58.1	91.0	59.5	89.2	58.7
20	100.00	100.0	61.1	100.0	63.2	100.0	62.0	100.0	61.9	100.0	63.1	100.0	62.5	100.0	61.6	100.0	63.1	100.0	62.3

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ($M = 50$, $SD = 10$).

Table A7_D - 63: DE – Germany. Individual norm data for KIDSCREEN-27: School Environment

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=298)		Males (n=298)		All (n=596)		Females (n=564)		Males (n=519)		All (n=1083)		Females (n=862)		Males (n=817)		All (n=1679)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
4	0.00									0.3	11.5	0.1	10.8			0.2	11.7	0.1	10.3
5	6.25			0.5	13.6	0.3	9.7	0.3	13.6	0.5	15.0	0.3	14.3	0.2	12.2	0.4	15.1	0.2	13.7
6	12.50			0.9	16.9	0.4	13.2	0.5	17.2	1.0	18.5	0.7	17.9	0.3	15.7	0.9	18.4	0.5	17.2
7	18.75	0.5	11.5	1.2	20.2	0.7	16.7	1.2	20.8	1.9	22.0	1.6	21.4	0.9	19.2	1.6	21.8	1.3	20.6
8	25.00	0.9	15.4	1.5	23.5	1.1	20.2	3.0	24.3	2.7	25.5	2.9	24.9	2.2	22.7	2.2	25.1	2.2	24.0
9	31.25	1.2	19.2	3.0	26.7	2.0	23.7	4.4	27.9	3.9	29.0	4.2	28.5	3.2	26.2	3.6	28.5	3.4	27.4
10	37.50	2.1	23.1	6.0	30.0	4.0	27.2	6.7	31.5	6.5	32.5	6.6	32.0	5.1	29.7	6.4	31.9	5.7	30.8
11	43.75	3.7	27.0	9.1	33.3	6.4	30.7	9.7	35.0	10.4	36.0	10.0	35.5	7.6	33.2	9.9	35.2	8.7	34.2
12	50.00	7.7	30.8	14.4	36.6	11.1	34.2	15.9	38.6	17.8	39.5	16.8	39.1	13.1	36.7	16.6	38.6	14.8	37.7
13	56.25	10.7	34.7	18.5	39.8	14.6	37.7	23.2	42.2	25.6	43.0	24.3	42.6	18.9	40.2	23.0	41.9	20.9	41.1
14	62.50	15.8	38.5	26.5	43.1	21.2	41.2	35.8	45.8	39.6	46.5	37.6	46.1	28.9	43.7	34.9	45.3	31.8	44.5
15	68.75	24.2	42.4	35.9	46.4	30.1	44.6	48.0	49.3	53.5	50.0	50.7	49.7	39.8	47.2	47.1	48.7	43.3	47.9
16	75.00	35.3	46.3	50.3	49.7	42.8	48.1	66.6	52.9	70.9	53.5	68.7	53.2	55.8	50.7	63.4	52.0	59.5	51.3
17	81.25	53.5	50.1	62.3	53.0	57.9	51.6	80.3	56.5	80.5	57.0	80.4	56.7	71.0	54.2	73.9	55.4	72.4	54.8
18	87.50	67.5	54.0	73.8	56.2	70.6	55.1	90.2	60.0	89.6	60.5	89.9	60.3	82.3	57.7	83.8	58.7	83.1	58.2
19	93.75	80.9	57.8	87.5	59.5	84.2	58.6	95.4	63.6	95.6	64.0	95.4	63.8	90.4	61.2	92.6	62.1	91.5	61.6
20	100.00	100.0	61.7	100.0	62.8	100.0	62.1	100.0	67.2	100.0	67.5	100.0	67.3	100.0	64.7	100.0	65.5	100.0	65.0

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ($M = 50$, $SD = 10$).

Table A7_D - 64: DE – Germany. Individual norm data for KIDSCREEN-10 Index

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=294)		Males (n=292)		All (n=586)		Females (n=561)		Males (n=511)		All (n=1072)		Females (n=855)		Males (n=803)		All (n=1658)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
10	0.00																		
11	2.50																		
12	5.00																		
13	7.50																		
14	10.00																		
15	12.50																		
16	15.00																		
17	17.50							0.3	9.8			0.1	6.4	0.2	7.4			0.1	4.4
18	20.00							0.3	11.6			0.1	8.3	0.2	9.2			0.1	6.3
19	22.50							0.3	13.4			0.1	10.2	0.2	11.0			0.1	8.1
20	25.00							0.5	15.2			0.2	12.1	0.3	12.8			0.2	10.0
21	27.50							0.5	17.0			0.2	14.0	0.3	14.6			0.2	11.9
22	30.00							0.8	18.7			0.4	15.9	0.5	16.4			0.3	13.8
23	32.50							0.8	20.5			0.4	17.8	0.5	18.2			0.3	15.7
24	35.00							1.5	22.3			0.8	19.6	1.0	19.9			0.5	17.6
25	37.50							2.2	24.1	0.5	17.6	1.3	21.5	1.4	21.7	0.3	16.5	0.9	19.5
26	40.00			0.8	15.0	0.4	14.3	3.2	25.9	0.5	19.7	1.9	23.4	2.1	23.5	0.5	18.6	1.3	21.4
27	42.50			0.8	17.1	0.4	16.4	4.3	27.7	0.8	21.7	2.6	25.3	2.8	25.3	0.8	20.6	1.8	23.3
28	45.00	0.5	17.7	1.3	19.2	0.7	18.5	5.7	29.4	1.2	23.8	3.6	27.2	3.9	27.1	1.1	22.6	2.5	25.2
29	47.50	0.9	19.8	1.3	21.3	1.0	20.6	6.8	31.2	3.3	25.8	5.1	29.0	4.7	28.9	2.5	24.7	3.6	27.1
30	50.00	1.5	22.0	1.3	23.4	1.3	22.7	7.3	33.0	4.7	27.9	6.1	30.9	5.3	30.7	3.4	26.7	4.4	29.0
31	52.:50	2.8	24.1	2.1	25.5	2.4	24.9	8.5	34.8	5.7	29.9	7.2	32.8	6.6	32.5	4.4	28.7	5.5	30.9
32	55.00	3.5	26.2	3.1	27.6	3.3	27.0	10.9	36.6	6.9	32.0	9.0	34.7	8.3	34.3	5.5	30.8	7.0	32.8
33	57.50	4.5	28.4	4.8	29.7	4.6	29.1	13.9	38.4	8.3	34.0	11.2	36.6	10.6	36.1	7.0	32.8	8.9	34.7
34	60.00	6.5	30.5	5.9	31.8	6.1	31.2	17.8	40.2	10.8	36.1	14.5	38.5	13.9	37.9	9.0	34.8	11.5	36.6
35	62.50	8.5	32.7	8.2	33.9	8.3	33.3	19.8	41.9	13.6	38.1	16.8	40.4	15.9	39.7	11.6	36.9	13.8	38.5
36	65.00	10.2	34.8	10.9	36.0	10.6	35.4	24.7	43.7	17.7	40.2	21.4	42.2	19.8	41.5	15.2	38.9	17.6	40.3
37	67.50	12.3	36.9	15.4	38.1	13.8	37.5	29.5	45.5	22.8	42.3	26.3	44.1	23.6	43.3	20.1	40.9	21.9	42.2
38	70.00	16.0	39.1	20.2	40.2	18.1	39.7	37.7	47.3	27.5	44.3	32.8	46.0	30.3	45.1	24.8	43.0	27.7	44.1
39	72.50	18.4	41.2	25.0	42.3	21.7	41.8	44.3	49.1	35.3	46.4	40.0	47.9	35.4	46.9	31.5	45.0	33.5	46.0
40	75.00	22.4	43.3	28.5	44.4	25.4	43.9	50.2	50.9	42.7	48.4	46.7	49.8	40.7	48.6	37.5	47.0	39.2	47.9
41	77.50	30.6	45.5	35.7	46.5	33.1	46.0	60.1	52.:6	52.:1	50.5	56.3	51.7	49.9	50.4	46.1	49.1	48.1	49.8
42	80.00	40.1	47.6	43.9	48.6	42.0	48.1	67.9	54.4	61.3	52.:5	64.8	53.5	58.4	52.:2	55.0	51.1	56.7	51.7
43	82.50	50.4	49.8	50.4	50.7	50.4	50.2	74.8	56.2	67.9	54.6	71.6	55.4	66.5	54.0	61.6	53.1	64.1	53.6
44	85.00	57.2	51.9	59.7	52.:8	58.4	52.:4	81.1	58.0	75.8	56.6	78.6	57.3	72.9	55.8	69.9	55.2	71.5	55.5
45	87.50	64.7	54.0	69.3	54.9	67.0	54.5	87.3	59.8	84.0	58.7	85.7	59.2	79.6	57.6	78.6	57.2	79.1	57.4
46	90.00	73.9	56.2	78.2	57.0	76.0	56.6	91.6	61.6	89.4	60.7	90.6	61.1	85.5	59.4	85.3	59.2	85.4	59.3
47	92.50	81.7	58.3	83.3	59.1	82.5	58.7	95.7	63.4	94.1	62.8	95.0	63.0	90.9	61.2	90.2	61.3	90.6	61.2
48	95.00	88.2	60.4	91.1	61.2	89.7	60.8	98.7	65.1	97.2	64.8	98.0	64.9	95.1	63.0	95.0	63.3	95.1	63.1
49	97.50	94.9	62.6	96.2	63.3	95.6	62.9	99.6	66.9	99.0	66.9	99.3	66.7	98.0	64.8	98.0	65.3	98.0	65.0
50	100.00	100.0	64.7	100.0	65.4	100.0	65.0	100.0	68.7	100.0	68.9	100.0	68.6	100.0	66.6	100.0	67.4	100.0	66.9

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 65: EL – Greece. Individual norm data for KIDSCREEN-52: Physical Well-being

Raw-Score	0-100 Score	Females (n=xxx)		Children 8-11 Males (n=xxx)		All (n=xxx)		Females (n=692)		Adolescents 12-18 Males (n=469)		All (n=1161)		Children & Adolescents 8-18 Females (n=xxx)		Males (n=xxx)		All (n=xxx)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00									0.3	10.0	0.1	15.4						
6	5.56							0.3	20.2	0.5	13.1	0.4	18.3						
7	11.11							0.6	23.1	0.5	16.2	0.5	21.2						
8	16.67							1.9	26.0	0.8	19.3	1.4	24.1						
9	22.22							3.6	28.9	1.5	22.5	2.8	27.0						
10	27.78							6.3	31.8	2.8	25.6	4.8	29.9						
11	33.33							11.0	34.7	3.9	28.7	8.1	32.8						
12	38.89							14.8	37.6	5.3	31.8	11.0	35.8						
13	44.44							19.9	40.5	9.0	34.9	15.5	38.7						
14	50.00							28.4	43.4	15.1	38.0	23.0	41.6						
15	55.56							39.0	46.3	21.3	41.1	31.9	44.5						
16	61.11							51.2	49.2	31.1	44.2	43.1	47.4						
17	66.67							61.4	52.2	40.9	47.4	53.1	50.3						
18	72.22							72.4	55.1	54.4	50.5	65.1	53.2						
19	77.78							81.8	58.0	68.4	53.6	76.4	56.1						
20	83.33							89.0	60.9	78.4	56.7	84.7	59.0						
21	88.89							95.0	63.8	86.5	59.8	91.6	61.9						
22	94.44							98.1	66.7	94.0	62.9	96.5	64.8						
23	100.00							100.0	69.6	100.0	66.0	100.0	67.7						

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ($M = 50$, $SD = 10$).

Table A7_D - 66: EL – Greece. Individual norm data for KIDSCREEN-52: Psychological Well-being

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=xxx)		Males (n=xxx)		All (n=xxx)		Females (n=697)		Males (n=471)		All (n=1168)		Females (n=xxx)		Males (n=xxx)		All (n=xxx)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00							0.2	16.8	0.3	6.4	0.2	13.7						
7	4.17							0.4	18.9	0.5	8.8	0.4	15.8						
8	8.33							0.5	20.9	0.5	11.3	0.5	18.0						
9	12.50							1.3	23.0	0.8	13.8	1.0	20.1						
10	16.67							2.3	25.0	0.8	16.3	1.6	22.3						
11	20.83							3.2	27.0	1.1	18.7	2.3	24.5						
12	25.00							4.0	29.1	1.1	21.2	2.8	26.6						
13	29.17							6.0	31.1	1.7	23.6	4.3	28.8						
14	33.33							7.6	33.2	2.2	26.1	5.4	30.9						
15	37.50							10.9	35.2	4.7	28.5	8.4	33.1						
16	41.67							13.5	37.3	5.8	31.0	10.4	35.3						
17	45.83							17.2	39.3	7.7	33.5	13.3	37.4						
18	50.00							21.1	41.3	10.0	35.9	16.6	39.6						
19	54.17							26.1	43.4	14.0	38.4	21.2	41.7						
20	58.33							33.1	45.4	19.9	40.9	27.8	43.9						
21	62.50							40.2	47.5	25.4	43.3	34.3	46.1						
22	66.67							45.4	49.5	32.7	45.8	40.3	48.2						
23	70.83							54.1	51.6	42.3	48.3	49.3	50.4						
24	75.00							62.8	53.6	53.3	50.7	58.9	52.5						
25	79.17							72.4	55.6	65.0	53.2	69.4	54.7						
26	83.33							80.0	57.7	75.6	55.7	78.2	56.8						
27	87.50							86.9	59.7	82.8	58.1	85.3	59.0						
28	91.67							91.6	61.8	88.5	60.6	90.4	61.2						
29	95.83							95.4	63.8	94.7	63.1	95.1	63.3						
30	100.00							100.0	65.9	100.0	65.5	100.0	65.5						

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 67: EL – Greece. Individual norm data for KIDSCREEN-52: Moods & Emotions

Raw-Score	0-100 Score	Females (n=xxx)		Children 8-11 Males (n=xxx)		All (n=xxx)		Females (n=685)		Adolescents 12-18 Males (n=465)		All (n=1150)		Females (n=xxx)		Children & Adolescents 8-18 Males (n=xxx)		All (n=xxx)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
7	0.00																		
8	3.57																		
9	7.14							0.3	17.0			0.2	13.8						
10	10.71							0.6	18.9			0.4	15.8						
11	14.29							1.3	20.8			0.8	17.7						
12	17.86							1.6	22.6	0.3	12.6	1.1	19.7						
13	21.43							2.1	24.5	0.7	14.9	1.5	21.7						
14	25.00							2.4	26.4	1.1	17.1	1.8	23.6						
15	28.57							3.4	28.3	1.1	19.4	2.4	25.6						
16	32.14							4.5	30.1	1.6	21.7	3.3	27.6						
17	35.71							6.4	32.0	2.2	23.9	4.7	29.5						
18	39.29							8.5	33.9	2.8	26.2	6.2	31.5						
19	42.86							11.3	35.7	3.5	28.4	8.1	33.5						
20	46.43							14.1	37.6	4.3	30.7	10.2	35.4						
21	50.00							17.3	39.5	7.1	32.9	13.2	37.4						
22	53.57							21.6	41.4	9.6	35.2	16.7	39.4						
23	57.14							26.2	43.2	14.8	37.5	21.6	41.4						
24	60.71							30.5	45.1	18.5	39.7	25.6	43.3						
25	64.29							37.9	47.0	23.4	42.0	32.0	45.3						
26	67.86							43.8	48.9	29.0	44.2	37.8	47.3						
27	71.43							50.9	50.7	33.8	46.5	44.0	49.2						
28	75.00							57.3	52.6	42.2	48.8	51.2	51.2						
29	78.57							65.1	54.5	51.8	51.0	59.7	53.2						
30	82.14							73.4	56.3	62.4	53.3	69.0	55.1						
31	85.71							81.5	58.2	72.3	55.5	77.7	57.1						
32	89.29							87.3	60.1	79.8	57.8	84.3	59.1						
33	92.86							93.6	62.0	88.6	60.0	91.6	61.0						
34	96.43							96.8	63.8	94.7	62.3	95.9	63.0						
35	100.00							100.0	65.7	100.0	64.6	100.0	65.0						

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 68: EL – Greece. Individual norm data for KIDSCREEN-52: Self Perception

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=xxx)		Males (n=xxx)		All (n=xxx)		Females (n=696)		Males (n=470)		All (n=1166)		Females (n=xxx)		Males (n=xxx)		All (n=xxx)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00							0.2	19.6			0.1	18.1						
6	5.00							0.6	22.1	0.3	15.9	0.4	20.5						
7	10.00							0.9	24.5	0.3	18.5	0.6	22.9						
8	15.00							1.6	26.9	0.7	21.0	1.2	25.3						
9	20.00							3.6	29.4	1.0	23.5	2.5	27.7						
10	25.00							5.7	31.8	2.2	26.0	4.3	30.1						
11	30.00							8.8	34.2	2.8	28.5	6.4	32.5						
12	35.00							13.4	36.7	4.9	31.1	10.0	34.9						
13	40.00							18.1	39.1	8.7	33.6	14.3	37.3						
14	45.00							24.6	41.5	13.2	36.1	20.0	39.7						
15	50.00							30.0	44.0	18.7	38.6	25.5	42.1						
16	55.00							37.9	46.4	24.6	41.2	32.6	44.5						
17	60.00							47.7	48.8	29.9	43.7	40.5	46.9						
18	65.00							55.9	51.3	36.3	46.2	48.0	49.3						
19	70.00							64.7	53.7	43.0	48.7	55.9	51.7						
20	75.00							75.6	56.1	51.5	51.3	65.9	54.1						
21	80.00							83.0	58.6	63.8	53.8	75.3	56.5						
22	85.00							89.5	61.0	73.8	56.3	83.2	58.9						
23	90.00							93.2	63.4	82.6	58.8	88.9	61.3						
24	95.00							97.1	65.9	91.3	61.3	94.7	63.7						
25	100.00							100.0	68.3	100.0	63.9	100.0	66.1						

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ($M = 50$, $SD = 10$).

Table A7_D - 69: EL – Greece. Individual norm data for KIDSCREEN-52: Autonomy

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=xxx)		Males (n=xxx)		All (n=xxx)		Females (n=692)		Males (n=467)		All (n=1159)		Females (n=xxx)		Males (n=xxx)		All (n=xxx)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00							0.6	26.0	0.7	23.0	0.6	25.1						
6	5.00							1.2	28.1	1.1	25.1	1.1	27.2						
7	10.00							2.3	30.3	2.0	27.3	2.2	29.3						
8	15.00							4.0	32.4	2.4	29.4	3.4	31.4						
9	20.00							6.8	34.6	3.9	31.5	5.6	33.6						
10	25.00							11.8	36.7	7.5	33.7	10.1	35.7						
11	30.00							18.2	38.9	12.4	35.8	15.9	37.8						
12	35.00							23.7	41.1	15.6	38.0	20.5	39.9						
13	40.00							30.6	43.2	20.8	40.1	26.7	42.1						
14	45.00							38.4	45.4	27.4	42.3	34.0	44.2						
15	50.00							46.4	47.5	33.9	44.4	41.3	46.3						
16	55.00							53.8	49.7	41.6	46.6	48.9	48.4						
17	60.00							62.2	51.8	46.9	48.7	56.0	50.6						
18	65.00							68.9	54.0	51.8	50.8	62.0	52.7						
19	70.00							74.4	56.1	59.8	53.0	68.5	54.8						
20	75.00							79.5	58.3	69.2	55.1	75.3	56.9						
21	80.00							84.4	60.4	76.7	57.3	81.3	59.1						
22	85.00							89.4	62.6	83.7	59.4	87.1	61.2						
23	90.00							93.5	64.8	89.5	61.6	91.9	63.3						
24	95.00							95.4	66.9	93.2	63.7	94.5	65.4						
25	100.00							100.0	69.1	100.0	65.8	100.0	67.6						

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ($M = 50$, $SD = 10$).

Table A7_D - 70: EL – Greece. Individual norm data for KIDSCREEN-52: Parent Relations & Home Life

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=xxx)		Males (n=xxx)		All (n=xxx)		Females (n=688)		Males (n=464)		All (n=1152:)		Females (n=xxx)		Males (n=xxx)		All (n=xxx)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00							0.2	16.6			0.1	14.8						
7	4.17							0.4	18.7	0.3	13.4	0.3	16.9						
8	8.33							0.5	20.7	0.3	15.7	0.4	19.0						
9	12.50							0.8	22.7	1.1	17.9	0.9	21.0						
10	16.67							1.3	24.7	1.1	20.1	1.2	23.1						
11	20.83							2.1	26.7	1.4	22.3	1.7	25.2						
12	25.00							2.8	28.7	1.6	24.5	2.3	27.3						
13	29.17							5.0	30.8	2.6	26.7	4.0	29.3						
14	33.33							7.6	32.8	3.5	28.9	5.9	31.4						
15	37.50							10.5	34.8	5.8	31.1	8.6	33.5						
16	41.67							13.0	36.8	8.4	33.3	11.1	35.6						
17	45.83							16.9	38.8	10.5	35.5	14.3	37.7						
18	50.00							21.8	40.9	15.0	37.7	19.1	39.7						
19	54.17							26.5	42.9	18.1	39.9	23.1	41.8						
20	58.33							32.2	44.9	23.5	42.1	28.7	43.9						
21	62.50							39.5	46.9	28.8	44.3	35.2	46.0						
22	66.67							46.0	48.9	35.3	46.5	41.7	48.0						
23	70.83							52.7	51.0	44.2	48.7	49.3	50.1						
24	75.00							60.7	53.0	53.2	50.9	57.7	52.2						
25	79.17							67.6	55.0	60.1	53.1	64.6	54.3						
26	83.33							73.3	57.0	68.3	55.3	71.3	56.3						
27	87.50							81.8	59.0	77.2	57.6	79.9	58.4						
28	91.67							89.9	61.1	86.0	59.8	88.4	60.5						
29	95.83							95.2	63.1	95.5	62.0	95.3	62.6						
30	100.00							100.0	65.1	100.0	64.2	100.0	64.6						

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 71: EL – Greece. Individual norm data for KIDSCREEN-52: Social Support & Peers

Raw-Score	0-100 Score	Females (n=xxx)		Children 8-11 Males (n=xxx)		All (n=xxx)		Females (n=687)		Adolescents 12-18 Males (n=458)		All (n=1145)		Females (n=xxx)		Children & Adolescents 8-18 Males (n=xxx)		All (n=xxx)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00																		
7	4.17									0.7	15.9	0.3	18.8						
8	8.33							0.3	22.2	0.7	18.0	0.5	20.7						
9	12.50							1.0	24.1	1.0	20.1	1.0	22.7						
10	16.67							2.2	26.0	1.6	22.2	1.9	24.7						
11	20.83							3.5	27.9	2.1	24.3	2.9	26.6						
12	25.00							4.5	29.8	2.7	26.3	3.8	28.6						
13	29.17							6.3	31.7	4.2	28.4	5.4	30.6						
14	33.33							8.8	33.6	5.9	30.5	7.6	32.5						
15	37.50							11.7	35.5	7.3	32.6	9.9	34.5						
16	41.67							14.1	37.5	8.5	34.7	11.9	36.5						
17	45.83							17.2	39.4	11.6	36.8	15.0	38.4						
18	50.00							22.6	41.3	17.0	38.9	20.4	40.4						
19	54.17							27.5	43.2	20.8	41.0	24.8	42.4						
20	58.33							32.6	45.1	26.0	43.0	30.0	44.3						
21	62.50							38.3	47.0	30.9	45.1	35.4	46.3						
22	66.67							45.7	48.9	38.6	47.2	42.9	48.3						
23	70.83							51.8	50.8	44.8	49.3	49.0	50.2						
24	75.00							59.2	52.7	52.5	51.4	56.5	52.2						
25	79.17							64.6	54.6	61.8	53.5	63.5	54.2						
26	83.33							71.2	56.5	71.0	55.6	71.1	56.1						
27	87.50							78.9	58.4	78.6	57.7	78.8	58.1						
28	91.67							86.9	60.3	86.9	59.7	86.9	60.1						
29	95.83							93.2	62.2	92.8	61.8	93.0	62.0						
30	100.00							100.0	64.1	100.0	63.9	100.0	64.0						

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 72: EL – Greece. Individual norm data for KIDSCREEN-52: School Environment

Raw-Score	0-100 Score	Females (n=xxx)		Children 8-11 Males (n=xxx)		All (n=xxx)		Females (n=694)		Adolescents 12-18 Males (n=461)		All (n=1155)		Children & Adolescents 8-18 Females (n=xxx)		Males (n=xxx)		All (n=xxx)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00									0.3	17.6	0.1	15.6						
7	4.17									0.9	19.7	0.4	17.8						
8	8.33							0.5	18.7	1.3	21.8	0.8	20.0						
9	12.50							0.5	21.0	2.0	23.9	1.0	22.3						
10	16.67							0.8	23.3	3.0	26.1	1.6	24.5						
11	20.83							1.7	25.6	4.1	28.2	2.7	26.7						
12	25.00							2.6	27.9	5.6	30.3	3.8	29.0						
13	29.17							3.9	30.3	6.9	32.4	5.1	31.2						
14	33.33							5.9	32.6	8.8	34.5	7.1	33.4						
15	37.50							9.5	34.9	11.0	36.6	10.1	35.6						
16	41.67							13.6	37.2	14.1	38.7	13.8	37.9						
17	45.83							18.9	39.5	19.9	40.8	19.3	40.1						
18	50.00							24.5	41.9	24.7	42.9	24.6	42.3						
19	54.17							30.1	44.2	29.9	45.1	30.0	44.6						
20	58.33							38.8	46.5	37.1	47.2	38.1	46.8						
21	62.50							46.6	48.8	47.4	49.3	46.9	49.0						
22	66.67							56.2	51.2	54.5	51.4	55.6	51.3						
23	70.83							64.7	53.5	64.3	53.5	64.5	53.5						
24	75.00							74.6	55.8	73.9	55.6	74.3	55.7						
25	79.17							80.9	58.1	81.9	57.7	81.3	57.9						
26	83.33							87.7	60.4	86.5	59.8	87.2	60.2						
27	87.50							92.5	62.8	92.4	61.9	92.5	62.4						
28	91.67							96.2	65.1	95.7	64.1	96.0	64.6						
29	95.83							98.4	67.4	98.2	66.2	98.4	66.9						
30	100.00							100.0	69.7	100.0	68.3	100.0	69.1						

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ($M = 50$, $SD = 10$).

Table A7_D - 73: EL – Greece. Individual norm data for KIDSCREEN-52: Social Acceptance

Raw-Score	0-100 Score	Females (n=xxx)		Children 8-11 Males (n=xxx)		All (n=xxx)		Females (n=700)		Adolescents 12-18 Males (n=469)		All (n=1169)		Children & Adolescents 8-18 Females (n=xxx)		Males (n=xxx)		All (n=xxx)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
3	0.00									1.3	-3.8	0.5	-16.1						
4	8.33									1.3	1.2	0.5	-10.1						
5	16.67									1.3	6.1	0.5	-4.1						
6	25.00							0.3	-9.6	2.4	11.1	1.1	1.9						
7	33.33							0.5	-2.3	2.8	16.1	1.4	7.9						
8	41.67							1.2	5.0	3.3	21.0	2.0	13.9						
9	50.00							1.4	12.3	4.1	26.0	2.4	19.8						
10	58.33							2.8	19.6	5.4	30.9	3.9	25.8						
11	66.67							5.0	26.9	7.5	35.9	6.0	31.8						
12	75.00							11.0	34.2	13.7	40.9	12.1	37.8						
13	83.33							20.4	41.5	25.0	45.8	22.3	43.8						
14	91.67							41.7	48.8	47.8	50.8	44.1	49.8						
15	100.00							100.0	56.1	100.0	55.7	100.0	55.8						

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ($M = 50$, $SD = 10$).

Table A7_D - 74: EL – Greece. Individual norm data for KIDSCREEN-52: Financial Resources

Raw-Score	0-100 Score	Females (n=xxx)		Children 8-11 Males (n=xxx)		All (n=xxx)		Females (n=698)		Adolescents 12-18 Males (n=468)		All (n=1166)		Females (n=xxx)		Children & Adolescents 8-18 Males (n=xxx)		All (n=xxx)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
3	0.00							1.1	22.1	0.9	19.7	1.0	21.2						
4	8.33							2.2	25.5	1.2	23.3	1.7	24.7						
5	16.67							4.0	28.9	3.4	26.8	3.8	28.1						
6	25.00							8.2	32.3	7.6	30.4	8.0	31.6						
7	33.33							12.8	35.7	9.6	33.9	11.5	35.0						
8	41.67							17.6	39.0	13.0	37.5	15.8	38.5						
9	50.00							29.0	42.4	24.3	41.0	27.1	41.9						
10	58.33							36.7	45.8	33.0	44.6	35.2	45.3						
11	66.67							46.2	49.2	42.2	48.1	44.6	48.8						
12	75.00							61.9	52.6	58.5	51.7	60.6	52.2						
13	83.33							72.0	56.0	70.1	55.2	71.2	55.7						
14	91.67							84.8	59.4	83.2	58.8	84.2	59.1						
15	100.00							100.0	62.7	100.0	62.3	100.0	62.6						

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ($M = 50$, $SD = 10$).

Table A7_D - 75: EL – Greece. Individual norm data for KIDSCREEN-27: Physical Well-being

Raw-Score	0-100 Score	Females (n=xxx)		Children 8-11 Males (n=xxx)		All (n=xxx)		Females (n=692)		Adolescents 12-18 Males (n=469)		All (n=1161)		Females (n=xxx)		Children & Adolescents 8-18 Males (n=xxx)		All (n=xxx)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00									0.3	9.9	0.1	15.4						
6	5.56							0.3	20.3	0.6	13.0	0.4	18.3						
7	11.11							0.6	23.2	0.6	16.2	0.5	21.3						
8	16.67							1.9	26.1	0.8	19.3	1.4	24.2						
9	22.22							3.6	29.0	1.5	22.4	2.7	27.1						
10	27.78							6.2	31.9	2.8	25.5	4.8	30.0						
11	33.33							11.0	34.8	3.8	28.6	8.1	32.9						
12	38.89							14.7	37.7	5.3	31.7	10.9	35.8						
13	44.44							19.8	40.6	8.9	34.8	15.4	38.7						
14	50.00							28.3	43.5	15.1	38.0	23.0	41.6						
15	55.56							39.0	46.4	21.3	41.1	31.8	44.5						
16	61.11							51.1	49.3	31.1	44.2	43.0	47.4						
17	66.67							61.3	52.2	40.9	47.3	53.1	50.3						
18	72.22							72.3	55.1	54.4	50.4	65.1	53.2						
19	77.78							81.7	58.0	68.5	53.6	76.4	56.1						
20	83.33							89.0	60.9	78.5	56.7	84.7	59.0						
21	88.89							94.9	63.8	86.6	59.8	91.5	61.9						
22	94.44							98.1	66.7	94.0	62.9	96.4	64.8						
23	100.00							100.0	69.6	100.0	66.0	100.0	67.7						

Table A7_D - 76: EL – Greece. Individual norm data for KIDSCREEN-27: Psychological Well-being

Raw-Score	0-100 Score	Females (n=xxx)		Children 8-11 Males (n=xxx)		All (n=xxx)		Females (n=692)		Adolescents 12-18 Males (n=470)		All (n=1162)		Children & Adolescents 8-18 Females (n=xxx)		Males (n=xxx)		All (n=xxx)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
7	0.00																		
8	3.57																		
9	7.14							0.3	16.9					0.2	13.3				
10	10.71							0.5	18.9					0.3	15.3				
11	14.29							0.9	20.8					0.5	17.4				
12	17.86							1.5	22.7					0.9	19.4				
13	21.43							2.2	24.6					1.3	21.4				
14	25.00							2.8	26.5					1.6	23.4				
15	28.57							3.1	28.4	0.3	18.3			1.9	25.5				
16	32.14							4.8	30.3	0.9	20.7			3.2	27.5				
17	35.71							6.3	32.2	1.5	23.1			4.4	29.5				
18	39.29							8.8	34.1	2.8	25.5			6.4	31.6				
19	42.86							10.7	36.0	3.6	27.9			7.8	33.6				
20	46.43							14.6	37.9	4.9	30.3			10.7	35.6				
21	50.00							18.2	39.9	7.0	32.7			13.7	37.6				
22	53.57							21.8	41.8	9.8	35.0			17.0	39.7				
23	57.14							26.8	43.7	14.7	37.4			21.9	41.7				
24	60.71							34.0	45.6	18.1	39.8			27.6	43.7				
25	64.29							39.8	47.5	24.9	42.2			33.8	45.7				
26	67.86							46.0	49.4	30.6	44.6			39.7	47.8				
27	71.43							52.9	51.3	38.1	47.0			46.9	49.8				
28	75.00							60.7	53.2	46.0	49.4			54.7	51.8				
29	78.57							70.6	55.1	55.3	51.8			64.5	53.9				
30	82.14							78.0	57.0	66.1	54.2			73.2	55.9				
31	85.71							84.5	58.9	76.3	56.6			81.2	57.9				
32	89.29							88.1	60.9	84.9	59.0			86.8	59.9				
33	92.86							92.6	62.8	91.5	61.3			92.2	62.0				
34	96.43							98.0	64.7	96.8	63.7			97.5	64.0				
35	100.00							100.0	66.6	100.0	66.1			100.0	66.0				

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 77: EL – Greece. Individual norm data for KIDSCREEN-27: Parent Relations & Autonomy

Raw-Score	0-100 Score	Females (n=xxx)		Children 8-11 Males (n=xxx)		All (n=xxx)		Females (n=685)		Adolescents 12-18 Males (n=463)		All (n=1148)		Children & Adolescents 8-18 Females (n=xxx)		Males (n=xxx)		All (n=xxx)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
7	0.00																		
8	3.57																		
9	7.14																		
10	10.71							0.2	21.0			0.1	19.9						
11	14.29							0.2	23.0			0.1	21.9						
12	17.86							0.6	24.9	0.3	21.6	0.4	23.9						
13	21.43							1.2	26.9	0.6	23.7	0.9	25.8						
14	25.00							1.9	28.9	1.3	25.7	1.7	27.8						
15	28.57							4.0	30.9	2.4	27.7	3.3	29.8						
16	32.14							6.4	32.9	3.9	29.7	5.4	31.8						
17	35.71							8.5	34.8	4.8	31.8	7.0	33.8						
18	39.29							12.0	36.8	6.1	33.8	9.6	35.7						
19	42.86							17.2	38.8	9.5	35.8	14.1	37.7						
20	46.43							22.5	40.8	15.2	37.9	19.5	39.7						
21	50.00							28.2	42.8	19.1	39.9	24.5	41.7						
22	53.57							35.0	44.7	25.7	41.9	31.3	43.7						
23	57.14							41.3	46.7	31.5	43.9	37.4	45.6						
24	60.71							47.0	48.7	36.7	46.0	42.9	47.6						
25	64.29							53.4	50.7	45.6	48.0	50.3	49.6						
26	67.86							61.1	52.6	52.3	50.0	57.5	51.6						
27	71.43							68.5	54.6	59.2	52.0	64.8	53.6						
28	75.00							75.2	56.6	67.0	54.1	71.9	55.6						
29	78.57							81.2	58.6	74.0	56.1	78.3	57.5						
30	82.14							87.0	60.6	80.0	58.1	84.2	59.5						
31	85.71							91.1	62.5	84.9	60.2	88.6	61.5						
32	89.29							94.6	64.5	90.1	62.2	92.8	63.5						
33	92.86							97.1	66.5	94.0	64.2	95.8	65.5						
34	96.43							98.8	68.5	97.0	66.2	98.1	67.4						
35	100.00							100.0	70.5	100.0	68.3	100.0	69.4						

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 78: EL – Greece. Individual norm data for KIDSCREEN-27: Social Support & Peers

Raw-Score	0-100 Score	Females (n=xxx)		Children 8-11 Males (n=xxx)		All (n=xxx)		Females (n=694)		Adolescents 12-18 Males (n=461)		All (n=1155)		Children & Adolescents 8-18 Females (n=xxx)		Males (n=xxx)		All (n=xxx)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
4	0.00									0.5	14.9	0.2	16.8						
5	6.25							0.4	20.7	0.8	17.9	0.5	19.7						
6	12.50							1.3	23.5	1.1	20.9	1.2	22.5						
7	18.75							2.4	26.3	2.8	23.8	2.6	25.4						
8	25.00							5.0	29.1	3.3	26.8	4.3	28.3						
9	31.25							7.3	31.9	5.9	29.8	6.7	31.1						
10	37.50							10.6	34.8	7.4	32.8	9.3	34.0						
11	43.75							14.8	37.6	11.3	35.7	13.4	36.9						
12	50.00							21.7	40.4	16.8	38.7	19.7	39.8						
13	56.25							27.8	43.2	23.2	41.7	26.0	42.6						
14	62.50							36.3	46.0	30.9	44.7	34.1	45.5						
15	68.75							46.4	48.8	38.9	47.6	43.4	48.4						
16	75.00							55.9	51.7	51.5	50.6	54.1	51.3						
17	81.25							63.6	54.5	64.3	53.6	63.9	54.1						
18	87.50							76.5	57.3	74.2	56.6	75.6	57.0						
19	93.75							88.6	60.1	88.1	59.5	88.4	59.9						
20	100.00							100.0	62.9	100.0	62.5	100.0	62.7						

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ($M = 50$. $SD = 10$).

Table A7_D - 79: EL – Greece. Individual norm data for KIDSCREEN-27: School Environment

Raw-Score	0-100 Score	Females (n=xxx)		Children 8-11 Males (n=xxx)		All (n=xxx)		Females (n=694)		Adolescents 12-18 Males (n=464)		All (n=1158)		Children & Adolescents 8-18 Females (n=xxx)		Males (n=xxx)		All (n=xxx)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
4	0.00									0.3	15.9	0.1	13.7						
5	6.25									1.5	19.1	0.6	17.1						
6	12.50							0.6	19.0	2.6	22.3	1.4	20.4						
7	18.75							0.9	22.5	3.5	25.5	1.9	23.8						
8	25.00							1.9	26.0	5.0	28.7	3.1	27.2						
9	31.25							4.3	29.6	6.7	31.9	5.3	30.6						
10	37.50							7.9	33.1	8.6	35.1	8.2	34.0						
11	43.75							14.1	36.6	14.3	38.3	14.2	37.4						
12	50.00							21.4	40.2	20.6	41.5	21.1	40.7						
13	56.25							30.2	43.7	30.5	44.7	30.3	44.1						
14	62.50							42.5	47.3	42.8	47.9	42.6	47.5						
15	68.75							55.6	50.8	57.0	51.0	56.2	50.9						
16	75.00							70.7	54.3	70.5	54.2	70.6	54.3						
17	81.25							83.5	57.9	82.0	57.4	82.9	57.7						
18	87.50							91.5	61.4	91.2	60.6	91.4	61.1						
19	93.75							97.0	64.9	96.8	63.8	96.9	64.4						
20	100.00							100.0	68.5	100.0	67.0	100.0	67.8						

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 80: EL – Greece. Individual norm data for KIDSCREEN-10 Index

Raw-Score	0-100 Score	Females (n=xxx)		Children 8-11 Males (n=xxx)		All (n=xxx)		Females (n=681)		Adolescents 12-18 Males (n=454)		All (n=1135)		Children & Adolescents 8-18 Females (n=xxx)		Males (n=xxx)		All (n=xxx)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
10	0.00																		
11	2.50																		
12	5.00																		
13	7.50																		
14	10.00																		
15	12.50																		
16	15.00																		
17	17.50																		
18	20.00									0.3	13.5	0.1	18.0						
19	22.50									0.3	15.3	0.1	19.7						
20	25.00							0.2	23.2	0.3	17.2	0.2	21.4						
21	27.50							0.4	24.9	0.3	19.0	0.3	23.1						
22	30.00							0.8	26.6	0.6	20.8	0.6	24.8						
23	32.50							1.5	28.3	0.9	22.6	1.2	26.5						
24	35.00							3.4	30.0	1.2	24.4	2.5	28.2						
25	37.50							5.0	31.7	1.4	26.2	3.5	30.0						
26	40.00							6.5	33.4	2.8	28.0	5.0	31.7						
27	42.50							8.5	35.1	3.3	29.8	6.4	33.4						
28	45.00							10.4	36.8	3.8	31.7	7.7	35.1						
29	47.50							15.2	38.5	5.9	33.5	11.5	36.8						
30	50.00							19.8	40.2	8.1	35.3	15.1	38.5						
31	52.:50							24.5	41.9	12.5	37.1	19.7	40.2						
32	55.00							30.1	43.6	16.3	38.9	24.5	41.9						
33	57.50							34.7	45.3	20.4	40.8	29.0	43.7						
34	60.00							40.5	47.0	25.7	42.6	34.6	45.4						
35	62.50							47.7	48.7	31.9	44.4	41.4	47.1						
36	65.00							54.9	50.4	38.7	46.2	48.4	48.8						
37	67.50							59.6	52.:1	46.5	48.0	54.4	50.5						
38	70.00							66.8	53.8	51.7	49.9	60.8	52.:2						
39	72.50							73.0	55.5	56.3	51.7	66.3	53.9						
40	75.00							78.0	57.2	62.5	53.5	71.8	55.6						
41	77.50							83.0	58.9	71.8	55.3	78.5	57.4						
42	80.00							86.4	60.6	77.5	57.1	82.8	59.1						
43	82.50							89.2	62.3	81.9	59.0	86.2	60.8						
44	85.00							92.7	64.0	86.9	60.8	90.4	62.5						
45	87.50							94.9	65.7	90.7	62.6	93.2	64.2						
46	90.00							96.8	67.4	95.4	64.4	96.2	65.9						
47	92.50							98.1	69.1	97.1	66.2	97.7	67.6						
48	95.00							99.4	70.8	99.1	68.1	99.3	69.3						
49	97.50							100.0	72.5	99.6	69.9	99.8	71.1						
50	100.00									100.0	71.7	100.0	72.8						

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 81: ES – Spain. Individual norm data for KIDSCREEN-52: Physical Well-being

Raw-Score	0-100 Score	Children 8-11				Adolescents 12-18						Children & Adolescents 8-18							
		Females (n=136)		Males (n=157)		All (n=293)		Females (n=278)		Males (n=261)		All (n=539)		Females (n=414)		Males (n=418)		All (n=832)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00							0.6	19.1			0.3	15.5	0.4	17.0			0.2	12.8
6	5.56							0.6	21.8			0.3	18.4	0.4	19.7			0.2	15.7
7	11.11							0.9	24.5			0.5	21.2	0.6	22.4			0.3	18.5
8	16.67							2.9	27.3			1.5	24.0	1.9	25.1			1.0	21.3
9	22.22							5.0	30.0	1.9	20.7	3.5	26.8	3.4	27.8	1.2	18.1	2.3	24.2
10	27.78	1.2	19.5	1.0	12.7	0.8	16.4	7.6	32.8	2.5	23.9	5.0	29.7	5.3	30.5	1.8	21.3	3.5	27.0
11	33.33	1.9	22.8	1.0	16.5	1.2	19.9	10.1	35.5	3.9	27.1	7.0	32.5	7.3	33.2	2.7	24.6	4.9	29.9
12	38.89	2.6	26.1	1.6	20.2	1.8	23.5	13.7	38.3	5.0	30.3	9.5	35.3	9.9	35.9	3.6	27.8	6.7	32.8
13	44.44	4.5	29.5	2.3	24.0	3.1	27.0	21.2	41.0	7.7	33.5	14.6	38.1	15.7	38.6	5.5	31.1	10.6	35.6
14	50.00	8.2	32.8	4.5	27.7	6.2	30.5	29.5	43.7	11.1	36.6	20.6	40.9	22.5	41.3	8.6	34.3	15.5	38.5
15	55.56	11.1	36.1	7.7	31.5	9.3	34.0	42.1	46.5	20.0	39.8	31.3	43.8	31.9	44.0	15.4	37.6	23.6	41.3
16	61.11	18.4	39.5	12.8	35.3	15.4	37.5	50.4	49.2	26.9	43.0	39.0	46.6	39.8	46.7	21.6	40.8	30.7	44.2
17	66.67	30.2	42.8	17.2	39.0	23.3	41.0	61.1	52.0	38.0	46.2	49.9	49.4	51.0	49.4	30.2	44.0	40.6	47.0
18	72.22	41.9	46.1	25.5	42.8	33.1	44.5	70.8	54.7	47.6	49.4	59.6	52.2	61.3	52.1	39.3	47.3	50.3	49.9
19	77.78	50.8	49.5	38.2	46.6	44.1	48.0	78.0	57.5	63.9	52.6	71.2	55.1	69.0	54.8	54.3	50.5	61.6	52.7
20	83.33	56.6	52.8	49.7	50.3	52.9	51.5	87.4	60.2	75.9	55.8	81.8	57.9	77.3	57.5	66.1	53.8	71.6	55.6
21	88.89	72.1	56.1	64.3	54.1	67.9	55.0	92.8	62.9	84.7	58.9	88.9	60.7	86.0	60.2	77.1	57.0	81.5	58.5
22	94.44	85.4	59.4	84.7	57.9	85.0	58.6	97.1	65.7	92.3	62.1	94.8	63.5	93.3	62.9	89.5	60.3	91.4	61.3
23	100.00	100.0	62.8	100.0	61.6	100.0	62.1	100.0	68.4	100.0	65.3	100.0	66.3	100.0	65.6	100.0	63.5	100.0	64.2

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7_D - 82: ES – Spain. Individual norm data for KIDSCREEN-52: Psychological Well-being

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=146)		Males (n=171)		All (n=317)		Females (n=278)		Males (n=270)		All (n=548)		Females (n=424)		Males (n=441)		All (n=865)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00																		
7	4.17																		
8	8.33																		
9	12.50																		
10	16.67							0.6	19.4	0.6	6.7	0.3	13.1			0.4	2.7	0.2	8.8
11	20.83							0.9	21.6	0.6	9.4	0.5	15.5	0.4	15.5	0.4	5.5	0.3	11.3
12	25.00							1.8	23.8	0.6	12.0	0.6	17.9	0.6	17.8	0.4	8.3	0.4	13.8
13	29.17							1.8	23.8	0.9	14.7	1.3	20.2	1.2	20.1	0.6	11.1	0.8	16.4
14	33.33							4.3	26.0	1.3	17.4	2.7	22.6	2.8	22.4	0.8	14.0	1.7	18.9
15	37.50							5.4	28.2	1.7	20.1	3.5	25.0	3.6	24.7	1.0	16.8	2.2	21.4
16	41.67			0.9	10.4	0.5	11.0	6.2	30.4	1.7	22.8	3.9	27.4	4.1	27.0	1.3	19.6	2.6	23.9
17	45.83			0.9	13.8	0.5	14.3	8.2	32.6	3.0	25.4	5.6	29.7	5.4	29.4	2.1	22.4	3.7	26.4
18	50.00	1.1	18.1	1.9	17.1	1.3	17.6	11.5	34.8	3.0	28.1	7.3	32.1	7.8	31.7	2.6	25.2	5.1	28.9
19	54.17	2.9	21.4	1.9	20.5	2.3	20.9	13.6	37.0	5.6	30.8	9.6	34.5	9.9	34.0	4.1	28.0	6.9	31.5
20	58.33	4.9	24.6	3.2	23.8	3.8	24.2	15.4	39.1	8.1	33.4	11.8	36.8	11.8	36.3	6.1	30.8	8.9	34.0
21	62.50	6.4	27.9	4.3	27.2	5.1	27.5	18.7	41.3	10.7	36.1	14.8	39.2	14.4	38.6	8.2	33.7	11.2	36.5
22	66.67	6.4	31.2	7.1	30.5	6.7	30.9	24.5	43.5	15.6	38.8	20.1	41.6	18.2	40.9	12.3	36.5	15.2	39.0
23	70.83	11.7	34.4	8.9	33.9	10.2	34.2	31.6	45.7	21.5	41.5	26.6	44.0	24.8	43.2	16.6	39.3	20.6	41.5
24	75.00	13.8	37.7	11.8	37.2	12.7	37.5	37.4	47.9	26.3	44.2	32.0	46.3	29.3	45.6	20.7	42.1	24.9	44.0
25	79.17	17.8	40.9	18.8	40.6	18.4	40.8	48.2	50.1	37.2	46.8	42.8	48.7	37.8	47.9	30.1	44.9	33.8	46.5
26	83.33	28.8	44.2	28.8	44.0	28.8	44.1	59.7	52:3	48.6	49.5	54.2	51.1	49.1	50.2	40.9	47.7	44.9	49.1
27	87.50	35.0	47.4	38.7	47.3	37.0	47.4	67.6	54.5	60.0	52:2	63.9	53.4	56.4	52:5	51.8	50.5	54.0	51.6
28	91.67	49.2	50.7	48.7	50.7	48.9	50.7	77.3	56.7	68.9	54.9	73.2	55.8	67.7	54.8	61.1	53.3	64.3	54.1
29	95.83	64.3	53.9	66.7	54.0	65.6	54.0	82.7	58.9	79.3	57.6	81.0	58.2	76.4	57.1	74.4	56.2	75.4	56.6
30	100.00	80.2	57.2	79.0	57.4	79.6	57.3	90.7	61.1	88.2	60.2	89.4	60.6	87.1	59.4	84.6	59.0	85.8	59.1
		100.0	60.4	100.0	60.7	100.0	60.6	100.0	63.3	100.0	62.9	100.0	62.9	100.0	61.8	100.0	61.8	100.0	61.6

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 83: ES – Spain. Individual norm data for KIDSCREEN-52: Moods & Emotions

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=139)		Males (n=162)		All (n=301)		Females (n=279)		Males (n=270)		All (n=549)		Females (n=418)		Males (n=432)		All (n=850)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
7	0.00																		
8	3.57																		
9	7.14																		
10	10.71																		
11	14.29							0.8	20.2			0.4	15.1					0.3	12.1
12	17.86							2.2	22.0			1.1	17.0	0.5	16.9			0.7	14.1
13	21.43							2.9	23.8			1.5	19.0	2.0	20.7			1.0	16.2
14	25.00							3.4	25.6			1.7	21.0	2.3	22.6			1.1	18.3
15	28.57			1.0	12.0	0.5	11.8	3.4	27.4	0.6	15.0	1.9	23.0	2.3	24.5	0.5	14.2	1.3	20.4
16	32.14			1.6	14.4	0.9	14.3	3.7	29.2	0.6	17.4	2.1	25.0	2.5	26.3	0.8	16.6	1.6	22.5
17	35.71			1.6	16.8	0.9	16.7	5.3	31.0	0.6	19.8	2.9	27.0	3.6	28.2	0.8	19.0	2.1	24.5
18	39.29			1.6	19.3	0.9	19.2	6.5	32.8	2.2	22.2	4.3	29.0	4.3	30.1	1.9	21.4	3.0	26.6
19	42.86	1.7	21.4	1.6	21.7	1.5	21.6	8.9	34.6	2.8	24.6	5.8	31.0	6.4	32.0	2.2	23.8	4.2	28.7
20	46.43	1.7	23.9	2.3	24.1	1.9	24.1	11.4	36.4	4.1	27.0	7.8	33.0	8.1	33.9	3.2	26.2	5.6	30.8
21	50.00	5.8	26.4	2.9	26.6	4.0	26.5	14.3	38.2	5.2	29.4	9.8	35.0	11.5	35.8	4.2	28.6	7.8	32.8
22	53.57	5.8	28.9	5.0	29.0	5.4	29.0	18.3	40.0	7.0	31.9	12.7	37.0	14.1	37.6	6.2	31.0	10.1	34.9
23	57.14	8.7	31.3	8.7	31.5	8.7	31.4	23.3	41.8	7.9	34.3	15.6	39.0	18.4	39.5	8.1	33.4	13.2	37.0
24	60.71	9.8	33.8	10.6	33.9	10.0	33.8	28.3	43.6	12.2	36.7	20.4	41.0	22.0	41.4	11.6	35.8	16.7	39.1
25	64.29	11.0	36.2	12.5	36.3	11.7	36.3	34.1	45.4	15.9	39.1	25.1	43.0	26.4	43.3	14.6	38.2	20.4	41.2
26	67.86	15.9	38.7	15.5	38.8	15.7	38.7	37.3	47.2	21.0	41.5	29.3	45.0	30.2	45.2	18.9	40.6	24.5	43.2
27	71.43	20.2	41.2	20.4	41.2	20.3	41.2	44.1	49.0	26.6	43.9	35.5	47.0	36.1	47.1	24.3	43.0	30.1	45.3
28	75.00	25.8	43.6	24.1	43.6	24.9	43.6	50.2	50.8	36.2	46.3	43.3	49.0	42.1	49.0	31.7	45.4	36.8	47.4
29	78.57	33.7	46.1	31.5	46.1	32.5	46.1	56.6	52.6	45.8	48.7	51.3	51.0	49.1	50.8	40.4	47.8	44.7	49.5
30	82.14	42.3	48.6	39.6	48.5	40.8	48.5	66.0	54.4	53.7	51.2	59.9	53.0	58.2	52.7	48.4	50.2	53.2	51.5
31	85.71	51.7	51.0	50.6	50.9	51.1	51.0	71.0	56.2	64.4	53.6	67.7	55.0	64.6	54.6	59.2	52.6	61.9	53.6
32	89.29	58.9	53.5	59.9	53.4	59.4	53.4	78.8	58.0	71.8	56.0	75.4	57.0	72.2	56.5	67.3	55.0	69.7	55.7
33	92.86	69.6	55.9	72.2	55.8	71.0	55.9	86.3	59.8	81.8	58.4	84.1	59.0	80.8	58.4	78.2	57.4	79.5	57.8
34	96.43	79.0	58.4	78.4	58.2	78.6	58.3	90.7	61.6	88.5	60.8	89.6	60.9	86.8	60.3	84.7	59.8	85.7	59.9
35	100.00	100.0	60.9	100.0	60.7	100.0	60.8	100.0	63.4	100.0	63.2	100.0	62.9	100.0	62.2	100.0	62.2	100.0	61.9

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 84: ES – Spain. Individual norm data for KIDSCREEN-52: Self Perception

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=147)		Males (n=168)		All (n=315)		Females (n=279)		Males (n=270)		All (n=549)		Females (n=426)		Males (n=438)		All (n=864)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00							0.6	19.7			0.3	16.1	0.4	17.6			0.2	13.5
6	5.00							0.6	22.1			0.3	18.6	0.4	20.0			0.2	16.0
7	10.00							0.9	24.5			0.5	21.0	0.6	22.3			0.3	18.5
8	15.00			0.9	11.0	0.5	11.5	1.6	26.9			0.8	23.5	1.0	24.6	0.4	14.9	0.6	21.0
9	20.00	1.1	14.8	0.9	14.0	0.8	14.4	2.6	29.3	0.9	19.1	1.7	25.9	1.9	27.0	0.8	17.7	1.3	23.4
10	25.00	1.8	17.7	1.5	16.9	1.4	17.3	5.4	31.7	1.3	21.9	3.3	28.4	4.0	29.3	1.2	20.5	2.6	25.9
11	30.00	1.8	20.6	1.5	19.8	1.4	20.2	10.4	34.1	2.3	24.7	6.4	30.8	7.3	31.7	1.9	23.3	4.6	28.4
12	35.00	3.5	23.5	2.1	22.7	2.6	23.1	13.3	36.5	4.5	27.5	8.9	33.3	9.9	34.0	3.4	26.1	6.6	30.9
13	40.00	4.5	26.5	3.6	25.6	3.8	26.1	19.0	38.9	7.4	30.3	13.3	35.7	13.9	36.4	5.9	28.9	9.9	33.4
14	45.00	5.7	29.4	4.9	28.5	5.1	29.0	24.0	41.3	9.3	33.1	16.8	38.2	17.6	38.7	7.5	31.7	12.5	35.9
15	50.00	7.0	32.3	7.7	31.4	7.3	31.9	29.8	43.7	11.1	35.9	20.6	40.7	21.9	41.1	9.8	34.5	15.8	38.4
16	55.00	8.4	35.2	9.5	34.3	8.9	34.8	37.0	46.1	14.1	38.7	25.7	43.1	27.1	43.4	12.3	37.3	19.6	40.8
17	60.00	13.7	38.2	13.6	37.2	13.6	37.7	44.4	48.5	18.1	41.5	31.5	45.6	33.8	45.8	16.4	40.1	25.0	43.3
18	65.00	21.1	41.1	16.6	40.2	18.7	40.6	55.2	50.9	29.6	44.3	42.6	48.0	43.4	48.1	24.6	42.9	33.9	45.8
19	70.00	25.2	44.0	23.7	43.1	24.4	43.5	65.2	53.3	40.0	47.1	52.9	50.5	51.4	50.5	33.8	45.7	42.5	48.3
20	75.00	39.4	46.9	33.8	46.0	36.4	46.4	72.0	55.7	52.2	49.9	62.3	53.0	60.8	52.8	45.2	48.5	52.9	50.8
21	80.00	52.2	49.8	43.9	48.9	47.8	49.3	81.3	58.1	63.7	52.8	72.7	55.4	71.3	55.2	56.1	51.3	63.6	53.3
22	85.00	61.8	52.8	56.5	51.8	58.9	52.3	87.8	60.5	73.7	55.6	80.9	57.9	78.8	57.5	67.1	54.1	72.9	55.8
23	90.00	67.9	55.7	65.3	54.7	66.5	55.2	92.5	62.9	80.0	58.4	86.3	60.3	84.0	59.9	74.4	56.9	79.1	58.2
24	95.00	81.5	58.6	76.6	57.6	78.9	58.1	97.1	65.3	90.4	61.2	93.8	62.8	91.8	62.2	85.1	59.7	88.4	60.7
25	100.00	100.0	61.5	100.0	60.5	100.0	61.0	100.0	67.7	100.0	64.0	100.0	65.3	100.0	64.6	100.0	62.5	100.0	63.2

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7_D - 85: ES – Spain. Individual norm data for KIDSCREEN-52: Autonomy

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=145)		Males (n=169)		All (n=314)		Females (n=278)		Males (n=265)		All (n=543)		Females (n=423)		Males (n=434)		All (n=1057)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00							0.6	16.6			0.3	13.2	0.4	12.8			0.2	9.5
6	5.00							0.9	19.0	0.6	10.2	0.6	15.7	0.6	15.3	0.4	7.6	0.4	12.1
7	10.00							0.9	21.4	1.0	12.9	0.8	18.2	0.6	17.8	0.6	10.4	0.5	14.7
8	15.00							1.3	23.7	1.4	15.6	1.1	20.6	0.8	20.3	0.8	13.2	0.7	17.4
9	20.00							1.9	26.0	1.7	18.3	1.7	23.1	1.3	22.8	1.1	16.0	1.1	20.0
10	25.00			1.0	14.1	0.5	13.7	3.6	28.4	2.4	21.0	2.9	25.5	2.4	25.3	1.7	18.9	2.0	22.6
11	30.00			2.0	17.2	1.1	16.9	5.1	30.7	2.9	23.7	3.9	28.0	3.3	27.8	2.3	21.7	2.8	25.2
12	35.00			2.7	20.3	1.5	20.0	8.6	33.1	3.2	26.4	5.9	30.4	5.7	30.2	2.8	24.5	4.2	27.8
13	40.00	1.1	22.8	2.7	23.5	1.8	23.2	11.9	35.4	5.3	29.1	8.7	32.9	8.0	32.7	4.2	27.3	6.1	30.4
14	45.00	2.3	26.1	3.3	26.6	2.6	26.4	15.1	37.7	7.6	31.8	11.4	35.4	10.6	35.2	5.8	30.1	8.2	33.0
15	50.00	5.5	29.4	4.9	29.7	5.1	29.6	19.8	40.1	9.1	34.5	14.5	37.8	14.9	37.7	7.4	33.0	11.1	35.6
16	55.00	10.3	32.6	7.2	32.8	8.6	32.7	24.8	42.4	12.4	37.2	18.8	40.3	19.8	40.2	10.4	35.8	15.0	38.2
17	60.00	13.8	35.9	11.9	35.9	12.8	35.9	31.7	44.8	15.8	39.9	24.0	42.7	25.5	42.7	14.3	38.6	19.8	40.9
18	65.00	20.7	39.1	17.2	39.0	18.8	39.1	38.5	47.1	22.6	42.6	30.7	45.2	32.4	45.2	20.5	41.4	26.4	43.5
19	70.00	26.9	42.4	24.9	42.1	25.8	42.2	47.9	49.5	30.5	45.4	39.4	47.7	40.7	47.6	28.4	44.2	34.4	46.1
20	75.00	35.2	45.6	31.4	45.2	33.2	45.4	55.8	51.8	40.0	48.1	48.1	50.1	48.7	50.1	36.6	47.1	42.6	48.7
21	80.00	42.8	48.9	40.2	48.3	41.4	48.6	64.1	54.2	50.9	50.8	57.7	52.6	56.8	52.6	46.8	49.9	51.7	51.3
22	85.00	54.5	52.1	52.6	51.4	53.5	51.7	74.2	56.5	63.0	53.5	68.7	55.0	67.4	55.1	59.0	52.7	63.1	53.9
23	90.00	69.7	55.4	67.0	54.5	68.2	54.9	83.2	58.9	74.3	56.2	78.8	57.5	78.5	57.6	71.5	55.5	74.9	56.5
24	95.00	84.2	58.6	78.1	57.6	80.9	58.1	89.6	61.2	85.3	58.9	87.5	60.0	87.7	60.1	82.5	58.3	85.1	59.1
25	100.00	100.0	61.9	100.0	60.7	100.0	61.2	100.0	63.6	100.0	61.6	100.0	62.4	100.0	62.6	100.0	61.2	100.0	61.7

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7_D - 86: ES – Spain. Individual norm data for KIDSCREEN-52: Parent Relations & Home Life

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=146)		Males (n=171)		All (n=317)		Females (n=277)		Males (n=268)		All (n=545)		Females (n=423)		Males (n=439)		All (n=1062)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00							0.6	13.7			0.3	8.6	0.4	8.7			0.2	3.3
7	4.17							0.6	15.7			0.3	10.8	0.4	10.9			0.2	5.7
8	8.33							0.6	17.7			0.3	13.0	0.4	13.0			0.2	8.1
9	12.50							0.9	19.7			0.5	15.2	0.6	15.2			0.3	10.5
10	16.67							0.9	21.7			0.5	17.4	0.6	17.3			0.3	12.9
11	20.83							1.9	23.7			1.0	19.6	1.2	19.4			0.6	15.2
12	25.00							2.4	25.6	0.6	15.8	1.4	21.9	1.6	21.6	0.4	11.9	0.9	17.6
13	29.17							3.0	27.6	1.3	18.4	2.0	24.1	2.0	23.7	0.8	14.7	1.3	20.0
14	33.33							5.4	29.6	1.3	21.0	3.3	26.3	3.6	25.9	0.8	17.4	2.1	22.4
15	37.50	1.6	10.1	0.9	9.2	1.0	9.7	6.6	31.6	1.7	23.6	4.1	28.5	4.7	28.0	1.2	20.1	2.9	24.7
16	41.67	1.6	13.4	0.9	12.6	1.0	13.0	9.4	33.6	2.1	26.2	5.7	30.7	6.6	30.1	1.5	22.9	4.0	27.1
17	45.83	1.6	16.6	1.6	16.0	1.5	16.3	11.6	35.6	4.1	28.8	7.9	32.9	8.0	32.3	3.0	25.6	5.5	29.5
18	50.00	2.4	19.9	2.6	19.3	2.3	19.7	15.5	37.6	6.7	31.4	11.2	35.2	10.9	34.4	5.0	28.3	7.9	31.9
19	54.17	2.4	23.2	3.3	22.7	2.8	23.0	19.1	39.6	9.0	34.0	14.1	37.4	13.2	36.6	6.6	31.1	9.9	34.3
20	58.33	3.1	26.4	4.3	26.1	3.5	26.3	23.5	41.6	12.3	36.6	18.0	39.6	16.3	38.7	9.1	33.8	12.7	36.7
21	62.50	6.9	29.7	6.0	29.4	6.3	29.6	28.9	43.6	18.7	39.2	23.9	41.8	21.3	40.9	13.7	36.5	17.4	39.0
22	66.67	10.3	33.0	8.2	32.8	9.2	32.9	31.1	45.5	24.3	41.8	27.7	44.0	23.9	43.0	18.0	39.3	20.9	41.4
23	70.83	13.1	36.2	12.3	36.2	12.7	36.2	36.5	47.5	31.8	44.4	34.2	46.2	28.4	45.1	24.2	42.0	26.3	43.8
24	75.00	17.1	39.5	17.6	39.6	17.4	39.6	42.6	49.5	38.2	47.0	40.4	48.5	33.8	47.3	30.1	44.8	31.9	46.2
25	79.17	21.3	42.8	24.1	42.9	22.8	42.9	50.5	51.5	46.7	49.6	48.6	50.7	40.4	49.4	37.9	47.5	39.1	48.6
26	83.33	28.8	46.0	29.9	46.3	29.4	46.2	57.7	53.5	57.1	52.2	57.4	52.9	47.7	51.6	46.5	50.2	47.1	51.0
27	87.50	39.8	49.3	42.8	49.7	41.4	49.5	66.0	55.5	63.9	54.7	65.0	55.1	57.0	53.7	55.7	53.0	56.3	53.3
28	91.67	56.3	52.5	61.4	53.1	59.1	52.8	75.4	57.5	76.9	57.3	76.2	57.3	68.8	55.8	70.9	55.7	69.9	55.7
29	95.83	74.1	55.8	77.3	56.4	75.8	56.1	86.6	59.5	88.5	59.9	87.6	59.5	82.3	58.0	84.2	58.4	83.2	58.1
30	100.00	100.0	59.1	100.0	59.8	100.0	59.4	100.0	61.5	100.0	62.5	100.0	61.8	100.0	60.1	100.0	61.2	100.0	60.5

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 87: ES – Spain. Individual norm data for KIDSCREEN-52: Social Support & Peers

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=143)		Males (n=167)		All (n=310)		Females (n=276)		Males (n=267)		All (n=543)		Females (n=419)		Males (n=434)		All (n=853)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00																		
7	4.17																		
8	8.33																		
9	12.50																		
10	16.67																		
11	20.83																		
12	25.00			0.9	8.9	0.5	9.0	1.0	16.0	0.6	15.1	0.7	15.6	0.6	14.1	0.6	13.1	0.5	13.6
13	29.17	1.1	11.7	0.9	11.8	0.8	11.9	1.6	18.6	1.2	17.7	1.3	18.2	1.2	16.7	1.0	15.8	1.1	16.3
14	33.33	1.8	14.6	0.9	14.8	1.2	14.8	2.3	21.1	2.0	20.3	2.0	20.7	2.0	19.4	1.5	18.5	1.7	18.9
15	37.50	1.8	17.5	1.5	17.7	1.5	17.7	2.3	23.7	2.5	22.9	2.3	23.3	2.0	22.0	1.9	21.2	1.9	21.6
16	41.67	1.8	20.4	2.6	20.6	2.0	20.6	3.3	26.2	3.4	25.5	3.3	25.9	2.7	24.6	3.0	23.9	2.8	24.3
17	45.83	2.5	23.3	3.7	23.6	2.9	23.5	4.7	28.8	4.0	28.1	4.2	28.5	3.8	27.3	3.7	26.6	3.7	26.9
18	50.00	3.2	26.2	5.5	26.5	4.2	26.4	6.5	31.3	5.6	30.7	6.1	31.0	5.2	29.9	5.5	29.3	5.4	29.6
19	54.17	4.4	29.1	5.5	29.4	4.9	29.3	9.4	33.9	7.5	33.3	8.5	33.6	7.6	32.6	6.7	32.0	7.1	32.3
20	58.33	9.1	32.0	5.5	32.4	7.1	32.2	11.6	36.4	10.5	35.9	11.0	36.2	10.7	35.2	8.5	34.7	9.6	35.0
21	62.50	11.9	34.9	9.0	35.3	10.3	35.1	15.2	39.0	14.9	38.5	15.1	38.7	14.1	37.8	12.6	37.4	13.4	37.6
22	66.67	15.4	37.8	11.9	38.2	13.5	38.1	21.4	41.6	17.9	41.1	19.7	41.3	19.4	40.5	15.6	40.1	17.5	40.3
23	70.83	18.3	40.7	17.3	41.2	17.7	41.0	26.1	44.1	26.9	43.7	26.5	43.9	23.4	43.1	23.2	42.8	23.3	43.0
24	75.00	23.2	43.6	26.3	44.1	24.8	43.9	35.7	46.7	37.0	46.3	36.3	46.5	31.5	45.7	32.9	45.5	32.2	45.6
25	79.17	32.2	46.5	39.5	47.0	36.1	46.8	43.7	49.2	44.4	48.8	44.1	49.0	39.8	48.4	42.5	48.2	41.2	48.3
26	83.33	43.4	49.4	49.7	50.0	46.8	49.7	54.6	51.8	54.2	51.4	54.4	51.6	50.8	51.0	52.5	50.9	51.6	51.0
27	87.50	57.5	52.3	61.6	52.9	59.7	52.6	63.1	54.3	62.4	54.0	62.8	54.2	61.2	53.7	62.1	53.6	61.7	53.6
28	91.67	71.4	55.2	73.1	55.8	72.3	55.5	75.7	56.9	73.4	56.6	74.6	56.8	74.3	56.3	73.3	56.3	73.8	56.3
29	95.83	81.9	58.1	85.1	58.8	83.6	58.4	89.9	59.4	86.5	59.2	88.2	59.3	87.2	58.9	85.9	59.0	86.5	59.0
30	100.00	100.0	61.0	100.0	61.7	100.0	61.3	100.0	62.0	100.0	61.8	100.0	61.9	100.0	61.6	100.0	61.7	100.0	61.6

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7_D - 88: ES – Spain. Individual norm data for KIDSCREEN-52: School Environment

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=142)		Males (n=165)		All (n=307)		Females (n=271)		Males (n=261)		All (n=532)		Females (n=413)		Males (n=426)		All (n=839)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00																		
7	4.17							0.6	19.7	0.6	22.5	0.4	21.2	0.4	16.8	0.4	20.1	0.3	18.6
8	8.33							0.9	21.7	1.3	24.5	1.0	23.2	0.6	18.8	0.8	22.0	0.6	20.6
9	12.50							1.3	23.8	2.0	26.5	1.5	25.2	0.9	20.8	1.3	24.0	1.0	22.6
10	16.67			1.0	15.5	0.5	11.3	1.7	25.8	3.1	28.4	2.3	27.2	1.1	22.9	2.1	25.9	1.6	24.6
11	20.83			1.0	17.8	0.5	13.8	3.0	27.9	4.3	30.4	3.6	29.2	2.0	24.9	2.9	27.8	2.4	26.5
12	25.00			1.0	20.1	0.5	16.3	3.8	29.9	6.1	32.4	4.9	31.2	2.5	26.9	4.0	29.8	3.2	28.5
13	29.17			1.6	22.4	0.9	18.8	4.5	31.9	8.8	34.4	6.6	33.2	3.0	29.0	5.9	31.7	4.4	30.5
14	33.33			2.1	24.8	1.2	21.3	7.7	34.0	12.2	36.4	9.9	35.2	5.1	31.0	8.2	33.7	6.7	32.5
15	37.50	1.1	17.9	3.8	27.1	2.3	23.8	11.0	36.0	15.7	38.3	13.3	37.2	7.5	33.0	11.0	35.6	9.3	34.4
16	41.67	1.8	20.8	5.6	29.4	3.6	26.3	14.3	38.1	17.2	40.3	15.7	39.2	9.9	35.1	12.7	37.5	11.3	36.4
17	45.83	1.8	23.7	6.5	31.7	4.2	28.8	18.8	40.1	23.0	42.3	20.8	41.2	12.8	37.1	16.5	39.5	14.7	38.4
18	50.00	3.1	26.5	9.8	34.0	6.6	31.3	26.8	42.1	29.5	44.3	28.1	43.2	18.6	39.1	21.8	41.4	20.2	40.4
19	54.17	5.0	29.4	12.2	36.3	8.8	33.8	31.9	44.2	38.6	46.3	35.2	45.2	22.6	41.2	28.4	43.3	25.6	42.3
20	58.33	7.8	32.2	15.3	38.7	11.8	36.3	38.5	46.2	45.9	48.2	42.1	47.2	27.9	43.2	34.0	45.3	31.0	44.3
21	62.50	11.3	35.1	20.1	41.0	16.0	38.8	43.7	48.3	53.6	50.2	48.6	49.3	32.6	45.2	40.6	47.2	36.7	46.3
22	66.67	16.9	38.0	26.1	43.3	21.9	41.3	50.7	50.3	60.5	52.2	55.5	51.3	39.1	47.3	47.2	49.1	43.2	48.3
23	70.83	23.3	40.8	34.6	45.6	29.3	43.8	59.6	52.4	68.9	54.2	64.2	53.3	47.1	49.3	55.7	51.1	51.5	50.2
24	75.00	30.3	43.7	41.9	47.9	36.5	46.3	67.1	54.4	73.9	56.2	70.4	55.3	54.4	51.3	61.6	53.0	58.0	52.2
25	79.17	35.9	46.6	49.3	50.2	43.1	48.8	72.3	56.4	79.3	58.1	75.7	57.3	59.8	53.4	67.7	55.0	63.8	54.2
26	83.33	43.7	49.5	57.8	52.6	51.2	51.3	79.7	58.5	84.6	60.1	82.1	59.3	67.3	55.4	74.2	56.9	70.8	56.2
27	87.50	57.0	52.3	65.6	54.9	61.6	53.8	85.9	60.5	90.0	62.1	87.9	61.3	76.0	57.4	80.5	58.8	78.3	58.1
28	91.67	67.6	55.2	74.7	57.2	71.4	56.3	92.6	62.6	94.2	64.1	93.4	63.3	84.0	59.5	86.6	60.8	85.3	60.1
29	95.83	77.4	58.1	83.7	59.5	80.8	58.8	97.4	64.6	96.9	66.1	97.2	65.3	90.5	61.5	91.8	62.7	91.2	62.1
30	100.00	100.0	60.9	100.0	61.8	100.0	61.2	100.0	66.7	100.0	68.0	100.0	67.3	100.0	63.5	100.0	64.6	100.0	64.1

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7_D - 89: ES – Spain. Individual norm data for KIDSCREEN-52: Social Acceptance

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=145)		Males (n=169)		All (n=314)		Females (n=273)		Males (n=270)		All (n=543)		Females (n=418)		Males (n=439)		All (n=857)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
3	0.00			1.4	11.1	0.7	7.7	0.6	-11.7			0.3	-9.8	0.4	-5.3	0.5	2.5	0.4	-0.7
4	8.33			2.6	15.1	1.4	12.0	0.6	-6.0			0.3	-4.3	0.4	-0.1	1.0	7.2	0.6	4.1
5	16.67			2.6	19.1	1.4	16.3	0.6	-0.3	0.6	2.6	0.5	1.3	0.4	5.1	1.3	11.8	0.8	9.0
6	25.00	1.1	16.0	2.6	23.2	1.8	20.5	1.2	5.3	0.9	8.1	0.9	6.9	1.0	10.3	1.5	16.4	1.2	13.8
7	33.33	2.9	20.8	3.7	27.2	3.2	24.8	1.2	11.0	1.3	13.6	1.2	12.4	1.7	15.5	2.1	21.0	1.9	18.7
8	41.67	2.9	25.5	4.5	31.2	3.7	29.0	1.7	16.7	3.0	19.0	2.2	18.0	2.1	20.7	3.4	25.6	2.7	23.5
9	50.00	6.9	30.2	13.1	35.3	10.2	33.3	2.6	22.3	4.5	24.5	3.5	23.5	4.1	25.9	7.8	30.2	6.0	28.4
10	58.33	13.7	34.9	16.0	39.3	14.9	37.6	5.5	28.0	7.4	29.9	6.5	29.1	8.3	31.1	10.7	34.9	9.6	33.2
11	66.67	22.0	39.6	28.5	43.3	25.5	41.8	10.3	33.7	10.7	35.4	10.5	34.6	14.3	36.3	17.5	39.5	16	38.1
12	75.00	30.2	44.3	37.4	47.4	34.1	46.1	17.6	39.4	20.0	40.8	18.8	40.2	22.0	41.5	26.7	44.1	24.4	42.9
13	83.33	40.0	49.0	52.7	51.4	46.8	50.4	27.2	45.1	32.6	46.3	29.9	45.7	31.6	46.7	40.3	48.7	36.1	47.8
14	91.67	60.1	53.7	71.4	55.4	66.2	54.7	45.5	50.7	52.3	51.8	48.9	51.3	50.6	51.9	59.7	53.3	55.2	52.6
15	100.00	100.0	58.4	100.0	59.5	100.0	58.9	100.0	56.4	100.0	57.2	100.0	56.8	100.0	57.1	100.0	57.9	100.0	57.5

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 90: ES – Spain. Individual norm data for KIDSCREEN-52: Financial Resources

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=141)		Males (n=160)		All (n=301)		Females (n=277)		Males (n=270)		All (n=547)		Females (n=418)		Males (n=430)		All (n=848)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
3	0.00	2.9	19.7	2.0	19.5	2.3	19.7	2.5	18.9	0.6	15.2	1.4	17.2	2.6	19.2	1.0	17.0	1.8	18.2
4	8.33	4.5	23.0	3.3	23.0	3.7	23.1	2.5	22.4	1.2	19.1	1.9	20.9	3.2	22.6	1.9	20.7	2.5	21.7
5	16.67	5.3	26.4	4.6	26.5	4.7	26.5	4.3	25.9	2.0	22.9	3.1	24.5	4.5	26.1	2.8	24.4	3.6	25.3
6	25.00	6.1	29.7	7.6	29.9	6.7	29.9	6.5	29.3	4.5	26.7	5.5	28.1	6.2	29.5	5.6	28.0	5.9	28.8
7	33.33	10.6	33.1	10.1	33.4	10.3	33.3	7.6	32.8	6.7	30.5	7.1	31.8	8.5	32.9	8.0	31.7	8.3	32.3
8	41.67	12.8	36.4	12.6	36.8	12.6	36.7	11.1	36.3	8.9	34.4	10.1	35.4	11.7	36.3	10.3	35.4	11.0	35.9
9	50.00	17.6	39.8	17.5	40.3	17.6	40.1	16.6	39.7	17.1	38.2	16.8	39.0	16.9	39.8	17.2	39.1	17.1	39.4
10	58.33	22.6	43.1	24.4	43.8	23.6	43.5	27.1	43.2	26.3	42.0	26.7	42.7	25.6	43.2	25.6	42.7	25.6	43.0
11	66.67	31.8	46.5	40.7	47.2	36.6	46.9	38.0	46.7	35.2	45.9	36.6	46.3	35.9	46.6	37.2	46.4	36.6	46.5
12	75.00	43.2	49.8	52.6	50.7	48.2	50.3	49.9	50.2	48.2	49.7	49.1	49.9	47.7	50.0	49.8	50.1	48.8	50.1
13	83.33	58.2	53.2	65.1	54.1	61.8	53.7	61.8	53.6	64.4	53.5	63.1	53.6	60.6	53.5	64.7	53.8	62.6	53.6
14	91.67	79.4	56.5	80.7	57.6	80.1	57.1	77.3	57.1	78.1	57.4	77.7	57.2	78.0	56.9	79.1	57.4	78.5	57.1
15	100.00	100.0	59.9	100.0	61.0	100.0	60.5	100.0	60.6	100.0	61.2	100.0	60.8	100.0	60.3	100.0	61.1	100.0	60.7

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 91: ES – Spain. Individual norm data for KIDSCREEN-27: Physical Well-being

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=136)		Males (n=157)		All (n=293)		Females (n=278)		Males (n=261)		All (n=539)		Females (n=414)		Males (n=418)		All (n=832)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00							0.6	19.0			0.3	15.5	0.4	17.0			0.2	12.8
6	5.56							0.6	21.8			0.3	18.4	0.4	19.7			0.2	15.7
7	11.11							0.9	24.5			0.5	21.2	0.6	22.4			0.3	18.5
8	16.67							2.9	27.2			1.5	24.0	1.9	25.1			1.0	21.3
9	22.22							5.0	30.0	2.0	20.7	3.5	26.8	3.4	27.8	1.2	18.1	2.3	24.2
10	27.78	1.2	19.5	1.0	12.7	0.8	16.5	7.6	32.7	2.5	23.9	5.0	29.6	5.3	30.5	1.8	21.4	3.5	27.0
11	33.33	1.9	22.8	1.0	16.5	1.2	20.0	10.1	35.5	3.9	27.1	7.1	32.5	7.2	33.2	2.7	24.6	4.9	29.9
12	38.89	2.6	26.2	1.6	20.2	1.8	23.5	13.7	38.2	5.1	30.3	9.5	35.3	9.9	35.9	3.6	27.8	6.8	32.7
13	44.44	4.6	29.5	2.3	24.0	3.1	27.0	21.2	41.0	7.7	33.5	14.7	38.1	15.7	38.6	5.5	31.1	10.6	35.6
14	50.00	8.2	32.8	4.5	27.7	6.2	30.5	29.5	43.7	11.1	36.7	20.6	40.9	22.5	41.3	8.6	34.3	15.5	38.5
15	55.56	11.1	36.1	7.6	31.5	9.2	34.0	42.0	46.5	19.9	39.8	31.3	43.8	31.9	44.0	15.3	37.6	23.5	41.3
16	61.11	18.3	39.5	12.7	35.3	15.3	37.5	50.3	49.2	26.9	43	39.0	46.6	39.8	46.7	21.6	40.8	30.6	44.2
17	66.67	30.1	42.8	17.2	39.0	23.2	41.0	61.2	51.9	37.9	46.2	49.9	49.4	51.0	49.4	30.1	44.0	40.5	47.0
18	72.22	41.9	46.1	25.5	42.8	33.1	44.5	70.8	54.7	47.5	49.4	59.5	52.2	61.3	52.1	39.2	47.3	50.2	49.9
19	77.78	50.7	49.4	38.2	46.6	44.0	48.0	78.0	57.4	64.0	52.6	71.2	55.1	69.0	54.8	54.3	50.5	61.7	52.7
20	83.33	56.6	52.8	49.7	50.3	52.9	51.5	87.4	60.2	75.9	55.8	81.8	57.9	77.3	57.5	66.1	53.8	71.6	55.6
21	88.89	72.0	56.1	64.4	54.1	68.0	55.0	92.8	62.9	84.7	58.9	88.9	60.7	86.0	60.2	77.1	57.0	81.5	58.5
22	94.44	85.3	59.4	84.7	57.9	85.0	58.5	97.1	65.7	92.3	62.1	94.8	63.5	93.2	62.9	89.5	60.3	91.3	61.3
23	100.00	100.0	62.7	100.0	61.6	100.0	62.0	100.0	68.4	100.0	65.3	100.0	66.3	100.0	65.6	100.0	63.5	100.0	64.2

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ($M = 50$, $SD = 10$).

Table A7_D - 92: ES – Spain. Individual norm data for KIDSCREEN-27: Psychological Well-being

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=146)		Males (n=163)		All (n=309)		Females (n=278)		Males (n=268)		All (n=546)		Females (n=424)		Males (n=431)		All (n=855)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
7	0.00																		
8	3.57																		
9	7.14																		
10	10.71																		
11	14.29																		
12	17.86																		
13	21.43																		
14	25.00							0.8	21.0	0.6	9.4	0.6	16.9	0.5	17.9	0.4	6.8	0.4	13.5
15	28.57							1.3	23.1	0.6	12.0	0.8	19.1	0.8	20.0	0.4	9.5	0.5	15.9
16	32.14			1.0	5.7	0.5	7.4	1.9	25.2	0.6	14.5	1.2	21.3	1.3	22.2	0.6	12.1	0.8	18.2
17	35.71			1.0	8.7	0.5	10.2	2.9	27.3	1.0	17.1	1.8	23.6	1.9	24.3	0.8	14.8	1.3	20.5
18	39.29			1.0	11.6	0.5	13.1	5.0	29.3	1.3	19.7	3.1	25.8	3.3	26.5	1.1	17.4	2.1	22.9
19	42.86	1.6	17.2	1.6	14.6	1.3	15.9	6.2	31.4	1.3	22.3	3.7	28.0	4.5	28.6	1.3	20.1	2.8	25.2
20	46.43	1.6	20.0	1.6	17.5	1.3	18.8	9.4	33.5	2.0	24.8	5.7	30.3	6.6	30.8	1.7	22.7	4.1	27.5
21	50.00	2.4	22.7	1.6	20.5	1.8	21.6	12.6	35.6	3.7	27.4	8.3	32.5	9.0	32.9	2.8	25.4	5.8	29.9
22	53.57	4.8	25.5	2.2	23.4	3.2	24.5	14.1	37.7	6.0	30.0	10.1	34.7	10.9	35.1	4.4	28.1	7.6	32.2
23	57.14	6.9	28.2	2.8	26.3	4.5	27.3	18.0	39.7	7.5	32.5	12.8	37.0	14.2	37.2	5.6	30.7	9.8	34.6
24	60.71	8.4	31	4.9	29.3	6.4	30.2	22.7	41.8	9.7	35.1	16.3	39.2	17.7	39.4	7.9	33.4	12.8	36.9
25	64.29	9.2	33.8	7.4	32.2	8.1	33.0	27.1	43.9	14.2	37.7	20.7	41.4	20.8	41.5	11.6	36.0	16.2	39.2
26	67.86	11.6	36.6	9.3	35.2	10.3	35.9	32.8	46.0	19.4	40.3	26.2	43.6	25.5	43.7	15.5	38.7	20.5	41.6
27	71.43	15.0	39.3	13.5	38.1	14.2	38.7	42.5	48.0	25.7	42.8	34.2	45.9	33.0	45.8	21.1	41.3	27.0	43.9
28	75.00	20.4	42.1	21.4	41.0	21.0	41.6	51.5	50.1	29.9	45.4	40.9	48.1	40.8	48.0	26.7	44.0	33.7	46.2
29	78.57	26.6	44.9	27.0	44.0	26.8	44.4	58.0	52.2	41.0	48.0	49.7	50.3	47.2	50.1	35.7	46.6	41.4	48.6
30	82.14	35.4	47.6	36.2	46.9	35.8	47.3	65.2	54.3	53.4	50.5	59.4	52.6	54.9	52.3	46.9	49.3	50.9	50.9
31	85.71	49.1	50.4	48.5	49.9	48.8	50.1	71.3	56.3	61.6	53.1	66.5	54.8	63.7	54.4	56.6	52.0	60.1	53.2
32	89.29	63.6	53.2	57.6	52.8	60.4	53.0	79.9	58.4	69.8	55.7	74.9	57.0	74.3	56.6	65.2	54.6	69.7	55.6
33	92.86	74.6	55.9	73.6	55.7	74.1	55.8	87.0	60.5	82.5	58.3	84.8	59.3	82.8	58.7	79.2	57.3	80.9	57.9
34	96.43	84.2	58.7	85.3	58.7	84.8	58.7	96.4	62.6	91.8	60.8	94.1	61.5	92.2	60.9	89.3	59.9	90.8	60.3
35	100.00	100.0	61.5	100.0	61.6	100.0	61.5	100.0	64.7	100.0	63.4	100.0	63.7	100.0	63.0	100.0	62.6	100.0	62.6

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 93: ES – Spain. Individual norm data for KIDSCREEN-27: Parent Relations & Autonomy

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=138)		Males (n=158)		All (n=296)		Females (n=271)		Males (n=260)		All (n=531)		Females (n=409)		Males (n=418)		All (n=827)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
7	0.00																		
8	3.57																		
9	7.14																		
10	10.71																		
11	14.29																		
12	17.86																		
13	21.43							0.6	20.7	0.6	10.8	0.4	16.8	0.4	18.1	0.4	9.4	0.3	14.4
14	25.00							0.6	22.7	0.6	13.3	0.4	19.0	0.4	20.2	0.4	11.9	0.3	16.6
15	28.57							1.0	24.6	0.6	15.7	0.7	21.1	0.6	22.2	0.4	14.4	0.4	18.8
16	32.14							3.0	26.6	0.6	18.2	1.7	23.3	2.0	24.2	0.4	16.8	1.1	21.1
17	35.71			1.0	16.5	0.6	17.4	4.1	28.5	1.0	20.6	2.5	25.4	2.7	26.2	0.8	19.3	1.7	23.3
18	39.29	1.7	20.6	1.7	19.1	1.4	19.9	6.3	30.5	1.4	23.0	3.8	27.5	4.7	28.2	1.3	21.8	2.9	25.5
19	42.86	2.7	23.0	2.3	21.7	2.2	22.4	9.6	32.4	2.4	25.5	6.0	29.7	7.1	30.2	2.2	24.3	4.6	27.7
20	46.43	3.9	25.4	2.3	24.3	2.9	24.9	10.7	34.4	2.9	27.9	6.8	31.8	8.3	32.3	2.5	26.8	5.3	29.9
21	50.00	5.3	27.8	2.3	26.9	3.5	27.4	12.5	36.3	4.3	30.4	8.5	34.0	10.0	34.3	3.4	29.2	6.7	32.1
22	53.57	6.8	30.2	4.5	29.5	5.4	29.9	16.6	38.3	6.9	32.8	11.9	36.1	13.2	36.3	6.0	31.7	9.6	34.3
23	57.14	8.9	32.5	7.6	32.1	8.1	32.4	19.6	40.2	10.8	35.3	15.3	38.2	15.9	38.3	9.6	34.2	12.7	36.6
24	60.71	11.7	34.9	9.0	34.7	10.2	34.9	24.4	42.2	14.6	37.7	19.6	40.4	20.1	40.3	12.4	36.7	16.2	38.8
25	64.29	13.9	37.3	14.6	37.3	14.2	37.3	29.2	44.1	20.0	40.2	24.7	42.5	24.0	42.4	17.9	39.2	20.9	41.0
26	67.86	18.1	39.7	19.1	39.9	18.6	39.8	32.9	46.1	28.0	42.6	30.5	44.6	27.9	44.4	24.6	41.7	26.2	43.2
27	71.43	22.5	42.1	25.4	42.5	24.0	42.3	38.8	48.0	32.2	45.0	35.6	46.8	33.3	46.4	29.6	44.2	31.4	45.4
28	75.00	27.5	44.5	32.9	45.1	30.4	44.8	46.9	50.0	39.7	47.5	43.3	48.9	40.3	48.4	37.1	46.6	38.7	47.6
29	78.57	32.6	46.9	40.5	47.7	36.8	47.3	53.5	51.9	48.5	49.9	51.0	51.1	46.4	50.4	45.4	49.1	45.9	49.8
30	82.14	41.3	49.3	48.1	50.3	44.9	49.8	61.6	53.9	57.7	52.4	59.7	53.2	54.7	52.5	54.1	51.6	54.4	52.1
31	85.71	53.6	51.7	59.5	52.9	56.8	52.3	69.7	55.8	67.3	54.8	68.5	55.3	64.3	54.5	64.3	54.1	64.3	54.3
32	89.29	63.0	54.1	71.5	55.5	67.6	54.8	76.7	57.8	78.8	57.3	77.7	57.5	72.1	56.5	76.0	56.6	74.1	56.5
33	92.86	73.2	56.5	81.6	58.1	77.7	57.3	86.7	59.7	86.8	59.7	86.8	59.6	82.2	58.5	84.9	59.1	83.5	58.7
34	96.43	84.8	58.9	89.2	60.7	87.2	59.8	94.5	61.7	93.1	62.2	93.8	61.7	91.2	60.5	91.6	61.5	91.4	60.9
35	100.00	100.0	61.3	100.0	63.3	100.0	62.2	100.0	63.6	100.0	64.6	100.0	63.9	100.0	62.5	100.0	64.0	100.0	63.1

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 94: ES – Spain. Individual norm data for KIDSCREEN-27: Social Support & Peers

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=145)		Males (n=169)		All (n=314)		Females (n=278)		Males (n=268)		All (n=546)		Females (n=423)		Males (n=437)		All (n=860)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
4	0.00																		
5	6.25																		
6	12.50																		
7	18.75																		
8	25.00	1.1	5.5			0.5	5.5	0.6	10.5	0.9	11.2	0.6	10.9	0.4	8.1	0.5	8.1	0.4	8.1
9	31.25	1.1	10.0	0.9	9.8	0.8	10.0	0.9	14.4	1.3	15.0	1.0	14.7	0.8	12.1	0.8	12.1	0.7	12.1
10	37.50	1.8	14.5	0.9	14.4	1.1	14.5	1.8	18.2	1.7	18.9	1.7	18.6	1.5	16.1	1.2	16.2	1.3	16.1
11	43.75	1.8	19.0	1.9	19.0	1.7	19.1	2.6	22.1	2.4	22.7	2.4	22.4	2.2	20.1	1.7	20.2	1.9	20.2
12	50.00	2.5	23.5	5.4	23.6	3.8	23.6	3.3	25.9	3.8	26.6	3.5	26.3	2.7	24.1	3.0	24.3	2.8	24.2
13	56.25	5.6	28.0	6.3	28.2	5.8	28.2	5.7	29.8	5.6	30.4	5.7	30.1	4.5	28.1	5.5	28.3	5.0	28.2
14	62.50	10.5	32.5	7.8	32.8	9.0	32.7	10.0	33.6	9.4	34.3	9.7	34.0	8.5	32.1	8.1	32.4	8.3	32.3
15	68.75	13.3	37.0	13.6	37.4	13.4	37.2	13.6	37.5	15.0	38.1	14.3	37.8	12.5	36.1	12.2	36.4	12.4	36.3
16	75.00	20.2	41.5	19.5	42.0	19.8	41.8	21.9	41.3	22.4	41.9	22.2	41.6	19.0	40.1	19.0	40.5	19.0	40.3
17	81.25	33.1	46.0	37.9	46.6	35.7	46.3	31.6	45.2	36.6	45.8	34.1	45.5	27.7	44.1	30.0	44.5	28.9	44.3
18	87.50	53.1	50.5	56.3	51.2	54.8	50.9	44.2	49.0	48.9	49.6	46.5	49.3	40.4	48.1	44.6	48.6	42.6	48.4
19	93.75	71.0	55.0	76.9	55.8	74.2	55.4	60.8	52.9	63.8	53.5	62.3	53.2	58.2	52.1	60.9	52.6	59.5	52.4
20	100.00	100.0	59.5	100.0	60.4	100.0	59.9	78.4	56.7	79.8	57.3	79.1	57.0	75.9	56.1	78.7	56.7	77.3	56.4
								100.0	60.6	100.0	61.2	100.0	60.9	100.0	60.1	100.0	60.7	100.0	60.4

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 95: ES – Spain. Individual norm data for KIDSCREEN-27: School Environment

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=144)		Males (n=168)		All (n=312)		Females (n=274)		Males (n=263)		All (n=537)		Females (n=418)		Males (n=431)		All (n=849)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
4	0.00									0.6	17.0	0.3	15.9			0.4	14.3	0.2	13.0
5	6.25							0.6	17.7	1.0	20.1	0.6	19.0	0.4	14.6	0.6	17.4	0.4	16.1
6	12.50							1.2	20.9	2.0	23.2	1.5	22.1	0.8	17.8	1.2	20.5	0.9	19.3
7	18.75							1.7	24.1	2.5	26.3	1.9	25.3	1.1	21.0	1.5	23.5	1.2	22.4
8	25.00			0.9	16.5	0.5	13.3	2.3	27.3	4.2	29.4	3.2	28.4	1.5	24.2	2.8	26.6	2.1	25.5
9	31.25			0.9	20.3	0.5	17.3	4.0	30.4	6.4	32.5	5.2	31.5	2.6	27.4	4.2	29.7	3.4	28.7
10	37.50	1.1	16.7	3.0	24.0	1.9	21.2	7.7	33.6	10.2	35.6	8.9	34.6	5.3	30.7	7.4	32.8	6.3	31.8
11	43.75	2.3	21.1	4.3	27.7	3.2	25.2	12.8	36.8	14.8	38.7	13.8	37.8	9.1	33.9	10.7	35.9	9.9	35.0
12	50.00	3.2	25.4	7.1	31.4	5.1	29.2	21.6	39.9	23.6	41.8	22.6	40.9	15.1	37.1	17.2	39.0	16.1	38.1
13	56.25	4.3	29.8	12.5	35.1	8.6	33.1	31.8	43.1	34.3	44.9	33.0	44.0	22.3	40.3	25.8	42.1	24.1	41.3
14	62.50	13.1	34.2	16.6	38.9	15.0	37.1	39.1	46.3	47.2	48.0	43.1	47.1	30.2	43.5	35.3	45.2	32.7	44.4
15	68.75	18.7	38.6	23.7	42.6	21.4	41.0	49.3	49.4	58.6	51.1	53.9	50.3	38.8	46.8	45.0	48.3	41.9	47.5
16	75.00	27.0	43.0	39.7	46.3	33.8	45.0	62.4	52.6	68.9	54.2	65.6	53.4	50.2	50.0	57.5	51.3	53.9	50.7
17	81.25	40.8	47.4	52.8	50.0	47.3	48.9	70.5	55.8	79.9	57.3	75.1	56.5	60.3	53.2	69.3	54.4	64.9	53.8
18	87.50	57.5	51.8	65.3	53.7	61.7	52.9	84.7	59.0	88.3	60.4	86.4	59.6	75.3	56.4	79.3	57.5	77.4	57.0
19	93.75	72.8	56.2	74.3	57.5	73.6	56.9	93.8	62.1	93.9	63.5	93.9	62.8	86.6	59.7	86.3	60.6	86.4	60.1
20	100.00	100.0	60.6	100.0	61.2	100.0	60.8	100.0	65.3	100.0	66.6	100.0	65.9	100.0	62.9	100.0	63.7	100.0	63.3

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 96: ES – Spain. Individual norm data for KIDSCREEN-10 Index

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=132)		Males (n=146)		All (n=278)		Females (n=268)		Males (n=249)		All (n=517)		Females (n=400)		Males (n=395)		All (n=795)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
10	0.00																		
11	2.50																		
12	5.00																		
13	7.50																		
14	10.00																		
15	12.50																		
16	15.00																		
17	17.50																		
18	20.00																		
19	22.50																		
20	25.00							0.9	20.3			0.4	16.4	0.6	17.7			0.3	13.6
21	27.50							1.6	21.9			0.8	18.2	1.1	19.3			0.5	15.3
22	30.00							2.1	23.5			1.1	19.9	1.4	20.9			0.7	17.1
23	32.50							2.1	25.1	0.9	15.5	1.4	21.6	1.4	22.5	0.6	13.2	0.9	18.8
24	35.00							2.4	26.7	1.7	17.5	2.0	23.3	1.6	24.1	1.1	15.1	1.3	20.5
25	37.50							3.1	28.3	1.7	19.5	2.4	25.0	2.1	25.7	1.1	17.0	1.6	22.2
26	40.00							3.6	29.9	1.7	21.4	2.6	26.8	2.4	27.2	1.1	19.0	1.7	24.0
27	42.50							4.2	31.5	2.3	23.4	3.1	28.5	2.8	28.8	1.4	20.9	2.0	25.7
28	45.00	1.2	16.1			0.6	14.4	6.4	33.1	2.3	25.4	4.3	30.2	4.5	30.4	1.4	22.9	2.9	27.4
29	47.50	1.2	18.3	1.1	14.8	0.9	16.6	8.2	34.7	2.3	27.3	5.2	31.9	5.8	32.0	1.7	24.8	3.7	29.1
30	50.00	1.2	20.4	1.1	17.1	0.9	19.7	10.9	36.3	2.6	29.3	6.8	33.6	7.5	33.6	1.9	26.8	4.7	30.9
31	52.:50	1.2	22.6	1.1	19.5	0.9	22.0	13.8	37.9	4.5	31.2	9.3	35.3	9.5	35.2	3.1	28.7	6.3	32.6
32	55.00	1.2	24.7	1.1	21.8	0.9	24.2	18.3	39.5	8.1	33.2	13.4	37.1	12.5	36.8	5.4	30.7	9.0	34.3
33	57.50	1.9	26.9	2.2	24.1	1.8	25.5	19.9	41.1	9.0	35.2	14.6	38.8	13.8	38.4	6.4	32.6	10.1	36.1
34	60.00	3.9	29.0	3.1	26.4	3.2	27.7	23.2	42.7	11.7	37.1	17.7	40.5	16.8	40.0	8.4	34.6	12.6	37.8
35	62.50	6.9	31.2	4.9	28.7	5.8	30.0	31.0	44.3	15.3	39.1	23.4	42.2	23.1	41.6	11.4	36.5	17.3	39.5
36	65.00	9.2	33.3	6.3	31.0	7.6	32.2	37.3	45.9	17.7	41.0	27.9	43.9	28.0	43.2	13.4	38.5	20.8	41.2
37	67.50	13.6	35.5	9.0	33.4	11.1	34.4	41.5	47.5	23.7	43.0	32.9	45.7	32.3	44.8	18.2	40.4	25.3	43.0
38	70.00	16.7	37.6	12.4	35.7	14.4	36.7	45.6	49.1	30.9	45.0	38.5	47.4	36.0	46.4	24.1	42.4	30.1	44.7
39	72.50	20.4	39.8	15.1	38.0	17.6	38.9	50.0	50.7	38.6	46.9	44.5	49.1	40.3	48.0	29.9	44.3	35.1	46.4
40	75.00	23.5	41.9	17.2	40.3	20.1	41.1	56.4	52.:3	47.9	48.9	52.:3	50.8	45.5	49.6	36.5	46.3	41.0	48.1
41	77.50	25.8	44.1	21.9	42.6	23.7	43.4	65.3	53.9	55.9	50.8	60.8	52.:5	52.:2	51.2	43.3	48.2	47.8	49.9
42	80.00	30.3	46.2	33.5	45.0	32.0	45.6	72.3	55.5	62.2	52.:8	67.5	54.3	58.5	52.:8	51.6	50.2	55.1	51.6
43	82.50	41.8	48.4	35.6	47.3	38.5	47.8	76.8	57.1	68.6	54.8	72.9	56.0	65.3	54.4	56.4	52.:1	60.8	53.3
44	85.00	53.1	50.6	46.4	49.6	49.6	50.1	80.9	58.7	78.3	56.7	79.6	57.7	71.8	56.0	66.5	54.1	69.1	55.0
45	87.50	57.6	52.:7	56.0	51.9	56.8	52.:3	86.5	60.3	82.3	58.7	84.5	59.4	77.0	57.6	72.6	56.0	74.8	56.8
46	90.00	65.1	54.9	69.1	54.2	67.2	54.5	91.0	61.9	87.5	60.7	89.3	61.1	82.5	59.1	80.7	58.0	81.6	58.5
47	92.50	72.8	57.0	76.6	56.5	74.8	56.8	92.9	63.5	91.1	62.6	92.1	62.9	86.3	60.7	85.8	59.9	86.0	60.2
48	95.00	87.1	59.2	82.1	58.9	84.5	59.0	95.9	65.1	97.2	64.6	96.5	64.6	93.0	62.3	91.6	61.9	92.3	61.9
49	97.50	93.2	61.3	88.9	61.2	90.9	61.2	99.2	66.7	99.2	66.5	99.2	66.3	97.3	63.9	95.4	63.8	96.3	63.7
50	100.00	100.0	63.5	100.0	63.5	100.0	63.5	100.0	68.3	100.0	68.5	100.0	68.0	100.0	65.5	100.0	65.8	100.0	65.4

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 97: FR – France. Individual norm data for KIDSCREEN-52: Physical Well-being

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=180)		Males (n=190)		All (n=370)		Females (n=327)		Males (n=297)		All (n=624)		Females (n=507)		Males (n=487)		All (n=994)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00							0.5	20.3			0.3	18.8	0.3	18.8			0.2	17.3
6	5.56							1.0	23.2	0.5	18.8	0.7	21.7	0.7	21.6	0.3	17.4	0.4	20.1
7	11.11							1.4	26.0	1.1	21.7	1.1	24.5	0.9	24.4	0.7	20.3	0.7	22.9
8	16.67	1.3	22.0			0.6	20.9	2.8	28.9	2.3	24.6	2.5	27.3	2.2	27.3	1.4	23.2	1.8	25.7
9	22.22	2.0	25.0	1.2	22.0	1.4	23.8	4.9	31.7	3.7	27.5	4.3	30.1	3.7	30.1	2.6	26.0	3.2	28.5
10	27.78	3.0	28.1	3.2	25.0	3.0	26.8	8.2	34.6	6.0	30.4	7.1	33.0	6.3	32.9	4.9	28.9	5.6	31.3
11	33.33	4.0	31.1	4.8	28.0	4.3	29.8	13.4	37.4	8.4	33.3	11.0	35.8	10.0	35.8	6.9	31.8	8.5	34.1
12	38.89	8.3	34.1	5.9	31.0	7.0	32.8	20.1	40.3	12.4	36.2	16.5	38.6	15.9	38.6	9.8	34.6	12.9	36.9
13	44.44	15.0	37.2	9.9	34.0	12.4	35.7	31.4	43.2	17.1	39.1	24.6	41.4	25.6	41.4	14.3	37.5	20.1	39.7
14	50.00	22.2	40.2	14.6	37.0	18.3	38.7	39.0	46.0	21.6	42.0	30.8	44.2	33.1	44.2	18.9	40.4	26.1	42.5
15	55.56	28.4	43.3	19.4	40.0	23.7	41.7	51.6	48.9	30.3	44.9	41.5	47.1	43.3	47.1	26.0	43.2	34.9	45.3
16	61.11	40.0	46.3	26.2	43.0	32.9	44.7	61.4	51.7	41.4	47.8	51.9	49.9	53.8	49.9	35.5	46.1	44.8	48.1
17	66.67	47.7	49.3	33.6	46.0	40.5	47.7	70.6	54.6	57.2	50.7	64.2	52.7	62.5	52.7	48.0	49.0	55.4	50.9
18	72.22	65.6	52.4	44.1	49.0	54.5	50.6	78.9	57.4	67.7	53.6	73.6	55.5	74.1	55.5	58.5	51.8	66.5	53.7
19	77.78	74.5	55.4	58.4	52.0	66.2	53.6	85.9	60.3	79.1	56.5	82.7	58.4	81.9	58.4	71.0	54.7	76.5	56.5
20	83.33	81.7	58.5	72.7	55.0	77.0	56.6	93.6	63.1	86.5	59.4	90.2	61.2	89.4	61.2	81.1	57.6	85.3	59.3
21	88.89	90.0	61.5	81.1	58.0	85.4	59.6	96.3	66.0	92.6	62.3	94.6	64.0	94.1	64.0	88.1	60.4	91.1	62.1
22	94.44	95.5	64.5	92.1	61.1	93.8	62.6	99.4	68.9	97.3	65.2	98.4	66.8	98.0	66.8	95.3	63.3	96.7	64.8
23	100.00	100.0	67.6	100.0	64.1	100.0	65.5	100.0	71.7	100.0	68.1	100.0	69.6	100.0	69.7	100.0	66.2	100.0	67.6

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ($M = 50$, $SD = 10$).

Table A7_D - 98: FR – France. Individual norm data for KIDSCREEN-52: Psychological Well-being

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=193)		Males (n=194)		All (n=387)		Females (n=340)		Males (n=305)		All (n=645)		Females (n=533)		Males (n=499)		All (n=1032)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00																		
7	4.17	0.8	2.7			0.4	0.9							0.3	12.6			0.2	11.4
8	8.33	0.8	5.3			0.4	3.6							0.3	14.9			0.2	13.8
9	12.50	0.8	8.0			0.4	6.3			1.0	18.0	0.5	19.1	0.3	17.1	0.6	14.8	0.4	16.1
10	16.67	0.8	10.7			0.4	9.1	0.7	22.1	1.0	20.3	0.8	21.3	0.6	19.4	0.6	17.2	0.6	18.4
11	20.83	0.8	13.3			0.4	11.8	1.5	24.3	1.0	22.6	1.3	23.5	1.1	21.7	0.6	19.5	0.9	20.7
12	25.00	0.8	16.0	0.8	12.8	0.7	14.5	3.0	26.5	1.0	24.9	2.0	25.8	2.1	23.9	0.9	21.9	1.5	23.0
13	29.17	0.8	18.7	0.8	15.6	0.7	17.3	3.0	28.7	1.7	27.2	2.4	28.0	2.1	26.2	1.3	24.3	1.7	25.3
14	33.33	0.8	21.3	1.3	18.4	0.9	20.0	3.8	30.9	4.6	29.5	4.2	30.2	2.6	28.5	3.2	26.7	2.9	27.7
15	37.50	0.8	24.0	1.8	21.3	1.2	22.7	7.6	33.0	5.6	31.8	6.7	32.5	5.1	30.7	4.0	29.1	4.5	30.0
16	41.67	1.7	26.7	2.3	24.1	1.8	25.5	10.9	35.2	8.9	34.1	9.9	34.7	7.5	33.0	6.2	31.5	6.9	32.3
17	45.83	3.7	29.3	3.2	26.9	3.4	28.2	14.4	37.4	12.2	36.4	13.3	37.0	10.5	35.3	8.6	33.8	9.6	34.6
18	50.00	6.2	32.0	4.7	29.7	5.4	30.9	18.8	39.6	15.5	38.7	17.2	39.2	14.2	37.5	11.3	36.2	12.8	36.9
19	54.17	8.3	34.6	6.8	32.5	7.5	33.7	23.2	41.8	21.7	41.0	22.5	41.4	17.8	39.8	15.9	38.6	16.9	39.2
20	58.33	14.0	37.3	9.8	35.4	11.9	36.4	28.5	44.0	26.6	43.3	27.6	43.7	23.2	42.1	20.1	41.0	21.7	41.6
21	62.50	18.1	40.0	13.4	38.2	15.8	39.1	36.7	46.1	33.8	45.6	35.3	45.9	30.0	44.3	25.9	43.4	28.0	43.9
22	66.67	26.9	42.6	22.2	41.0	24.5	41.9	44.1	48.3	44.0	47.9	44.1	48.1	37.9	46.6	35.5	45.7	36.7	46.2
23	70.83	36.2	45.3	28.4	43.8	32.3	44.6	49.4	50.5	51.2	50.2	50.3	50.4	44.7	48.9	42.3	48.1	43.5	48.5
24	75.00	42.5	47.9	39.7	46.7	41.1	47.3	61.4	52.7	61.7	52.5	61.6	52.6	54.6	51.1	53.1	50.5	53.9	50.8
25	79.17	51.3	50.6	51.1	49.5	51.2	50.1	71.7	54.9	70.2	54.8	71.0	54.8	64.3	53.4	62.8	52.9	63.6	53.2
26	83.33	63.2	53.3	57.7	52.3	60.5	52.8	78.0	57.1	79.0	57.1	78.5	57.1	72.6	55.7	70.7	55.3	71.7	55.5
27	87.50	73.1	55.9	69.0	55.1	71.1	55.5	83.9	59.2	84.3	59.4	84.1	59.3	80.0	57.9	78.4	57.6	79.2	57.8
28	91.67	81.9	58.6	79.8	57.9	80.9	58.2	87.4	61.4	90.8	61.7	89.0	61.6	85.4	60.2	86.5	60.0	86.0	60.1
29	95.83	90.7	61.3	90.1	60.8	90.4	61.0	93.8	63.6	94.1	64.0	94.0	63.8	92.7	62.5	92.5	62.4	92.6	62.4
30	100.00	100.0	63.9	100.0	63.6	100.0	63.7	100.0	65.8	100.0	66.4	100.0	66.0	100.0	64.8	100.0	64.8	100.0	64.7

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 99: FR – France. Individual norm data for KIDSCREEN-52: Moods & Emotions

Raw- Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=189)		Males (n=195)		All (n=384)		Females (n=340)		Males (n=306)		All (n=646)		Females (n=52:9)		Males (n=501)		All (n=1030)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
7	0.00																		
8	3.57																		
9	7.14																		
10	10.71																		
11	14.29																		
12	17.86																		
13	21.43							0.5	12.8			0.2	8.1	0.3	7.0			0.2	2.0
14	25.00							1.0	15.0			0.5	10.5	0.6	9.4			0.3	4.7
15	28.57							1.6	17.2			0.8	12.9	1.0	11.9			0.5	7.4
16	32.14							2.1	19.4			1.1	15.3	1.4	14.3			0.7	10.0
17	35.71							2.5	21.7	0.5	10.6	1.4	17.7	1.6	16.8	0.3	6.2	0.9	12.7
18	39.29							3.6	23.9	0.8	13.4	2.2	20.1	2.3	19.2	0.5	9.2	1.4	15.4
19	42.86							5.0	26.1	1.4	16.2	3.3	22.5	3.2	21.7	0.9	12.2	2.0	18.0
20	46.43							5.7	28.3	1.4	19.0	3.6	24.9	3.7	24.1	0.9	15.3	2.3	20.7
21	50.00	0.9	8.5			0.4	8.9	7.4	30.5	2.7	21.8	5.1	27.4	4.9	26.6	1.6	18.3	3.3	23.4
22	53.57	1.8	12.3			0.9	12.6	9.1	32.8	3.4	24.6	6.4	29.8	6.4	29.0	2.1	21.3	4.3	26.0
23	57.14	1.8	16.1	0.8	16.5	1.2	16.3	10.6	35.0	4.6	27.4	7.7	32.2	7.4	31.5	3.0	24.4	5.2	28.7
24	60.71	2.4	19.9	2.2	20.2	2.1	20.1	12.7	37.2	7.8	30.2	10.4	34.6	8.9	33.9	5.6	27.4	7.3	31.4
25	64.29	2.9	23.7	3.3	23.9	2.9	23.8	15.0	39.4	8.6	33.0	11.9	37.0	10.6	36.4	6.4	30.4	8.6	34.0
26	67.86	4.3	27.4	4.3	27.6	4.2	27.5	18.5	41.6	11.1	35.8	15.0	39.4	13.4	38.8	8.4	33.5	11.0	36.7
27	71.43	6.4	31.2	7.8	31.3	7.1	31.3	21.8	43.8	14.7	38.6	18.4	41.8	16.2	41.3	12.0	36.5	14.2	39.3
28	75.00	8.5	35.0	12.4	35.0	10.5	35.0	27.9	46.1	18.3	41.4	23.4	44.2	20.9	43.7	16.0	39.5	18.6	42.0
29	78.57	16.5	38.8	17.1	38.7	16.8	38.8	35.0	48.3	25.2	44.2	30.3	46.6	28.4	46.2	22.0	42.5	25.3	44.7
30	82.14	22.2	42.6	23.7	42.4	23.0	42.5	43.8	50.5	35.3	47.0	39.8	49.0	36.1	48.6	30.8	45.6	33.5	47.3
31	85.71	36.0	46.4	35.9	46.1	36.0	46.2	55.8	52.7	43.8	49.8	50.1	51.5	48.7	51.1	40.8	48.6	44.9	50.0
32	89.29	49.8	50.2	48.2	49.8	49.0	50.0	69.7	54.9	55.5	52.6	63.0	53.9	62.6	53.5	52.7	51.6	57.8	52.7
33	92.86	69.4	53.9	60.0	53.5	64.6	53.7	82.9	57.2	70.6	55.4	77.1	56.3	78.1	56.0	66.5	54.7	72.4	55.3
34	96.43	84.1	57.7	81.5	57.2	82.8	57.5	92.0	59.4	86.9	58.1	89.6	58.7	89.2	58.4	84.8	57.7	87.1	58.0
35	100.00	100.0	61.5	100.0	60.9	100.0	61.2	100.0	61.6	100.0	60.9	100.0	61.1	100.0	60.9	100.0	60.7	100.0	60.7

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7_D - 100: FR – France. Individual norm data for KIDSCREEN-52: Self Perception

Raw- Score	0-100 Score	Females (n=191)		Children 8-11 Males (n=190)		All (n=381)		Females (n=338)		Adolescents 12-18 Males (n=303)		All (n=641)		Females (n=52:9)		Children & Adolescents 8-18 Males (n=493)		All (n=1022)		
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	
5	0.00																			
6	5.00							0.5	22.2			0.2	18.6	0.3	18.9			0.2	14.8	
7	10.00							1.0	24.6			0.5	21.1	0.6	21.4			0.3	17.4	
8	15.00							1.8	27.0			1.0	23.6	1.2	23.8			0.6	20.0	
9	20.00			0.8	4.7	0.4	7.3	3.6	29.4			1.9	26.1	2.3	26.2	0.3	15.8	1.3	22.6	
10	25.00	1.2	12.7	0.8	8.3	0.8	10.8	5.3	31.8	0.8	22.0	3.1	28.6	3.8	28.6	0.7	18.8	2.2	25.1	
11	30.00	1.8	16.1	0.8	11.9	1.2	14.3	8.3	34.2	2.3	24.9	5.5	31.1	5.9	31.1	1.6	21.7	3.8	27.7	
12	35.00	1.8	19.5	0.8	15.5	1.2	17.8	13.4	36.7	4.0	27.7	8.9	33.6	9.1	33.5	2.6	24.7	6.0	30.3	
13	40.00	2.4	22.8	2.6	19.1	2.3	21.2	18.1	39.1	5.6	30.6	12.2	36.1	12.3	35.9	4.4	27.7	8.5	32.9	
14	45.00	2.8	26.2	3.4	22.7	2.9	24.7	26.1	41.5	9.9	33.4	18.5	38.5	17.6	38.4	7.3	30.7	12.6	35.5	
15	50.00	5.2	29.6	4.8	26.3	5.0	28.1	32.6	43.9	11.9	36.3	22.8	41.0	22.7	40.8	9.1	33.6	16.2	38.1	
16	55.00	8.9	33.0	4.8	29.9	6.8	31.6	36.1	46.3	15.8	39.1	26.5	43.5	26.3	43.2	11.6	36.6	19.2	40.7	
17	60.00	9.7	36.4	7.3	33.5	8.4	35.1	45.3	48.7	22.8	42.0	34.7	46.0	32.3	45.7	16.8	39.6	24.9	43.3	
18	65.00	15.2	39.8	10.0	37.1	12.6	38.6	57.1	51.2	32.3	44.8	45.4	48.5	42.0	48.1	23.7	42.6	33.2	45.8	
19	70.00	25.2	43.2	15.2	40.7	20.2	42.0	66.3	53.6	42.5	47.7	55.1	51.0	51.5	50.5	32.0	45.5	42.1	48.4	
20	75.00	40.9	46.6	29.5	44.3	35.2	45.5	72.5	56.0	56.1	50.5	64.8	53.5	61.1	53.0	45.8	48.5	53.8	51.0	
21	80.00	52.4	50.0	43.7	47.9	48.1	49.0	82.5	58.4	66.0	53.4	74.7	56.0	71.7	55.4	57.4	51.5	64.8	53.6	
22	85.00	64.9	53.4	57.5	51.5	61.2	52.4	87.5	60.8	73.5	56.2	80.9	58.5	79.4	57.8	67.3	54.5	73.6	56.2	
23	90.00	78.0	56.8	74.7	55.1	76.4	55.9	93.2	63.2	83.9	59.1	88.8	60.9	87.7	60.3	80.4	57.4	84.2	58.8	
24	95.00	90.0	60.1	85.3	58.7	87.7	59.4	97.1	65.7	91.5	62.0	94.4	63.4	94.5	62.7	89.1	60.4	91.9	61.4	
25	100.00	100.0	63.5	100.0	62.3	100.0	62.8	100.0	68.1	100.0	64.8	100.0	65.9	100.0	65.1	100.0	63.4	100.0	63.9	

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 101: FR – France. Individual norm data for KIDSCREEN-52: Autonomy

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=196)		Males (n=194)		All (n=390)		Females (n=340)		Males (n=306)		All (n=646)		Females (n=536)		Males (n=500)		All (n=1036)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00																		
6	5.00							0.5	25.4			0.2	24.0	0.3	24.4			0.2	22.8
7	10.00							1.2	27.5			0.6	26.2	0.8	26.6			0.4	25.1
8	15.00	1.2	26.8			0.6	25.1	2.7	29.7	0.5	26.7	1.6	28.4	2.1	28.8	0.3	25.4	1.2	27.3
9	20.00	4.1	29.1	1.2	25.3	2.6	27.4	4.7	31.9	2.3	29.0	3.6	30.6	4.5	31.0	1.8	27.7	3.2	29.6
10	25.00	5.7	31.4	2.2	27.8	3.9	29.8	8.2	34.1	4.3	31.2	6.3	32.8	7.3	33.2	3.4	30.1	5.4	31.8
11	30.00	7.7	33.6	3.7	30.3	5.7	32.1	13.0	36.2	7.8	33.5	10.5	35.1	11.0	35.4	6.2	32.4	8.7	34.1
12	35.00	13.8	35.9	8.2	32.8	11.0	34.5	17.7	38.4	11.7	35.8	14.9	37.3	16.3	37.6	10.4	34.7	13.4	36.3
13	40.00	20.4	38.1	14.4	35.2	17.4	36.8	23.9	40.6	16.6	38.1	20.4	39.5	22.6	39.8	15.7	37.1	19.3	38.6
14	45.00	23.5	40.4	16.5	37.7	20.0	39.2	29.8	42.7	22.5	40.3	26.3	41.7	27.5	42.0	20.1	39.4	23.9	40.8
15	50.00	27.0	42.7	19.1	40.2	23.1	41.5	34.2	44.9	28.6	42.6	31.5	43.9	31.6	44.2	24.9	41.8	28.4	43.1
16	55.00	30.6	44.9	25.8	42.7	28.2	43.9	40.9	47.1	35.2	44.9	38.2	46.1	37.1	46.3	31.5	44.1	34.4	45.3
17	60.00	37.3	47.2	33.5	45.2	35.4	46.3	47.7	49.3	44.3	47.2	46.1	48.3	43.9	48.5	40.1	46.4	42.1	47.6
18	65.00	45.5	49.5	41.8	47.6	43.6	48.6	56.6	51.4	49.3	49.4	53.1	50.5	52.5	50.7	46.4	48.8	49.5	49.8
19	70.00	57.7	51.7	53.1	50.1	55.4	51.0	63.6	53.6	56.4	51.7	60.2	52.7	61.4	52.9	55.1	51.1	58.4	52.1
20	75.00	66.9	54.0	62.9	52.6	64.9	53.3	71.8	55.8	65.3	54.0	68.7	54.9	70.0	55.1	64.3	53.5	67.3	54.3
21	80.00	73.6	56.3	70.1	55.1	71.8	55.7	79.2	58.0	71.9	56.3	75.7	57.1	77.1	57.3	71.2	55.8	74.2	56.6
22	85.00	82.3	58.5	76.8	57.5	79.5	58.0	86.5	60.1	79.7	58.5	83.3	59.3	85.0	59.5	78.6	58.1	81.9	58.8
23	90.00	87.3	60.8	84.5	60.0	85.9	60.4	90.3	62.3	86.2	60.8	88.4	61.5	89.2	61.7	85.6	60.5	87.4	61.1
24	95.00	93.3	63.1	91.2	62.5	92.3	62.7	93.8	64.5	91.2	63.1	92.6	63.8	93.6	63.9	91.2	62.8	92.4	63.3
25	100.00	100.0	65.3	100.0	65.0	100.0	65.1	100.0	66.7	100.0	65.4	100.0	66.0	100.0	66.1	100.0	65.2	100.0	65.6

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ($M = 50$, $SD = 10$).

Table A7_D - 102: FR – France. Individual norm data for KIDSCREEN-52: Parent Relations & Home Life

Raw- Score	0-100 Score	Females (n=190)		Children 8-11 Males (n=184)		All (n=374)		Females (n=335)		Adolescents 12-18 Males (n=298)		All (n=633)		Females (n=52:5)		Children & Adolescents 8-18 Males (n=482)		All (n=1007)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00																		
7	4.17							0.5	22.4			0.2	20.8	0.3	19.5			0.2	17.9
8	8.33							0.5	24.3	0.5	20.7	0.4	22.7	0.3	21.5	0.3	17.8	0.3	19.9
9	12.50							1.2	26.1	0.9	22.7	0.9	24.7	0.8	23.4	0.5	19.8	0.6	21.9
10	16.67							2.4	28.0	1.7	24.7	2.1	26.6	1.5	25.3	1.1	21.9	1.3	23.8
11	20.83	0.8	18.5			0.4	17.6	3.9	29.9	2.4	26.7	3.2	28.5	2.7	27.2	1.5	24.0	2.1	25.8
12	25.00	1.3	20.8	1.3	18.9	1.1	19.9	5.1	31.7	3.4	28.7	4.3	30.4	3.6	29.2	2.5	26.1	3.1	27.8
13	29.17	1.9	23.1	2.0	21.3	1.7	22.3	8.4	33.6	5.0	30.7	6.8	32.4	5.9	31.1	3.7	28.2	4.9	29.8
14	33.33	1.9	25.4	2.0	23.8	1.7	24.7	11.3	35.5	7.7	32.7	9.6	34.3	7.8	33.0	5.4	30.3	6.6	31.8
15	37.50	4.3	27.7	2.5	26.2	3.2	27.0	14.9	37.3	9.0	34.7	12.2	36.2	11.1	35.0	6.4	32.4	8.8	33.8
16	41.67	5.9	30.0	3.9	28.6	4.8	29.4	20.0	39.2	12.4	36.7	16.4	38.1	14.9	36.9	9.1	34.5	12.1	35.8
17	45.83	8.0	32.4	5.5	31.0	6.7	31.7	24.2	41.1	15.7	38.7	20.2	40.1	18.3	38.8	11.8	36.5	15.2	37.8
18	50.00	10.6	34.7	7.2	33.5	8.9	34.1	28.7	43.0	20.8	40.7	25.0	42.0	22.1	40.7	15.6	38.6	19.0	39.8
19	54.17	14.8	37.0	9.9	35.9	12.3	36.5	32.2	44.8	26.1	42.8	29.4	43.9	25.9	42.7	19.9	40.7	23.0	41.8
20	58.33	18.4	39.3	13.7	38.3	16.1	38.8	36.1	46.7	31.8	44.8	34.1	45.8	29.7	44.6	24.9	42.8	27.4	43.8
21	62.50	22.6	41.6	21.3	40.7	22.0	41.2	42.0	48.6	37.9	46.8	40.1	47.8	35.0	46.5	31.6	44.9	33.4	45.8
22	66.67	27.9	43.9	29.4	43.2	28.6	43.6	48.3	50.4	45.6	48.8	47.0	49.7	40.9	48.5	39.4	47.0	40.2	47.8
23	70.83	34.7	46.2	38.6	45.6	36.6	45.9	56.7	52:3	54.7	50.8	55.7	51.6	48.7	50.4	48.5	49.1	48.6	49.8
24	75.00	40.9	48.6	45.6	48.0	43.2	48.3	67.2	54.2	60.8	52:8	64.1	53.5	57.7	52:3	55.0	51.1	56.4	51.8
25	79.17	48.9	50.9	50.5	50.5	49.7	50.7	72.8	56.0	68.1	54.8	70.6	55.5	64.2	54.2	61.4	53.2	62.8	53.8
26	83.33	62.0	53.2	59.2	52:9	60.6	53.0	78.8	57.9	74.8	56.8	76.9	57.4	72.7	56.2	68.9	55.3	70.9	55.8
27	87.50	68.4	55.5	66.8	55.3	67.6	55.4	83.6	59.8	81.5	58.8	82.6	59.3	78.1	58.1	75.9	57.4	77.0	57.8
28	91.67	78.4	57.8	72.8	57.7	75.6	57.8	90.2	61.7	86.2	60.8	88.3	61.2	85.9	60.0	81.1	59.5	83.6	59.7
29	95.83	87.9	60.1	88.0	60.2	88.0	60.1	93.7	63.5	91.9	62.8	92.9	63.2	91.6	61.9	90.4	61.6	91.1	61.7
30	100.00	100.0	62.4	100.0	62.6	100.0	62.5	100.0	65.4	100.0	64.8	100.0	65.1	100.0	63.9	100.0	63.7	100.0	63.7

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 103: FR – France. Individual norm data for KIDSCREEN-52: Social Support & Peers

Raw- Score	0-100 Score	Females (n=187)		Children 8-11 Males (n=179)		All (n=366)		Females (n=334)		Adolescents 12-18 Males (n=300)		All (n=634)		Females (n=52:1)		Children & Adolescents 8-18 Males (n=479)		All (n=1000)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00	1.2	22.7			0.6	21.1	0.7	21.8	0.8	23.4	0.6	22.7	0.8	22.1	0.5	22.1	0.6	22.2
7	4.17	1.9	24.5			1.0	23.0	1.3	23.5	1.4	25.3	1.3	24.5	1.4	23.9	0.9	24.0	1.1	24.0
8	8.33	2.5	26.3			1.3	24.8	2.1	25.3	2.4	27.1	2.2	26.3	2.1	25.7	1.5	25.8	1.8	25.8
9	12.50	3.3	28.1	1.3	25.0	2.2	26.7	2.8	27.1	3.4	28.9	3.0	28.1	2.9	27.5	2.5	27.7	2.7	27.6
10	16.67	4.0	29.9	1.3	26.9	2.6	28.6	4.2	28.9	4.1	30.7	4.1	29.9	4.0	29.3	3.0	29.5	3.5	29.4
11	20.83	5.0	31.7	3.4	28.8	4.1	30.4	6.0	30.7	6.3	32.6	6.1	31.7	5.6	31.1	5.2	31.4	5.4	31.3
12	25.00	6.1	33.5	4.6	30.8	5.2	32.3	7.5	32.5	9.3	34.4	8.4	33.5	6.9	32.9	7.5	33.2	7.2	33.1
13	29.17	8.6	35.3	6.2	32.7	7.4	34.1	8.8	34.3	11.0	36.2	9.8	35.3	8.7	34.7	9.2	35.1	8.9	34.9
14	33.33	11.7	37.1	10.6	34.6	11.1	36.0	11.1	36.1	14.6	38.1	12.8	37.1	11.3	36.5	13.1	36.9	12.2	36.7
15	37.50	15.5	38.9	12.8	36.6	14.2	37.8	13.8	37.9	18.6	39.9	16.1	38.9	14.4	38.3	16.5	38.8	15.4	38.5
16	41.67	19.8	40.6	17.9	38.5	18.8	39.7	18.0	39.7	24.0	41.7	20.9	40.7	18.7	40.0	21.7	40.6	20.1	40.3
17	45.83	27.3	42.4	21.2	40.5	24.3	41.5	22.2	41.5	29.3	43.5	25.6	42.5	24.1	41.8	26.3	42.5	25.1	42.2
18	50.00	35.3	44.2	25.1	42.4	30.3	43.4	26.7	43.3	34.0	45.4	30.1	44.3	29.8	43.6	30.7	44.3	30.2	44.0
19	54.17	40.6	46.0	31.2	44.3	36.0	45.2	31.5	45.1	40.3	47.2	35.7	46.1	34.8	45.4	36.9	46.2	35.8	45.8
20	58.33	42.3	47.8	35.7	46.3	39.0	47.1	38.7	46.9	45.7	49.0	42.0	47.9	40.0	47.2	41.9	48.1	40.9	47.6
21	62.50	49.7	49.6	43.0	48.2	46.4	49.0	42.0	48.7	52.3	50.9	46.9	49.7	44.8	49.0	48.8	49.9	46.7	49.4
22	66.67	53.4	51.4	50.8	50.1	52.1	50.8	50.1	50.5	61.4	52.7	55.4	51.5	51.3	50.8	57.4	51.8	54.2	51.2
23	70.83	60.3	53.2	59.7	52.1	60.0	52.7	58.1	52.2	68.0	54.5	62.8	53.3	58.9	52.6	64.9	53.6	61.8	53.1
24	75.00	68.4	55.0	65.9	54.0	67.2	54.5	64.7	54.0	75.7	56.4	69.9	55.1	66.0	54.4	72.0	55.5	68.9	54.9
25	79.17	74.8	56.8	72.0	56.0	73.4	56.4	71.6	55.8	81.0	58.2	76.1	56.9	72.8	56.2	77.7	57.3	75.1	56.7
26	83.33	78.6	58.6	77.0	57.9	77.8	58.2	77.9	57.6	86.4	60.0	81.9	58.7	78.1	58.0	82.9	59.2	80.4	58.5
27	87.50	85.0	60.4	83.2	59.8	84.1	60.1	82.1	59.4	89.0	61.8	85.4	60.5	83.1	59.8	86.9	61.0	84.9	60.3
28	91.67	91.4	62.2	89.9	61.8	90.7	61.9	89.5	61.2	92.4	63.7	90.9	62.3	90.2	61.5	91.5	62.9	90.8	62.1
29	95.83	94.7	64.0	93.3	63.7	94.0	63.8	94.0	63.0	96.0	65.5	94.9	64.1	94.2	63.3	95.0	64.7	94.6	64.0
30	100.00	100.0	65.8	100.0	65.6	100.0	65.6	100.0	64.8	100.0	67.3	100.0	65.9	100.0	65.1	100.0	66.6	100.0	65.8

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7_D - 104: FR – France. Individual norm data for KIDSCREEN-52: School Environment

Raw- Score	0-100 Score	Females (n=191)		Children 8-11 Males (n=194)		All (n=385)		Females (n=335)		Adolescents 12-18 Males (n=297)		All (n=632)		Females (n=52:6)		Children & Adolescents 8-18 Males (n=491)		All (n=1017)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00									0.6	21.9	0.3	21.0			0.3	21.2	0.2	20.1
7	4.17							0.5	22.3	0.9	24.0	0.5	23.1	0.3	21.0	0.5	23.1	0.3	22.1
8	8.33							1.0	24.4	2.1	26.1	1.4	25.3	0.6	23.0	1.3	25.0	0.9	24.1
9	12.50							1.4	26.6	2.6	28.2	1.8	27.4	0.9	25.1	1.6	27.0	1.1	26.0
10	16.67							3.0	28.8	4.7	30.3	3.8	29.5	1.9	27.1	2.9	28.9	2.4	28.0
11	20.83			1.2	25.4	0.6	23.0	4.8	30.9	6.1	32.3	5.4	31.6	3.1	29.1	4.1	30.8	3.5	30.0
12	25.00	1.2	22.0	2.7	27.4	1.9	25.1	7.5	33.1	8.4	34.4	7.9	33.7	5.2	31.1	6.1	32.8	5.6	32.0
13	29.17	1.2	24.3	3.8	29.5	2.4	27.3	10.8	35.3	9.8	36.5	10.3	35.9	7.3	33.1	7.3	34.7	7.3	33.9
14	33.33	1.9	26.6	5.7	31.5	3.7	29.4	13.7	37.4	14.4	38.6	14.1	38.0	9.3	35.1	11.0	36.6	10.1	35.9
15	37.50	3.7	29.0	8.8	33.5	6.3	31.6	19.4	39.6	19.5	40.7	19.4	40.1	13.7	37.2	15.3	38.6	14.4	37.9
16	41.67	6.8	31.3	12.4	35.5	9.6	33.7	24.2	41.7	25.9	42.8	25.0	42.2	17.9	39.2	20.6	40.5	19.2	39.8
17	45.83	8.5	33.6	15.0	37.6	11.7	35.8	29.2	43.9	31.0	44.9	30.1	44.4	21.7	41.2	24.7	42.4	23.1	41.8
18	50.00	11.0	35.9	17.6	39.6	14.3	38.0	36.7	46.1	40.4	46.9	38.4	46.5	27.4	43.2	31.3	44.4	29.3	43.8
19	54.17	18.3	38.2	24.3	41.6	21.3	40.1	44.8	48.2	49.8	49.0	47.1	48.6	35.1	45.2	39.7	46.3	37.3	45.8
20	58.33	22.5	40.6	30.9	43.6	26.7	42.3	53.1	50.4	58.2	51.1	55.5	50.7	42.0	47.2	47.4	48.2	44.6	47.7
21	62.50	28.7	42.9	37.0	45.7	32.9	44.4	59.4	52.5	67.3	53.2	63.1	52.9	48.3	49.3	55.3	50.2	51.7	49.7
22	66.67	32.4	45.2	41.7	47.7	37.1	46.6	68.7	54.7	74.7	55.3	71.5	55.0	55.5	51.3	61.6	52.1	58.4	51.7
23	70.83	39.2	47.5	48.4	49.7	43.9	48.7	78.5	56.9	81.1	57.4	79.7	57.1	64.2	53.3	68.1	54.0	66.1	53.7
24	75.00	46.5	49.8	53.6	51.7	50.1	50.8	84.2	59.0	86.1	59.5	85.1	59.2	70.5	55.3	73.3	56.0	71.8	55.6
25	79.17	56.5	52.2	62.9	53.8	59.7	53.0	89.6	61.2	88.8	61.6	89.2	61.3	77.6	57.3	78.6	57.9	78.0	57.6
26	83.33	65.9	54.5	69.6	55.8	67.8	55.1	93.5	63.3	91.6	63.6	92.6	63.5	83.5	59.4	82.9	59.8	83.2	59.6
27	87.50	73.8	56.8	73.7	57.8	73.8	57.3	96.4	65.5	95.6	65.7	96.0	65.6	88.2	61.4	86.9	61.7	87.6	61.5
28	91.67	83.8	59.1	83.0	59.8	83.4	59.4	98.2	67.7	96.6	67.8	97.5	67.7	93.0	63.4	91.2	63.7	92.1	63.5
29	95.83	91.1	61.4	92.3	61.8	91.7	61.6	100.0	69.8	98.0	69.9	99.1	69.8	96.8	65.4	95.7	65.6	96.3	65.5
30	100.00	100.0	63.8	100.0	63.9	100.0	63.7	100.0		100.0	72.0	100.0	72.0	100.0	67.4	100.0	67.5	100.0	67.5

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7_D - 105: FR – France. Individual norm data for KIDSCREEN-52: Social Acceptance

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=196)		Males (n=194)		All (n=390)		Females (n=339)		Males (n=302)		All (n=641)		Females (n=535)		Males (n=496)		All (n=1031)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
3	0.00									0.8	-21.6	0.4	-24.0			0.5	-21.5	0.2	-23.2
4	8.33									0.8	-15.1	0.4	-17.3			0.5	15.0	0.2	-16.5
5	16.67									0.8	-8.7	0.4	-10.6			0.5	-8.4	0.2	-9.8
6	25.00	0.8	-2.8			0.4	-2.5			0.8	-2.2	0.4	-3.8	0.3	-4.5	0.5	-1.9	0.3	-3.1
7	33.33	1.3	4.0			0.7	4.2	0.9	1.1	1.2	4.3	0.9	2.9	1.0	2.4	0.7	4.7	0.8	3.6
8	41.67	2.2	10.7	0.8	11.0	1.3	11.0	1.6	8.1	1.7	10.8	1.6	9.6	1.7	9.2	1.2	11.2	1.5	10.3
9	50.00	2.2	17.4	1.7	17.8	1.9	17.7	2.4	15.1	2.1	17.3	2.2	16.3	2.3	16.1	1.8	17.7	2.0	17.0
10	58.33	3.6	24.1	5.2	24.6	4.3	24.5	3.3	22.1	3.6	23.7	3.4	23.0	3.3	22.9	4.2	24.3	3.8	23.7
11	66.67	4.7	30.8	10.3	31.4	7.4	31.2	4.4	29.1	5.6	30.2	5.0	29.7	4.5	29.8	7.4	30.8	5.9	30.3
12	75.00	14.3	37.6	14.9	38.2	14.6	37.9	12.1	36.1	8.3	36.7	10.3	36.4	12.9	36.7	10.8	37.4	11.9	37.0
13	83.33	29.6	44.3	33.5	45.1	31.5	44.7	26.0	43.0	18.8	43.1	22.6	43.1	27.3	43.5	24.6	43.9	26.0	43.7
14	91.67	57.2	51.0	61.4	51.9	59.3	51.4	49.9	50.0	50.3	49.6	50.1	49.8	52.6	50.4	54.6	50.5	53.6	50.4
15	100.00	100.0	57.7	100.0	58.7	100.0	58.2	100.0	57.0	100.0	56.1	100.0	56.5	100.0	57.3	100.0	57.0	100.0	57.1

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 106: FR – France. Individual norm data for KIDSCREEN-52: Financial Resources

Raw-Score	0-100 Score	Females (n=162)		Children 8-11 Males (n=165)		All (n=327)		Females (n=337)		Adolescents 12-18 Males (n=294)		All (n=631)		Children & Adolescents 8-18 Females (n=499)		Males (n=459)		All (n=958)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
3	0.00	6.8	32.5	5.5	32.3	6.1	32.4	2.1	28.5	5.1	29.8	3.5	29.1	3.6	30.0	5.2	30.9	4.4	30.4
4	8.33	9.9	35.2	9.1	35.1	9.5	35.2	4.8	31.4	7.5	32.6	6.0	32.0	6.4	32.9	8.1	33.6	7.2	33.2
5	16.67	14.2	38.0	18.2	37.9	16.2	37.9	8.6	34.3	12.9	35.4	10.6	34.8	10.4	35.7	14.8	36.4	12.5	36.0
6	25.00	26.6	40.7	27.9	40.7	27.2	40.7	16.3	37.2	17.6	38.2	16.9	37.7	19.6	38.5	21.3	39.2	20.4	38.8
7	33.33	37.0	43.5	35.2	43.5	36.1	43.5	23.7	40.1	25.1	41.0	24.4	40.5	28.0	41.3	28.7	42.0	28.4	41.6
8	41.67	45.1	46.2	40.6	46.3	42.8	46.3	32.6	43.0	30.6	43.8	31.7	43.4	36.7	44.2	34.2	44.7	35.5	44.4
9	50.00	51.3	48.9	50.9	49.1	51.1	49.0	40.4	45.9	41.8	46.6	41.0	46.3	43.9	47.0	45.1	47.5	44.5	47.2
10	58.33	57.4	51.7	59.9	52.0	58.7	51.8	49.6	48.9	50.0	49.4	49.8	49.1	52.1	49.8	53.6	50.3	52.8	50.0
11	66.67	65.4	54.4	70.2	54.8	67.8	54.6	58.2	51.8	57.4	52.2	57.8	52.0	60.5	52.6	62.0	53.1	61.2	52.8
12	75.00	74.6	57.2	76.9	57.6	75.7	57.4	65.9	54.7	66.7	54.9	66.3	54.8	68.7	55.5	70.3	55.8	69.5	55.6
13	83.33	82.6	59.9	83.1	60.4	82.8	60.1	74.5	57.6	74.5	57.7	74.5	57.7	77.2	58.3	77.6	58.6	77.4	58.4
14	91.67	90.1	62.7	92.1	63.2	91.1	62.9	83.9	60.5	86.7	60.5	85.2	60.5	85.9	61.1	88.6	61.4	87.2	61.2
15	100.00	100.0	65.4	100.0	66.0	100.0	65.7	100.0	63.4	100.0	63.3	100.0	63.4	100.0	64.0	100.0	64.2	100.0	64.0

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ($M = 50$, $SD = 10$).

Table A7_D - 107: FR – France. Individual norm data for KIDSCREEN-27: Physical Well-being

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=180)		Males (n=190)		All (n=370)		Females (n=327)		Males (n=297)		All (n=624)		Females (n=507)		Males (n=487)		All (n=994)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00							0.5	20.3			0.3	18.9	0.3	18.8			0.2	17.3
6	5.56							1.0	23.2	0.5	18.9	0.7	21.7	0.7	21.6	0.3	17.4	0.4	20.1
7	11.11							1.4	26.0	1.1	21.8	1.1	24.5	0.9	24.5	0.7	20.3	0.7	22.9
8	16.67	1.3	22.0			0.6	20.8	2.8	28.9	2.4	24.7	2.6	27.3	2.2	27.3	1.4	23.2	1.8	25.7
9	22.22	2.0	25.1	1.2	21.9	1.4	23.8	4.9	31.7	3.7	27.6	4.3	30.1	3.7	30.1	2.7	26.0	3.2	28.5
10	27.78	3.0	28.1	3.2	24.9	3.0	26.8	8.2	34.6	6.0	30.5	7.2	33.0	6.3	32.9	4.9	28.9	5.6	31.3
11	33.33	4.0	31.2	4.8	27.9	4.3	29.8	13.4	37.5	8.4	33.4	11.0	35.8	10.0	35.8	7.0	31.8	8.5	34.1
12	38.89	8.4	34.2	5.9	30.9	7.0	32.8	20.2	40.3	12.4	36.3	16.5	38.6	16.0	38.6	9.8	34.6	13.0	36.9
13	44.44	15.0	37.2	9.9	33.9	12.4	35.7	31.5	43.2	17.1	39.2	24.7	41.4	25.6	41.4	14.3	37.5	20.1	39.7
14	50.00	22.2	40.3	14.7	36.9	18.4	38.7	39.1	46.0	21.5	42.0	30.7	44.2	33.1	44.2	18.9	40.4	26.1	42.5
15	55.56	28.3	43.3	19.4	40.0	23.8	41.7	51.7	48.9	30.3	44.9	41.5	47.1	43.4	47.1	26.1	43.2	34.9	45.3
16	61.11	40.0	46.3	26.2	43.0	32.9	44.7	61.5	51.7	41.4	47.8	51.9	49.9	53.8	49.9	35.5	46.1	44.8	48.1
17	66.67	47.7	49.4	33.6	46.0	40.5	47.7	70.6	54.6	57.2	50.7	64.2	52.7	62.5	52.7	48.0	49.0	55.4	50.9
18	72.22	65.5	52.4	44.0	49.0	54.5	50.6	78.9	57.4	67.6	53.6	73.5	55.5	74.2	55.5	58.4	51.8	66.4	53.7
19	77.78	74.5	55.5	58.3	52.0	66.2	53.6	86.0	60.3	79.1	56.5	82.7	58.3	81.9	58.4	71.0	54.7	76.6	56.5
20	83.33	81.7	58.5	72.5	55.0	77.0	56.6	93.6	63.1	86.5	59.4	90.2	61.2	89.4	61.2	81.1	57.5	85.3	59.3
21	88.89	90.0	61.5	81.0	58.0	85.4	59.6	96.3	66.0	92.6	62.3	94.5	64.0	94.1	64.0	88.1	60.4	91.1	62.1
22	94.44	95.6	64.6	92.1	61.1	93.8	62.6	99.4	68.8	97.3	65.2	98.4	66.8	98.0	66.8	95.3	63.3	96.7	64.8
23	100.00	100.0	67.6	100.0	64.1	100.0	65.5	100.0	71.7	100.0	68.1	100.0	69.6	100.0	69.7	100.0	66.1	100.0	67.6

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ($M = 50$, $SD = 10$).

Table A7_D - 108: FR – France. Individual norm data for KIDSCREEN-27: Psychological Well-being

Raw- Score	0-100 Score	Females (n=191)		Children 8-11 Males (n=193)		All (n=384)		Females (n=338)		Adolescents 12-18 Males (n=305)		All (n=643)		Females (n=52:9)		Children & Adolescents 8-18 Males (n=498)		All (n=1027)		
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	
7	0.00																			
8	3.57																			
9	7.14																			
10	10.71																			
11	14.29																			
12	17.86																			
13	21.43								0.9	19.9			0.5	17.5	0.6	16.5			0.3	14.0
14	25.00								2.1	22.0	0.5	16.4	1.2	19.7	1.3	18.7	0.3	12.9	0.8	16.3
15	28.57								2.1	24.1	0.8	18.8	1.5	21.9	1.3	20.9	0.5	15.4	0.9	18.6
16	32.14								3.0	26.2	1.4	21.1	2.2	24.1	1.9	23.1	0.9	17.8	1.4	20.9
17	35.71	1.2	14.2			0.6	12.5	3.6	28.3	1.4	23.5	2.5	26.3	2.6	25.3	0.9	20.3	1.7	23.2	
18	39.29	1.2	17.0			0.6	15.4	5.0	30.4	1.8	25.8	3.4	28.5	3.6	27.5	1.1	22.7	2.3	25.5	
19	42.86	1.8	19.7			0.9	18.2	7.1	32.5	3.9	28.2	5.6	30.7	5.1	29.7	2.4	25.2	3.8	27.8	
20	46.43	1.8	22.5	0.8	19.3	1.2	21.0	10.0	34.6	5.9	30.5	8.1	32.9	7.0	31.9	3.8	27.7	5.4	30.1	
21	50.00	2.4	25.3	1.3	22.2	1.6	23.9	12.4	36.8	7.8	32.9	10.3	35.1	8.7	34.1	5.2	30.1	7.0	32.4	
22	53.57	5.2	28.1	2.2	25.2	3.6	26.7	14.2	38.9	9.8	35.2	12.1	37.4	11.0	36.3	6.8	32.6	8.9	34.7	
23	57.14	5.2	30.9	3.7	28.1	4.4	29.6	18.7	41.0	13.1	37.6	16.0	39.6	13.8	38.5	9.4	35.0	11.7	37.0	
24	60.71	6.8	33.6	7.2	31.1	7.0	32.5	24.9	43.1	16.7	40.0	21.0	41.8	18.3	40.7	13.0	37.5	15.7	39.3	
25	64.29	10.9	36.4	10.9	34.1	10.9	35.3	33.4	45.2	23.9	42.3	28.9	44.0	25.3	42.9	18.9	40.0	22.2	41.6	
26	67.86	17.2	39.2	13.0	37.0	15.1	38.2	39.0	47.3	31.8	44.7	35.6	46.2	31.1	45.1	24.5	42.4	27.9	43.9	
27	71.43	21.9	41.9	18.6	40.0	20.3	41.0	47.0	49.4	40.7	47.0	44.0	48.4	37.9	47.3	32.1	44.9	35.1	46.2	
28	75.00	30.3	44.7	27.9	42.9	29.1	43.9	55.6	51.6	47.6	49.4	51.8	50.6	46.4	49.5	40.0	47.3	43.3	48.5	
29	78.57	39.7	47.5	35.8	45.9	37.7	46.7	65.1	53.7	55.2	51.7	60.4	52.8	55.9	51.7	47.6	49.8	51.9	50.8	
30	82.14	51.7	50.3	43.6	48.8	47.6	49.6	73.1	55.8	66.9	54.1	70.1	55.0	65.3	53.9	57.9	52.2	61.7	53.1	
31	85.71	62.2	53.1	56.5	51.8	59.3	52.4	81.1	57.9	75.1	56.4	78.2	57.2	74.3	56.1	67.9	54.7	71.2	55.4	
32	89.29	74.8	55.8	69.4	54.8	72.1	55.3	86.1	60.0	82.3	58.8	84.3	59.4	82.0	58.3	77.3	57.2	79.7	57.7	
33	92.86	82.7	58.6	79.3	57.7	81.0	58.1	93.2	62.1	91.2	61.2	92.2	61.6	89.4	60.5	86.6	59.6	88.0	60.0	
34	96.43	93.3	61.4	90.1	60.7	91.7	61.0	96.4	64.2	95.7	63.5	96.1	63.8	95.3	62.7	93.6	62.1	94.5	62.4	
35	100.00	100.0	64.2	100.0	63.6	100.0	63.9	100.0	66.4	100.0	65.9	100.0	66.0	100.0	64.9	100.0	64.5	100.0	64.7	

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 109: FR – France. Individual norm data for KIDSCREEN-27: Parent Relations & Autonomy

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=168)		Males (n=167)		All (n=335)		Females (n=329)		Males (n=291)		All (n=620)		Females (n=497)		Males (n=458)		All (n=955)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
7	0.00																		
8	3.57																		
9	7.14																		
10	10.71	0.9	22.5	1.0	20.4	0.7	21.5							0.3	24.4	0.3	21.8	0.2	23.2
11	14.29	0.9	24.3	1.0	22.3	0.7	23.3			0.5	24.2	0.3	25.7	0.3	26.2	0.6	23.6	0.4	25.0
12	17.86	1.6	26.0	1.5	24.2	1.3	25.1	1.2	28.6	1.4	26.1	1.3	27.5	1.2	27.9	1.3	25.5	1.3	26.8
13	21.43	2.2	27.7	2.2	26.0	1.9	26.9	4.3	30.3	2.5	27.9	3.4	29.3	3.4	29.6	2.2	27.3	2.8	28.6
14	25.00	3.7	29.5	2.2	27.9	2.7	28.8	5.8	32.1	4.2	29.8	5.0	31.1	5.0	31.3	3.3	29.2	4.2	30.4
15	28.57	4.5	31.2	2.7	29.8	3.4	30.6	8.5	33.8	6.3	31.6	7.5	32.9	7.1	33.1	4.8	31.0	6.0	32.1
16	32.14	6.0	33.0	4.8	31.7	5.4	32.4	11.6	35.6	8.3	33.4	10.1	34.6	9.7	34.8	7.0	32.8	8.4	33.9
17	35.71	8.4	34.7	6.7	33.5	7.5	34.2	13.7	37.3	10.4	35.3	12.2	36.4	11.9	36.6	9.0	34.7	10.5	35.7
18	39.29	11.9	36.5	10.2	35.4	11.1	36.0	17.6	39.1	12.5	37.1	15.2	38.2	15.7	38.3	11.6	36.5	13.7	37.5
19	42.86	17.3	38.2	12.6	37.3	14.9	37.8	20.9	40.8	17.3	38.9	19.2	40.0	19.7	40.0	15.6	38.4	17.7	39.3
20	46.43	20.9	40.0	16.7	39.2	18.8	39.6	24.9	42.6	20.7	40.8	22.9	41.8	23.5	41.8	19.2	40.2	21.5	41.1
21	50.00	25.6	41.7	20.9	41.1	23.3	41.4	33.1	44.3	25.9	42.6	29.7	43.6	30.6	43.5	24.1	42.1	27.4	42.9
22	53.57	31.0	43.5	29.1	42.9	30.1	43.2	38.2	46.1	30.7	44.5	34.7	45.4	35.8	45.2	30.1	43.9	33.1	44.6
23	57.14	35.1	45.2	33.3	44.8	34.2	45.0	43.7	47.8	37.9	46.3	41.0	47.1	40.8	47.0	36.2	45.8	38.6	46.4
24	60.71	40.5	47.0	39.3	46.7	39.9	46.8	51.3	49.6	45.1	48.1	48.4	48.9	47.7	48.7	43.0	47.6	45.4	48.2
25	64.29	44.7	48.7	47.7	48.6	46.2	48.7	55.8	51.3	51.0	50.0	53.6	50.7	52.1	50.5	49.8	49.5	51.0	50.0
26	67.86	50.7	50.5	53.7	50.4	52.2	50.5	62.6	53.1	56.1	51.8	59.5	52.5	58.6	52.2	55.2	51.3	57.0	51.8
27	71.43	57.8	52.2	61.5	52.3	59.6	52.3	68.4	54.9	65.4	53.7	67.0	54.3	64.8	53.9	64.0	53.2	64.4	53.6
28	75.00	63.6	54.0	66.3	54.2	65.0	54.1	76.3	56.6	71.2	55.5	73.9	56.1	72.0	55.7	69.4	55.0	70.8	55.4
29	78.57	69.0	55.7	71.1	56.1	70.1	55.9	80.8	58.4	78.5	57.3	79.7	57.9	76.8	57.4	75.8	56.9	76.3	57.1
30	82.14	76.8	57.5	77.1	58.0	77.0	57.7	83.9	60.1	82.9	59.2	83.4	59.7	81.5	59.1	80.8	58.7	81.1	58.9
31	85.71	81.6	59.2	84.4	59.8	83.0	59.5	88.1	61.9	88.7	61.0	88.4	61.4	85.9	60.9	87.1	60.6	86.5	60.7
32	89.29	89.3	61.0	88.6	61.7	89.0	61.3	92.7	63.6	92.8	62.9	92.7	63.2	91.5	62.6	91.3	62.4	91.4	62.5
33	92.86	92.3	62.7	92.8	63.6	92.6	63.1	95.7	65.4	95.2	64.7	95.5	65.0	94.6	64.4	94.3	64.3	94.5	64.3
34	96.43	94.7	64.5	97.0	65.5	95.8	64.9	97.6	67.1	96.9	66.5	97.3	66.8	96.6	66.1	96.9	66.1	96.8	66.1
35	100.00	100.0	66.2	100.0	67.3	100.0	66.7	100.0	68.9	100.0	68.4	100.0	68.6	100.0	67.8	100.0	68.0	100.0	67.9

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ($M = 50$, $SD = 10$).

Table A7_D - 110: FR – France. Individual norm data for KIDSCREEN-27: Social Support & Peers

Raw-Score	0-100 Score	Females (n=188)		Children 8-11 Males (n=185)		All (n=373)		Females (n=342)		Adolescents 12-18 Males (n=304)		All (n=646)		Children & Adolescents 8-18 Females (n=530)		Males (n=489)		All (n=1019)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
4	0.00	2.2	21.4			1.1	19.5	0.9	20.8	0.8	22.3	0.8	21.7	1.3	21.0	0.5	20.9	0.9	21.0
5	6.25	2.2	24.0			1.1	22.2	2.0	23.4	2.0	25.0	2.0	24.3	2.1	23.7	1.2	23.6	1.7	23.7
6	12.50	3.4	26.6			1.7	24.9	2.5	26.1	3.0	27.7	2.6	27.0	2.7	26.3	1.9	26.3	2.3	26.3
7	18.75	4.1	29.2	1.7	25.6	2.7	27.6	4.1	28.8	4.9	30.4	4.5	29.6	4.0	28.9	3.7	29.0	3.8	29.0
8	25.00	5.5	31.8	3.8	28.4	4.6	30.3	7.3	31.4	7.2	33.1	7.2	32.3	6.6	31.6	5.9	31.7	6.3	31.7
9	31.25	8.6	34.4	7.6	31.2	8.1	33.0	8.7	34.1	11.5	35.8	10.0	35.0	8.7	34.2	10.0	34.4	9.3	34.3
10	37.50	12.8	37.0	10.3	34.0	11.5	35.7	13.4	36.7	17.0	38.5	15.1	37.6	13.2	36.8	14.5	37.1	13.8	37.0
11	43.75	17.1	39.6	16.2	36.9	16.6	38.4	18.1	39.4	24.0	41.3	20.9	40.3	17.7	39.5	21.0	39.8	19.3	39.6
12	50.00	26.6	42.2	20.4	39.7	23.5	41.1	24.2	42.0	30.5	44.0	27.2	43.0	25.1	42.1	26.7	42.5	25.9	42.3
13	56.25	33.5	44.9	26.4	42.5	29.9	43.8	31.6	44.7	39.8	46.7	35.4	45.6	32.2	44.7	34.7	45.2	33.4	45.0
14	62.50	42.5	47.5	34.5	45.3	38.5	46.5	38.9	47.3	47.7	49.4	43.0	48.3	40.2	47.4	42.7	47.9	41.4	47.6
15	68.75	51.0	50.1	43.1	48.2	47.1	49.2	49.4	50.0	57.8	52.1	53.4	51.0	50.0	50.0	52.3	50.6	51.1	50.3
16	75.00	61.7	52.7	51.2	51.0	56.5	51.9	59.9	52.6	69.7	54.8	64.5	53.6	60.5	52.6	62.7	53.3	61.6	53.0
17	81.25	69.2	55.3	61.6	53.8	65.4	54.6	69.6	55.3	80.9	57.5	74.9	56.3	69.4	55.3	73.6	56.0	71.4	55.6
18	87.50	77.2	57.9	73.6	56.6	75.4	57.3	78.1	57.9	87.2	60.2	82.4	58.9	77.7	57.9	82.0	58.7	79.8	58.3
19	93.75	85.6	60.5	84.9	59.5	85.3	59.9	90.0	60.6	92.8	62.9	91.3	61.6	88.5	60.6	89.8	61.4	89.1	61.0
20	100.00	100.0	63.1	100.0	62.3	100.0	62.6	100.0	63.3	100.0	65.6	100.0	64.3	100.0	63.2	100.0	64.1	100.0	63.6

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ($M = 50$, $SD = 10$).

Table A7_D - 111: FR – France. Individual norm data for KIDSCREEN-27: School Environment

Raw- Score	0-100 Score	Females (n=192)		Children 8-11 Males (n=194)		All (n=386)		Females (n=336)		Adolescents 12-18 Males (n=299)		All (n=635)		Children & Adolescents 8-18 Females (n=52:8)		Males (n=493)		All (n=1021)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
4	0.00									0.5	20.0	0.2	19.3			0.3	18.8	0.2	17.9
5	6.25							0.7	21.9	1.4	23.1	0.9	22.5	0.4	20.0	0.9	21.8	0.6	21.0
6	12.50							1.5	25.1	2.4	26.3	1.9	25.7	1.0	23.1	1.5	24.9	1.2	24.0
7	18.75			0.8	22.1	0.4	19.8	3.9	28.3	3.7	29.5	3.8	28.9	2.5	26.3	2.4	27.9	2.5	27.1
8	25.00	0.8	20.4	1.7	25.4	1.1	23.2	6.3	31.5	7.1	32.6	6.6	32.1	4.2	29.4	4.9	30.9	4.5	30.1
9	31.25	0.8	24.1	4.1	28.6	2.3	26.6	10.4	34.8	10.1	35.8	10.2	35.3	6.8	32.5	7.7	33.9	7.2	33.2
10	37.50	2.6	27.7	8.2	31.8	5.4	30.0	14.9	38.0	17.0	39.0	15.9	38.5	10.4	35.6	13.6	36.9	11.9	36.3
11	43.75	6.3	31.3	11.3	35.0	8.8	33.4	23.5	41.2	24.4	42.1	24.0	41.7	17.2	38.7	19.3	39.9	18.2	39.3
12	50.00	12.0	34.9	15.4	38.2	13.7	36.7	32.5	44.4	35.1	45.3	33.7	44.8	25.0	41.8	27.3	42.9	26.1	42.4
13	56.25	19.3	38.5	23.7	41.4	21.5	40.1	43.2	47.6	50.1	48.5	46.4	48.0	34.5	45.0	39.7	46.0	37.0	45.5
14	62.50	28.6	42.2	34.0	44.6	31.3	43.5	56.9	50.8	61.9	51.7	59.2	51.2	46.6	48.1	50.9	49.0	48.7	48.5
15	68.75	38.0	45.8	43.1	47.8	40.6	46.9	68.2	54.1	75.6	54.8	71.7	54.4	57.2	51.2	62.8	52.0	59.9	51.6
16	75.00	48.9	49.4	55.9	51.1	52.4	50.3	80.9	57.3	82.2	58.0	81.5	57.6	69.3	54.3	71.9	55.0	70.5	54.6
17	81.25	62.5	53.0	67.8	54.3	65.2	53.7	89.9	60.5	89.5	61.2	89.7	60.8	79.9	57.4	81.0	58.0	80.4	57.7
18	87.50	75.0	56.7	76.7	57.5	75.8	57.1	95.2	63.7	93.6	64.3	94.5	64.0	87.9	60.5	86.9	61.0	87.4	60.8
19	93.75	89.6	60.3	89.1	60.7	89.3	60.4	98.2	66.9	98.0	67.5	98.1	67.2	95.1	63.7	94.4	64.0	94.8	63.8
20	100.00	100.0	63.9	100.0	63.9	100.0	63.8	100.0	70.1	100.0	70.7	100.0	70.4	100.0	66.8	100.0	67.1	100.0	66.9

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 112: FR – France. Individual norm data for KIDSCREEN-10 Index

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=186)		Males (n=186)		All (n=372)		Females (n=324)		Males (n=293)		All (n=617)		Females (n=510)		Males (n=479)		All (n=989)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
10	0.00																		
11	2.50																		
12	5.00																		
13	7.50																		
14	10.00							0.5	14.0			0.3	11.8	0.3	12.4			0.2	10.4
15	12.50							0.5	15.6			0.3	13.5	0.3	14.0			0.2	12.0
16	15.00							0.5	17.2			0.3	15.1	0.3	15.6			0.2	13.7
17	17.50							0.8	18.8			0.4	16.8	0.5	17.2			0.3	15.3
18	20.00							1.1	20.5			0.6	18.5	0.7	18.8			0.4	16.9
19	22.50							1.1	22.1	0.5	17.6	0.7	20.2	0.8	20.4	0.3	16.2	0.5	18.6
20	25.00							1.4	23.7	0.5	19.4	0.9	21.9	0.9	21.9	0.3	17.9	0.6	20.2
21	27.50							1.8	25.3	0.5	21.1	1.1	23.5	1.1	23.5	0.3	19.6	0.7	21.8
22	30.00							2.3	26.9	0.9	22.9	1.5	25.2	1.4	25.1	0.6	21.3	0.9	23.5
23	32.50							2.7	28.5	1.8	24.6	2.1	26.9	1.7	26.7	1.1	23.1	1.3	25.1
24	35.00	0.8	21.3			0.4	20.0	3.2	30.1	2.2	26.4	2.6	28.6	2.2	28.2	1.4	24.8	1.7	26.7
25	37.50	0.8	23.1	0.9	20.2	0.7	21.8	4.4	31.8	3.1	28.2	3.7	30.3	3.0	29.8	2.1	26.5	2.5	28.4
26	40.00	1.8	24.8	1.4	22.1	1.4	23.6	5.3	33.4	4.5	30.0	4.9	31.9	3.9	31.4	3.1	28.2	3.5	30.0
27	42.50	2.9	26.6	1.9	23.9	2.2	25.3	7.8	35.0	5.5	31.7	6.7	33.6	5.9	33.0	4.0	29.9	5.0	31.6
28	45.00	3.6	28.3	2.5	25.8	2.8	27.1	9.9	36.6	6.5	33.5	8.3	35.3	7.5	34.6	4.8	31.6	6.2	33.3
29	47.50	4.1	30.1	3.0	27.6	3.3	28.9	13.9	38.2	8.5	35.3	11.3	37.0	10.2	36.1	6.3	33.3	8.3	34.9
30	50.00	4.7	31.8	4.4	29.5	4.3	30.7	17.3	39.8	11.3	37.1	14.4	38.6	12.5	37.7	8.6	35.0	10.6	36.5
31	52.:50	7.6	33.6	5.1	31.3	6.2	32.5	21.0	41.5	14.4	38.8	17.8	40.3	16.1	39.3	10.7	36.7	13.5	38.1
32	55.00	9.8	35.3	7.5	33.2	8.6	34.3	27.4	43.1	18.4	40.6	23.1	42.0	21.0	40.9	14.2	38.4	17.7	39.8
33	57.50	12.0	37.1	10.2	35.0	11.1	36.1	32.7	44.7	23.2	42.4	28.2	43.7	25.1	42.5	18.2	40.1	21.7	41.4
34	60.00	17.3	38.8	11.9	36.9	14.5	37.9	37.4	46.3	29.0	44.1	33.4	45.3	30.0	44.0	22.3	41.8	26.3	43.0
35	62.50	23.2	40.6	14.0	38.7	18.6	39.7	41.1	47.9	36.5	45.9	38.9	47.0	34.5	45.6	27.8	43.5	31.3	44.7
36	65.00	25.4	42.3	18.7	40.6	22.1	41.5	50.6	49.5	44.0	47.7	47.5	48.7	41.4	47.2	34.2	45.2	37.9	46.3
37	67.50	31.3	44.1	22.0	42.4	26.7	43.3	57.1	51.1	49.8	49.5	53.6	50.4	47.7	48.8	39.0	47.0	43.5	47.9
38	70.00	37.2	45.8	28.4	44.3	32.8	45.1	64.1	52.:8	56.6	51.2	60.6	52.:1	54.3	50.4	45.7	48.7	50.1	49.6
39	72.50	39.9	47.6	36.5	46.1	38.2	46.9	68.1	54.4	64.4	53.0	66.4	53.7	57.8	51.9	53.6	50.4	55.8	51.2
40	75.00	47.9	49.4	41.8	48.0	44.9	48.7	72.4	56.0	70.6	54.8	71.6	55.4	63.5	53.5	59.5	52.:1	61.5	52.:8
41	77.50	53.8	51.1	52.:0	49.8	52.:9	50.5	78.6	57.6	77.5	56.5	78.1	57.1	69.6	55.1	67.6	53.8	68.6	54.5
42	80.00	57.6	52.:9	57.5	51.7	57.5	52.:3	83.9	59.2	82.9	58.3	83.5	58.8	74.3	56.7	73.1	55.5	73.7	56.1
43	82.50	63.5	54.6	65.0	53.5	64.2	54.1	88.0	60.8	86.4	60.1	87.2	60.4	79.0	58.2	78.1	57.2	78.6	57.7
44	85.00	71.6	56.4	71.4	55.4	71.5	55.9	91.1	62.5	89.4	61.9	90.3	62.1	83.9	59.8	82.5	58.9	83.2	59.4
45	87.50	80.1	58.1	78.4	57.2	79.3	57.7	93.8	64.1	91.1	63.6	92.5	63.8	88.8	61.4	86.2	60.6	87.6	61.0
46	90.00	87.1	59.9	82.7	59.1	84.9	59.4	95.7	65.7	95.9	65.4	95.8	65.5	92.5	63.0	90.8	62.3	91.7	62.6
47	92.50	91.4	61.6	85.4	60.9	88.4	61.2	97.2	67.3	97.0	67.2	97.1	67.2	95.1	64.6	92.5	64.0	93.8	64.3
48	95.00	93.6	63.4	91.3	62.8	92.4	63.0	98.7	68.9	99.0	68.9	98.9	68.8	96.8	66.1	96.0	65.7	96.4	65.9
49	97.50	97.3	65.1	95.1	64.6	96.2	64.8	99.7	70.5	99.7	70.7	99.7	70.5	98.8	67.7	97.9	67.4	98.4	67.5
50	100.00	100.0	66.9	100.0	66.5	100.0	66.6	100.0	72.1	100.0	72.5	100.0	72.2	100.0	69.3	100.0	69.2	100.0	69.2

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 113: HU – Hungary. Individual norm data for KIDSCREEN-52: Physical Well-being

Raw- Score	0-100 Score	Females (n=748)		Children 8-11 Males (n=612)		All (n=1360)		Females (n=1122)		Adolescents 12-18 Males (n=721)		All (n=1843)		Females (n=1870)		Children & Adolescents 8-18 Males (n=1333)		All (n=3203)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00							0.1	19.6	0.2	16.9	0.1	19.2	0.1	18.4	0.1	14.8	0.1	17.4
6	5.56	0.2	11.9	0.3	11.9	0.2	12.0	0.5	22.7	1.0	19.8	0.7	22.2	0.3	21.3	0.6	17.7	0.4	20.2
7	11.11	0.4	15.1	0.6	15.1	0.4	15.2	1.8	25.8	1.7	22.8	1.7	25.1	1.2	24.1	1.1	20.6	1.2	23.0
8	16.67	0.5	18.4	1.3	18.2	0.8	18.4	3.5	28.9	2.4	25.7	3.0	28.1	2.2	27.0	1.9	23.5	2.1	25.9
9	22.22	1.1	21.6	1.6	21.3	1.3	21.6	4.7	32.0	3.7	28.6	4.3	31.1	3.3	29.9	2.7	26.4	3.0	28.7
10	27.78	2.0	24.9	1.9	24.4	1.9	24.7	10.0	35.1	5.3	31.6	8.1	34.0	6.8	32.8	3.7	29.3	5.5	31.6
11	33.33	3.1	28.1	2.9	27.5	3.0	27.9	14.9	38.2	8.0	34.5	12.2	37.0	10.2	35.7	5.7	32.2	8.3	34.4
12	38.89	5.8	31.4	5.4	30.6	5.6	31.1	23.3	41.3	13.7	37.5	19.5	40.0	16.3	38.5	9.9	35.1	13.6	37.3
13	44.44	9.4	34.6	7.7	33.8	8.6	34.3	33.6	44.4	20.5	40.4	28.4	42.9	23.9	41.4	14.6	38.0	20.0	40.1
14	50.00	14.7	37.9	12.3	36.9	13.6	37.5	44.7	47.5	28.4	43.4	38.3	45.9	32.7	44.3	21.0	40.9	27.8	43.0
15	55.56	21.8	41.1	19.3	40.0	20.7	40.6	57.5	50.6	37.8	46.3	49.8	48.9	43.2	47.2	29.3	43.8	37.4	45.8
16	61.11	33.1	44.4	28.9	43.1	31.2	43.8	70.0	53.7	49.1	49.2	61.8	51.8	55.2	50.1	39.8	46.7	48.8	48.7
17	66.67	44.6	47.6	37.4	46.2	41.3	47.0	79.3	56.8	61.5	52.2	72.3	54.8	65.4	52.9	50.4	49.6	59.2	51.5
18	72.22	56.1	50.9	48.8	49.3	52.8	50.2	87.7	59.9	73.8	55.1	82.3	57.8	75.0	55.8	62.3	52.5	69.8	54.4
19	77.78	69.5	54.1	59.1	52.5	64.9	53.4	92.9	63.0	83.0	58.1	89.0	60.7	83.5	58.7	72.0	55.3	78.7	57.2
20	83.33	81.0	57.4	72.6	55.6	77.2	56.5	96.3	66.1	90.3	61.0	93.9	63.7	90.2	61.6	82.2	58.2	86.8	60.0
21	88.89	89.0	60.6	84.8	58.7	87.1	59.7	98.5	69.2	95.3	64.0	97.2	66.7	94.7	64.4	90.5	61.1	92.9	62.9
22	94.44	95.5	63.9	94.4	61.8	95.0	62.9	99.5	72.3	98.5	66.9	99.1	69.6	97.9	67.3	96.6	64.0	97.3	65.7
23	100.00	100.0	67.1	100.0	64.9	100.0	66.1	100.0	75.4	100.0	69.8	100.0	72.6	100.0	70.2	100.0	66.9	100.0	68.6

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 114: HU – Hungary. Individual norm data for KIDSCREEN-52: Psychological Well-being

Raw- Score	0-100 Score	Females (n=749)		Children 8-11 Males (n=608)		All (n=1357)		Females (n=1126)		Adolescents 12-18 Males (n=725)		All (n=1851)		Females (n=1875)		Children & Adolescents 8-18 Males (n=1333)		All (n=3208)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00									0.4	17.9	0.2	19.1			0.2	13.7	0.1	15.1
7	4.17			0.3	4.4	0.1	2.2	0.2	21.7	0.7	19.8	0.4	21.1	0.1	18.0	0.5	15.8	0.3	17.1
8	8.33			0.3	6.9	0.1	4.8	0.6	23.7	1.3	21.8	0.9	23.0	0.4	19.9	0.8	17.8	0.5	19.1
9	12.50			0.6	9.3	0.2	7.3	1.7	25.6	2.2	23.8	1.9	25.0	1.0	21.9	1.4	19.9	1.2	21.1
10	16.67	0.2	8.1	0.9	11.8	0.5	9.9	2.8	27.6	3.2	25.7	3.0	26.9	1.8	23.9	2.1	21.9	1.9	23.1
11	20.83	0.2	10.8	1.1	14.2	0.6	12.5	4.5	29.5	4.0	27.7	4.3	28.9	2.8	25.9	2.6	23.9	2.7	25.1
12	25.00	0.3	13.5	1.4	16.7	0.8	15.0	6.2	31.4	5.5	29.7	5.9	30.8	3.8	27.9	3.6	26.0	3.7	27.1
13	29.17	0.9	16.2	1.4	19.2	1.1	17.6	8.8	33.4	6.9	31.6	8.0	32.8	5.6	29.8	4.3	28.0	5.1	29.1
14	33.33	1.4	18.8	2.0	21.6	1.6	20.2	11.2	35.3	8.4	33.6	10.1	34.7	7.3	31.8	5.5	30.1	6.5	31.1
15	37.50	2.0	21.5	2.6	24.1	2.3	22.8	13.9	37.3	11.4	35.6	13.0	36.6	9.2	33.8	7.4	32.1	8.4	33.1
16	41.67	2.4	24.2	3.8	26.6	3.0	25.3	17.6	39.2	13.5	37.5	16.0	38.6	11.5	35.8	9.1	34.1	10.5	35.1
17	45.83	3.6	26.8	4.4	29.0	4.0	27.9	21.9	41.2	16.6	39.5	19.8	40.5	14.6	37.7	11.0	36.2	13.1	37.1
18	50.00	5.2	29.5	5.9	31.5	5.5	30.5	26.2	43.1	20.7	41.5	24.1	42.5	17.8	39.7	14.0	38.2	16.2	39.1
19	54.17	7.3	32.2	8.4	34.0	7.8	33.0	32.5	45.0	24.6	43.4	29.4	44.4	22.4	41.7	17.2	40.3	20.3	41.1
20	58.33	10.2	34.9	10.9	36.4	10.5	35.6	38.4	47.0	30.1	45.4	35.1	46.4	27.1	43.7	21.3	42.3	24.7	43.1
21	62.50	13.8	37.5	14.8	38.9	14.2	38.2	45.5	48.9	37.4	47.4	42.3	48.3	32.8	45.7	27.1	44.3	30.4	45.1
22	66.67	18.8	40.2	20.7	41.4	19.6	40.8	52.5	50.9	44.8	49.3	49.5	50.3	39.0	47.6	33.8	46.4	36.8	47.1
23	70.83	24.1	42.9	26.8	43.8	25.3	43.3	58.6	52.8	53.0	51.3	56.4	52.2	44.8	49.6	41.0	48.4	43.2	49.1
24	75.00	31.5	45.6	33.0	46.3	32.2	45.9	66.3	54.8	61.0	53.3	64.2	54.2	52.4	51.6	48.3	50.4	50.7	51.1
25	79.17	41.0	48.2	40.8	48.8	40.9	48.5	73.9	56.7	68.7	55.2	71.8	56.1	60.7	53.6	55.9	52.5	58.7	53.1
26	83.33	49.2	50.9	50.3	51.2	49.7	51.1	82.3	58.6	77.6	57.2	80.5	58.1	69.1	55.6	65.2	54.5	67.5	55.1
27	87.50	64.9	53.6	63.9	53.7	64.4	53.6	88.6	60.6	84.9	59.2	87.2	60.0	79.1	57.5	75.4	56.6	77.5	57.1
28	91.67	74.8	56.3	72.8	56.2	73.9	56.2	93.6	62.5	93.3	61.2	93.5	62.0	86.1	59.5	83.9	58.6	85.2	59.1
29	95.83	83.2	58.9	83.3	58.6	83.3	58.8	97.1	64.5	96.2	63.1	96.7	63.9	91.5	61.5	90.3	60.6	91.0	61.1
30	100.00	100.0	61.6	100.0	61.1	100.0	61.3	100.0	66.4	100.0	65.1	100.0	65.8	100.0	63.5	100.0	62.7	100.0	63.1

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 115: HU – Hungary. Individual norm data for KIDSCREEN-52: Moods & Emotions

Raw- Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=744)		Males (n=602)		All (n=1346)		Females (n=1124)		Males (n=721)		All (n=1845)		Females (n=1868)		Males (n=1323)		All (n=3191)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
7	0.00	0.2	0.3	0.3	2.0	0.2	1.1			0.2	9.1	0.1	11.5	0.1	9.6	0.2	6.6	0.1	8.6
8	3.57	0.2	2.5	0.3	4.1	0.2	3.3			0.2	11.0	0.1	13.4	0.1	11.6	0.2	8.6	0.1	10.5
9	7.14	0.2	4.7	0.7	6.2	0.4	5.4	0.2	16.3	0.2	13.0	0.2	15.2	0.2	13.5	0.4	10.6	0.3	12.4
10	10.71	0.2	6.8	0.7	8.3	0.4	7.5	0.5	18.1	0.6	14.9	0.5	17.1	0.3	15.4	0.6	12.6	0.4	14.4
11	14.29	0.2	9.0	0.7	10.5	0.4	9.7	0.9	20.0	0.9	16.8	0.9	19.0	0.6	17.3	0.8	14.6	0.7	16.3
12	17.86	0.4	11.2	1.1	12.6	0.7	11.8	2.1	21.9	1.4	18.8	1.9	20.9	1.5	19.2	1.2	16.5	1.4	18.2
13	21.43	1.0	13.4	1.3	14.7	1.0	14.0	3.0	23.8	1.8	20.7	2.5	22.8	2.2	21.1	1.5	18.5	1.9	20.2
14	25.00	0.4	15.6	1.4	16.8	1.2	16.1	3.8	25.7	2.4	22.6	3.3	24.7	2.7	23.0	1.9	20.5	2.4	22.1
15	28.57	1.4	17.7	1.7	18.9	1.5	18.3	4.6	27.5	3.5	24.6	4.1	26.5	3.3	25.0	2.7	22.5	3.0	24.0
16	32.14	1.6	19.9	1.9	21.0	1.7	20.4	5.8	29.4	4.2	26.5	5.2	28.4	4.1	26.9	3.1	24.5	3.7	26.0
17	35.71	2.3	22.1	2.5	23.1	2.4	22.6	7.5	31.3	5.4	28.4	6.7	30.3	5.4	28.8	4.1	26.4	4.9	27.9
18	39.29	3.0	24.3	2.9	25.2	2.9	24.7	9.2	33.2	6.8	30.3	8.3	32.2	6.7	30.7	5.0	28.4	6.0	29.8
19	42.86	3.5	26.5	3.8	27.3	3.6	26.9	10.5	35.0	7.8	32.3	9.5	34.1	7.7	32.6	6.0	30.4	7.0	31.8
20	46.43	4.5	28.7	5.5	29.4	5.0	29.0	12.3	36.9	9.7	34.2	11.3	36.0	9.2	34.5	7.8	32.4	8.6	33.7
21	50.00	5.9	30.9	7.0	31.5	6.4	31.2	14.9	38.8	11.8	36.1	13.7	37.9	11.3	36.4	9.6	34.4	10.6	35.6
22	53.57	9.0	33.0	8.5	33.6	8.7	33.3	18.1	40.7	13.3	38.1	16.2	39.7	14.5	38.4	11.1	36.3	13.1	37.6
23	57.14	11.0	35.2	10.1	35.8	10.6	35.5	21.8	42.6	16.4	40.0	19.7	41.6	17.5	40.3	13.5	38.3	15.9	39.5
24	60.71	13.0	37.4	12.4	37.9	12.7	37.6	25.8	44.4	20.3	41.9	23.6	43.5	20.7	42.2	16.7	40.3	19.0	41.4
25	64.29	17.1	39.6	16.1	40.0	16.6	39.8	30.9	46.3	22.9	43.8	27.8	45.4	25.4	44.1	19.8	42.3	23.1	43.4
26	67.86	19.9	41.8	19.9	42.1	19.9	41.9	38.0	48.2	27.6	45.8	34.0	47.3	30.8	46.0	24.1	44.3	28.0	45.3
27	71.43	23.0	44.0	23.9	44.2	23.4	44.1	45.2	50.1	34.2	47.7	40.9	49.2	36.4	47.9	29.5	46.2	33.5	47.3
28	75.00	29.3	46.2	30.5	46.3	29.9	46.2	52.4	51.9	42.7	49.6	48.6	51.0	43.2	49.8	37.2	48.2	40.7	49.2
29	78.57	36.7	48.3	37.1	48.4	36.9	48.4	62.3	53.8	51.1	51.6	57.9	52.9	52.1	51.8	44.7	50.2	49.0	51.1
30	82.14	45.2	50.5	46.8	50.5	45.9	50.5	71.9	55.7	59.8	53.5	67.2	54.8	61.3	53.7	53.9	52.2	58.2	53.1
31	85.71	56.0	52.7	54.4	52.6	55.3	52.7	80.1	57.6	69.4	55.4	75.9	56.7	70.5	55.6	62.5	54.2	67.2	55.0
32	89.29	69.0	54.9	66.7	54.7	68.0	54.8	88.4	59.4	80.7	57.4	85.4	58.6	80.7	57.5	74.3	56.1	78.1	56.9
33	92.86	80.7	57.1	78.7	56.8	79.8	57.0	95.0	61.3	90.3	59.3	93.2	60.5	89.3	59.4	85.0	58.1	87.5	58.9
34	96.43	89.0	59.3	88.7	58.9	88.8	59.1	98.4	63.2	96.3	61.2	97.6	62.4	94.7	61.3	92.8	60.1	93.9	60.8
35	100.00	100.0	61.5	100.0	61.1	100.0	61.3	100.0	65.1	100.0	63.1	100.0	64.2	100.0	63.3	100.0	62.1	100.0	62.7

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7_D - 116: HU – Hungary. Individual norm data for KIDSCREEN-52: Self Perception

Raw- Score	0-100 Score	Females (n=749)		Children 8-11 Males (n=608)		All (n=1357)		Females (n=1119)		Adolescents 12-18 Males (n=720)		All (n=1839)		Females (n=1868)		Children & Adolescents 8-18 Males (n=1328)		All (n=3196)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00							0.3	24.3	0.3	11.4	0.3	21.5	0.2	21.9	0.2	8.2	0.2	18.2
6	5.00							1.8	26.6	0.7	14.1	1.4	23.8	1.1	24.0	0.4	10.9	0.8	20.5
7	10.00	0.2	13.1	0.3	5.2	0.2	10.2	3.2	28.8	1.0	16.8	2.3	26.1	2.0	26.2	0.6	13.7	1.4	22.7
8	15.00	0.4	15.8	0.4	8.3	0.4	13.0	4.5	31.1	1.3	19.5	3.2	28.3	2.8	28.3	0.8	16.4	2.0	25.0
9	20.00	1.2	18.5	0.6	11.4	0.9	15.8	6.6	33.3	1.8	22.2	4.7	30.6	4.4	30.5	1.2	19.1	3.1	27.3
10	25.00	1.4	21.2	0.6	14.5	1.0	18.7	10.8	35.6	2.6	24.9	7.6	32.9	7.0	32.6	1.7	21.9	4.8	29.5
11	30.00	2.5	23.9	0.9	17.6	1.8	21.5	15.6	37.8	3.5	27.6	10.8	35.2	10.3	34.7	2.3	24.6	7.0	31.8
12	35.00	3.9	26.6	1.2	20.7	2.7	24.3	19.9	40.1	4.9	30.3	14.0	37.4	13.5	36.9	3.2	27.3	9.2	34.1
13	40.00	6.0	29.2	1.7	23.8	4.1	27.2	26.4	42.3	7.4	33.0	18.9	39.7	18.2	39.0	4.7	30.1	12.6	36.3
14	45.00	7.1	31.9	3.1	26.9	5.3	30.0	34.0	44.6	10.7	35.7	24.9	42.0	23.2	41.2	7.2	32.8	16.6	38.6
15	50.00	10.1	34.6	5.3	30.0	8.0	32.8	42.2	46.8	15.0	38.4	31.5	44.2	29.3	43.3	10.6	35.5	21.5	40.9
16	55.00	13.3	37.3	7.8	33.1	10.8	35.7	49.3	49.1	19.2	41.1	37.5	46.5	34.9	45.4	14.0	38.3	26.2	43.1
17	60.00	19.0	40.0	12.9	36.2	16.3	38.5	55.7	51.3	27.9	43.8	44.8	48.8	41.0	47.6	21.0	41.0	32.7	45.4
18	65.00	24.4	42.7	19.5	39.3	22.2	41.3	64.0	53.6	35.4	46.5	52.8	51.1	48.1	49.7	28.1	43.7	39.8	47.7
19	70.00	29.7	45.4	24.7	42.4	27.5	44.2	71.0	55.8	46.4	49.2	61.4	53.3	54.5	51.9	36.5	46.5	47.0	49.9
20	75.00	40.1	48.1	32.4	45.4	36.7	47.0	79.3	58.1	57.5	51.9	70.7	55.6	63.6	54.0	46.0	49.2	56.3	52.2
21	80.00	50.0	50.8	44.1	48.5	47.4	49.8	87.4	60.4	69.7	54.6	80.5	57.9	72.4	56.1	58.0	51.9	66.4	54.5
22	85.00	60.6	53.5	53.7	51.6	57.5	52.7	92.4	62.6	80.8	57.3	87.9	60.1	79.6	58.3	68.4	54.7	75.0	56.7
23	90.00	72.9	56.1	64.9	54.7	69.3	55.5	96.3	64.9	89.5	60.0	93.6	62.4	86.9	60.4	78.2	57.4	83.3	59.0
24	95.00	85.0	58.8	79.6	57.8	82.6	58.3	98.7	67.1	94.8	62.7	97.2	64.7	93.2	62.6	87.9	60.1	91.0	61.3
25	100.00	100.0	61.5	100.0	60.9	100.0	61.2	100.0	69.4	100.0	65.4	100.0	67.0	100.0	64.7	100.0	62.9	100.0	63.5

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 117: HU – Hungary. Individual norm data for KIDSCREEN-52: Autonomy

Raw- Score	0-100 Score	Females (n=752:)		Children 8-11 Males (n=612)		All (n=1364)		Females (n=1128)		Adolescents 12-18 Males (n=725)		All (n=1853)		Females (n=1880)		Children & Adolescents 8-18 Males (n=1337)		All (n=3217)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00	0.2	17.3	0.3	16.8	0.2	17.1	0.6	25.3	0.3	19.5	0.5	23.7	0.4	23.4	0.2	18.5	0.3	21.8
6	5.00	0.3	19.6	0.5	19.1	0.4	19.4	1.4	27.4	0.6	21.8	1.1	25.8	1.0	25.5	0.5	20.8	0.8	23.9
7	10.00	0.3	21.9	0.8	21.4	0.5	21.7	2.4	29.6	1.0	24.1	1.8	28.0	1.5	27.6	0.8	23.1	1.2	26.1
8	15.00	0.5	24.2	1.3	23.7	0.8	24.0	3.5	31.7	1.5	26.3	2.7	30.1	2.3	29.7	1.4	25.3	1.9	28.2
9	20.00	1.7	26.5	2.6	26.0	2.1	26.3	7.1	33.9	2.2	28.6	5.2	32.3	4.9	31.8	2.4	27.6	3.9	30.3
10	25.00	3.0	28.8	4.1	28.3	3.5	28.6	11.7	36.0	4.7	30.9	8.9	34.4	8.2	33.9	4.4	29.8	6.6	32.5
11	30.00	6.3	31.1	6.1	30.5	6.2	30.8	15.9	38.2	7.0	33.1	12.4	36.6	12.0	36.1	6.6	32.1	9.8	34.6
12	35.00	9.4	33.4	7.9	32.8	8.7	33.1	21.9	40.3	10.3	35.4	17.4	38.7	16.9	38.2	9.2	34.3	13.7	36.8
13	40.00	13.2	35.7	10.6	35.1	12.0	35.4	28.7	42.5	15.2	37.6	23.4	40.9	22.5	40.3	13.1	36.6	18.6	38.9
14	45.00	17.2	37.9	14.2	37.4	15.8	37.7	34.7	44.6	20.6	39.9	29.2	43.0	27.7	42.4	17.6	38.8	23.5	41.1
15	50.00	21.8	40.2	18.1	39.7	20.2	40.0	42.4	46.8	26.5	42.2	36.2	45.1	34.2	44.5	22.7	41.1	29.4	43.2
16	55.00	26.7	42.5	23.8	42.0	25.4	42.3	49.4	48.9	33.5	44.4	43.2	47.3	40.3	46.6	29.1	43.4	35.6	45.4
17	60.00	32.6	44.8	28.4	44.2	30.7	44.6	56.9	51.1	40.4	46.7	50.5	49.4	47.2	48.7	34.9	45.6	42.1	47.5
18	65.00	38.2	47.1	36.9	46.5	37.6	46.9	63.7	53.2	47.2	49.0	57.3	51.6	53.5	50.9	42.5	47.9	48.9	49.7
19	70.00	46.2	49.4	45.9	48.8	46.0	49.1	70.9	55.4	53.8	51.2	64.2	53.7	61.0	53.0	50.2	50.1	56.5	51.8
20	75.00	53.1	51.7	52.2	51.1	52.7	51.4	78.0	57.6	62.2	53.5	71.9	55.9	68.1	55.1	57.7	52.4	63.7	54.0
21	80.00	61.2	54.0	61.6	53.4	61.4	53.7	83.2	59.7	70.2	55.7	78.1	58.0	74.4	57.2	66.3	54.6	71.0	56.1
22	85.00	71.7	56.3	68.6	55.7	70.3	56.0	88.2	61.9	77.6	58.0	84.1	60.2	81.6	59.3	73.5	56.9	78.2	58.2
23	90.00	82.6	58.6	78.7	57.9	80.8	58.3	93.9	64.0	86.1	60.3	90.8	62.3	89.4	61.4	82.7	59.1	86.6	60.4
24	95.00	89.1	60.9	84.7	60.2	87.2	60.6	96.9	66.2	92.6	62.5	95.2	64.5	93.8	63.5	89.0	61.4	91.8	62.5
25	100.00	100.0	63.2	100.0	62.5	100.0	62.9	100.0	68.3	100.0	64.8	100.0	66.6	100.0	65.6	100.0	63.6	100.0	64.7

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ($M = 50$, $SD = 10$).

Table A7_D - 118: HU – Hungary. Individual norm data for KIDSCREEN-52: Parent Relations & Home Life

Raw- Score	0-100 Score	Females (n=751)		Children 8-11 Males (n=611)		All (n=1362)		Females (n=1116)		Adolescents 12-18 Males (n=726)		All (n=1842)		Females (n=1867)		Children & Adolescents 8-18 Males (n=1337)		All (n=3204)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00							0.4	19.4	0.3	12.4	0.3	17.1	0.2	14.8	0.2	7.1	0.2	12.1
7	4.17							0.6	21.2	0.7	14.5	0.6	19.0	0.3	16.7	0.4	9.3	0.3	14.1
8	8.33	0.2	0.4			0.1	-0.4	1.0	23.0	0.9	16.6	0.9	20.9	0.6	18.6	0.5	11.5	0.6	16.1
9	12.50	0.3	3.0	0.3	1.2	0.2	2.3	1.6	24.8	0.9	18.7	1.3	22.8	1.1	20.5	0.6	13.8	0.8	18.2
10	16.67	0.3	5.7	0.4	4.0	0.3	5.0	2.7	26.6	1.4	20.7	2.2	24.7	1.7	22.4	0.9	16.0	1.4	20.2
11	20.83	0.3	8.3	0.4	6.8	0.3	7.7	3.4	28.5	1.7	22.8	2.7	26.6	2.1	24.3	1.1	18.3	1.7	22.2
12	25.00	0.5	11.0	0.4	9.6	0.4	10.4	5.1	30.3	2.0	24.9	3.8	28.5	3.2	26.3	1.2	20.5	2.4	24.2
13	29.17	0.6	13.6	0.6	12.4	0.5	13.1	6.5	32.1	3.4	27.0	5.3	30.4	4.1	28.2	2.1	22.8	3.3	26.3
14	33.33	1.3	16.3	0.9	15.2	1.1	15.8	9.0	33.9	4.5	29.1	7.3	32.3	5.9	30.1	2.8	25.0	4.6	28.3
15	37.50	1.7	18.9	1.1	18.0	1.4	18.5	11.8	35.7	5.3	31.2	9.3	34.2	7.8	32.0	3.4	27.3	5.9	30.3
16	41.67	2.0	21.6	1.6	20.7	1.8	21.3	14.8	37.5	7.7	33.3	12.0	36.1	9.6	33.9	4.9	29.5	7.7	32.3
17	45.83	2.7	24.2	2.2	23.5	2.4	24.0	18.1	39.3	10.4	35.4	15.1	38.0	11.9	35.8	6.6	31.7	9.7	34.4
18	50.00	4.6	26.9	3.6	26.3	4.2	26.7	22.0	41.1	14.2	37.5	18.9	39.9	15.0	37.7	9.4	34.0	12.7	36.4
19	54.17	6.9	29.5	5.3	29.1	6.2	29.4	26.4	42.9	18.1	39.6	23.1	41.8	18.6	39.6	12.2	36.2	15.9	38.4
20	58.33	9.4	32.2	8.2	31.9	8.9	32.1	32.3	44.7	22.2	41.7	28.3	43.7	23.1	41.5	15.8	38.5	20.1	40.4
21	62.50	11.0	34.9	11.9	34.7	11.4	34.8	35.9	46.6	27.8	43.7	32.7	45.6	25.9	43.4	20.6	40.7	23.7	42.5
22	66.67	13.4	37.5	14.4	37.5	13.9	37.5	41.6	48.4	33.3	45.8	38.3	47.5	30.3	45.4	24.7	43.0	27.9	44.5
23	70.83	17.6	40.2	18.0	40.3	17.8	40.2	46.7	50.2	38.7	47.9	43.5	49.4	35.0	47.3	29.2	45.2	32.6	46.5
24	75.00	21.2	42.8	22.9	43.1	21.9	42.9	53.7	52.0	45.3	50.0	50.4	51.3	40.6	49.2	35.0	47.5	38.3	48.5
25	79.17	26.9	45.5	30.1	45.8	28.3	45.6	60.1	53.8	54.4	52.1	57.9	53.2	46.7	51.1	43.3	49.7	45.3	50.6
26	83.33	33.9	48.1	38.2	48.6	35.8	48.3	66.3	55.6	63.1	54.2	65.0	55.1	53.3	53.0	51.7	51.9	52.6	52.6
27	87.50	43.6	50.8	49.9	51.4	46.4	51.1	74.2	57.4	72.8	56.3	73.7	57.0	61.9	54.9	62.3	54.2	62.1	54.6
28	91.67	57.3	53.4	63.3	54.2	60.0	53.8	83.6	59.2	82.3	58.4	83.1	58.9	73.1	56.8	73.6	56.4	73.3	56.6
29	95.83	73.7	56.1	77.7	57.0	75.5	56.5	91.1	61.0	90.2	60.5	90.7	60.8	84.1	58.7	84.5	58.7	84.3	58.7
30	100.00	100.0	58.7	100.0	59.8	100.0	59.2	100.0	62.8	100.0	62.6	100.0	62.7	100.0	60.6	100.0	60.9	100.0	60.7

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 119: HU – Hungary. Individual norm data for KIDSCREEN-52: Social Support & Peers

Raw- Score	0-100 Score	Females (n=746)		Children 8-11 Males (n=607)		All (n=1353)		Females (n=1115)		Adolescents 12-18 Males (n=723)		All (n=1838)		Females (n=1861)		Children & Adolescents 8-18 Males (n=1330)		All (n=3191)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00	0.2	9.1	0.7	16.1	0.4	12.7	0.1	12.8	0.6	16.7	0.3	14.5	0.1	11.6	0.6	16.6	0.3	14.0
7	4.17	0.3	11.3	0.9	18.0	0.5	14.7	0.4	14.9	0.8	18.7	0.5	16.6	0.4	13.8	0.8	18.6	0.5	16.0
8	8.33	0.5	13.5	1.4	19.9	0.8	16.8	0.6	17.1	0.9	20.7	0.7	18.7	0.5	16.0	1.1	20.5	0.7	18.1
9	12.50	0.5	15.8	1.7	21.8	1.0	18.8	0.8	19.2	1.5	22.7	1.1	20.7	0.7	18.1	1.6	22.5	1.0	20.1
10	16.67	1.2	18.0	2.5	23.7	1.8	20.9	1.2	21.4	2.1	24.7	1.5	22.8	1.2	20.3	2.3	24.4	1.6	22.2
11	20.83	1.4	20.2	3.0	25.6	2.1	23.0	1.6	23.6	3.0	26.7	2.2	24.9	1.5	22.5	3.0	26.3	2.1	24.3
12	25.00	1.6	22.4	3.7	27.5	2.5	25.0	2.2	25.7	4.2	28.7	2.9	27.0	1.9	24.6	3.9	28.3	2.8	26.3
13	29.17	2.3	24.6	5.0	29.4	3.5	27.1	3.3	27.9	5.9	30.7	4.4	29.1	2.9	26.8	5.5	30.2	4.0	28.4
14	33.33	3.7	26.9	6.9	31.3	5.2	29.1	5.0	30.1	7.5	32.7	6.0	31.2	4.5	29.0	7.2	32.1	5.6	30.4
15	37.50	4.7	29.1	8.7	33.2	6.5	31.2	6.6	32.2	9.7	34.7	7.8	33.3	5.9	31.1	9.2	34.1	7.3	32.5
16	41.67	6.3	31.3	11.0	35.1	8.4	33.2	9.7	34.4	11.5	36.7	10.4	35.4	8.3	33.3	11.3	36.0	9.6	34.6
17	45.83	9.1	33.5	12.5	37.0	10.6	35.3	13.4	36.6	15.5	38.6	14.3	37.4	11.7	35.5	14.1	38.0	12.7	36.6
18	50.00	11.0	35.7	16.0	38.9	13.2	37.4	17.6	38.7	21.2	40.6	19.0	39.5	14.9	37.7	18.8	39.9	16.5	38.7
19	54.17	13.9	38.0	19.9	40.8	16.6	39.4	21.8	40.9	24.2	42.6	22.7	41.6	18.6	39.8	22.2	41.8	20.1	40.7
20	58.33	17.4	40.2	23.7	42.7	20.2	41.5	24.8	43.1	30.0	44.6	26.9	43.7	21.9	42.0	27.1	43.8	24.0	42.8
21	62.50	22.1	42.4	27.5	44.6	24.5	43.5	30.6	45.2	34.4	46.6	32.1	45.8	27.2	44.2	31.3	45.7	28.9	44.9
22	66.67	28.3	44.6	32.7	46.5	30.3	45.6	36.4	47.4	41.4	48.6	38.3	47.9	33.1	46.3	37.4	47.6	34.9	46.9
23	70.83	35.1	46.8	39.0	48.4	36.8	47.6	44.5	49.5	49.4	50.6	46.4	50.0	40.8	48.5	44.6	49.6	42.4	49.0
24	75.00	44.0	49.1	46.3	50.3	45.0	49.7	53.3	51.7	58.2	52.6	55.2	52.1	49.6	50.7	52.8	51.5	50.9	51.0
25	79.17	53.1	51.3	53.4	52.3	53.2	51.8	61.6	53.9	66.3	54.6	63.5	54.2	58.2	52.8	60.4	53.5	59.1	53.1
26	83.33	62.9	53.5	61.8	54.2	62.4	53.8	73.0	56.0	74.4	56.6	73.6	56.2	69.0	55.0	68.6	55.4	68.8	55.2
27	87.50	72.5	55.7	71.1	56.1	71.9	55.9	83.3	58.2	82.6	58.5	83.0	58.3	78.9	57.2	77.4	57.3	78.3	57.2
28	91.67	79.9	58.0	81.3	58.0	80.6	57.9	89.8	60.4	89.5	60.5	89.7	60.4	85.9	59.3	85.8	59.3	85.8	59.3
29	95.83	87.0	60.2	87.6	59.9	87.3	60.0	96.4	62.5	95.2	62.5	95.9	62.5	92.6	61.5	91.7	61.2	92.2	61.3
30	100.00	100.0	62.4	100.0	61.8	100.0	62.0	100.0	64.7	100.0	64.5	100.0	64.6	100.0	63.7	100.0	63.2	100.0	63.4

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 120: HU – Hungary. Individual norm data for KIDSCREEN-52: School Environment

Raw- Score	0-100 Score	Females (n=756)		Children 8-11 Males (n=613)		All (n=1369)		Females (n=1124)		Adolescents 12-18 Males (n=722)		All (n=1846)		Females (n=1880)		Children & Adolescents 8-18 Males (n=1335)		All (n=3215)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00	0.2	11.1	0.4	17.9	0.2	14.7	0.2	21.5	0.6	26.0	0.3	23.5	0.2	21.2	0.4	24.5	0.3	22.7
7	4.17	0.2	13.3	0.6	19.8	0.3	16.7	0.5	23.7	1.2	28.0	0.8	25.6	0.4	23.1	0.9	26.3	0.6	24.6
8	8.33	0.3	15.4	0.7	21.8	0.5	18.7	1.1	25.9	2.8	29.9	1.7	27.7	0.7	25.1	1.8	28.0	1.2	26.4
9	12.50	0.5	17.5	1.2	23.7	0.7	20.8	2.2	28.1	5.7	31.8	3.6	29.7	1.5	27.0	3.6	29.8	2.4	28.3
10	16.67	1.1	19.7	1.8	25.6	1.4	22.8	3.8	30.3	9.0	33.8	5.9	31.8	2.7	28.9	5.7	31.6	4.0	30.1
11	20.83	1.5	21.8	2.6	27.5	2.0	24.8	5.4	32.5	11.5	35.7	7.8	33.9	3.8	30.8	7.4	33.4	5.3	32.0
12	25.00	1.8	24.0	4.4	29.4	2.9	26.8	7.6	34.7	14.4	37.7	10.3	36.0	5.3	32.7	9.8	35.1	7.2	33.8
13	29.17	3.0	26.1	6.7	31.3	4.7	28.8	11.4	36.9	17.9	39.6	13.9	38.1	8.0	34.6	12.7	36.9	10.0	35.7
14	33.33	4.4	28.3	7.8	33.2	5.9	30.8	16.3	39.1	23.3	41.6	19.0	40.1	11.5	36.5	16.2	38.7	13.5	37.5
15	37.50	5.4	30.4	11.1	35.1	8.0	32.9	21.2	41.2	29.5	43.5	24.5	42.2	14.9	38.5	21.1	40.5	17.4	39.3
16	41.67	6.9	32.6	14.5	37.0	10.3	34.9	29.0	43.4	35.6	45.4	31.6	44.3	20.1	40.4	25.9	42.2	22.5	41.2
17	45.83	9.7	34.7	17.9	39.0	13.4	36.9	37.5	45.6	42.6	47.4	39.5	46.4	26.3	42.3	31.3	44.0	28.4	43.0
18	50.00	12.7	36.9	21.1	40.9	16.4	38.9	47.1	47.8	49.9	49.3	48.2	48.5	33.3	44.2	36.7	45.8	34.7	44.9
19	54.17	16.5	39.1	25.8	42.8	20.7	40.9	54.9	50.0	56.3	51.3	55.4	50.6	39.4	46.1	42.3	47.5	40.6	46.7
20	58.33	20.9	41.2	30.5	44.7	25.2	42.9	62.1	52.2	63.1	53.2	62.5	52.6	45.5	48.0	48.1	49.3	46.6	48.6
21	62.50	26.4	43.4	35.4	46.6	30.4	45.0	70.9	54.4	71.4	55.1	71.1	54.7	53.0	49.9	54.9	51.1	53.8	50.4
22	66.67	32.9	45.5	40.3	48.5	36.2	47.0	78.1	56.6	77.4	57.1	77.8	56.8	59.9	51.9	60.4	52.9	60.1	52.3
23	70.83	39.5	47.7	47.8	50.4	43.2	49.0	84.3	58.8	83.7	59.0	84.0	58.9	66.3	53.8	67.2	54.6	66.7	54.1
24	75.00	46.0	49.8	57.9	52.3	51.3	51.0	88.1	61.0	88.5	61.0	88.3	61.0	71.2	55.7	74.5	56.4	72.5	56.0
25	79.17	55.1	52.0	65.1	54.2	59.6	53.0	91.6	63.2	92.1	62.9	91.8	63.0	76.9	57.6	79.7	58.2	78.1	57.8
26	83.33	63.6	54.1	71.1	56.2	66.9	55.0	94.5	65.4	95.0	64.9	94.7	65.1	82.0	59.5	84.0	60.0	82.9	59.7
27	87.50	73.1	56.3	79.2	58.1	75.8	57.1	97.0	67.6	96.7	66.8	96.9	67.2	87.4	61.4	88.7	61.7	87.9	61.5
28	91.67	81.0	58.4	86.4	60.0	83.4	59.1	98.6	69.8	98.3	68.7	98.5	69.3	91.5	63.3	92.9	63.5	92.1	63.4
29	95.83	88.6	60.6	92.3	61.9	90.3	61.1	99.1	72.0	99.6	70.7	99.3	71.4	94.9	65.2	96.2	65.3	95.4	65.2
30	100.00	100.0	62.7	100.0	63.8	100.0	63.1	100.0	74.2	100.0	72.6	100.0	73.5	100.0	67.2	100.0	67.1	100.0	67.1

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7_D - 121: HU – Hungary. Individual norm data for KIDSCREEN-52: Social Acceptance

Raw- Score	0-100 Score	Females (n=758)		Children 8-11 Males (n=615)		All (n=1373)		Females (n=1127)		Adolescents 12-18 Males (n=726)		All (n=1853)		Females (n=1885)		Children & Adolescents 8-18 Males (n=1341)		All (n=3157)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
3	0.00	0.5	-5.2	0.4	-4.7	0.4	-4.9	0.1	-23.8	0.6	-15.9	0.3	-20.3	0.3	-14.0	0.4	-9.8	0.3	-12.1
4	8.33	0.5	-0.1	0.6	0.4	0.5	0.2	0.1	-17.3	0.8	-10.0	0.4	-14.0	0.3	-8.2	0.6	-4.4	0.4	-6.5
5	16.67	0.7	5.0	0.7	5.4	0.7	5.3	0.6	-10.8	0.9	-4.1	0.7	-7.8	0.6	-2.4	0.8	1.0	0.7	-0.9
6	25.00	0.9	10.2	1.3	10.5	1.0	10.3	0.9	-4.2	1.0	1.8	0.9	-1.5	0.8	3.3	1.1	6.5	1.0	4.7
7	33.33	2.2	15.3	2.9	15.5	2.6	15.4	1.4	2.3	1.8	7.7	1.6	4.7	1.7	9.1	2.3	11.9	2.0	10.4
8	41.67	3.6	20.4	3.5	20.6	3.5	20.5	1.7	8.8	2.0	13.6	1.8	11.0	2.4	14.9	2.6	17.4	2.5	16.0
9	50.00	5.4	25.5	4.6	25.6	5.0	25.6	2.5	15.4	3.2	19.6	2.7	17.2	3.7	20.6	3.8	22.8	3.7	21.6
10	58.33	7.5	30.7	6.7	30.7	7.2	30.7	3.5	21.9	3.7	25.5	3.6	23.5	5.1	26.4	5.1	28.2	5.1	27.2
11	66.67	9.6	35.8	11.1	35.7	10.3	35.8	4.6	28.4	6.1	31.4	5.2	29.7	6.6	32.2	8.4	33.7	7.3	32.8
12	75.00	15.3	40.9	16.1	40.8	15.6	40.9	8.0	35.0	9.6	37.3	8.6	36.0	10.9	38.0	12.6	39.1	11.6	38.5
13	83.33	28.1	46.1	26.3	45.8	27.3	46.0	16.0	41.5	17.9	43.2	16.8	42.2	20.9	43.7	21.7	44.6	21.2	44.1
14	91.67	49.1	51.2	43.0	50.9	46.4	51.0	30.1	48.0	38.1	49.1	33.3	48.5	37.8	49.5	40.4	50.0	38.9	49.7
15	100.00	100.0	56.3	100.0	55.9	100.0	56.1	100.0	54.5	100.0	55.0	100.0	54.7	100.0	55.3	100.0	55.4	100.0	55.3

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ($M = 50$, $SD = 10$).

Table A7_D - 122: HU – Hungary. Individual norm data for KIDSCREEN-52: Financial Resources

Raw- Score	0-100 Score	Females (n=731)		Children 8-11 Males (n=597)		All (n=1328)		Females (n=1117)		Adolescents 12-18 Males (n=712)		All (n=1829)		Females (n=1848)		Children & Adolescents 8-18 Males (n=1309)		All (n=3157)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
3	0.00	2.3	26.6	5.5	29.0	3.8	27.8	1.6	25.9	1.4	23.6	1.5	25.1	1.9	26.2	3.3	26.4	2.5	26.3
4	8.33	4.8	29.5	9.2	31.7	6.8	30.5	3.0	28.9	2.3	26.8	2.7	28.2	3.7	29.2	5.4	29.3	4.4	29.3
5	16.67	9.1	32.4	12.5	34.3	10.7	33.3	6.2	32.0	5.1	30.0	5.8	31.3	7.4	32.2	8.5	32.2	7.8	32.2
6	25.00	12.5	35.3	16.4	37.0	14.2	36.1	12.6	35.0	8.4	33.2	11.0	34.4	12.6	35.2	12.1	35.1	12.4	35.2
7	33.33	18.3	38.1	21.4	39.6	19.7	38.9	19.2	38.1	14.7	36.3	17.4	37.5	18.8	38.1	17.8	38.1	18.4	38.1
8	41.67	24.5	41.0	26.1	42.3	25.2	41.6	25.3	41.2	20.8	39.5	23.6	40.6	25.0	41.1	23.2	41.0	24.3	41.1
9	50.00	32.6	43.9	32.3	44.9	32.5	44.4	32.8	44.2	29.4	42.7	31.5	43.7	32.7	44.1	30.7	43.9	31.9	44.0
10	58.33	38.6	46.8	39.2	47.6	38.8	47.2	41.8	47.3	37.5	45.9	40.1	46.8	40.5	47.1	38.3	46.8	39.6	46.9
11	66.67	45.9	49.7	47.0	50.3	46.4	50.0	51.7	50.3	45.8	49.1	49.4	49.9	49.4	50.1	46.3	49.7	48.1	49.9
12	75.00	55.4	52.6	56.6	52.9	55.9	52.7	63.2	53.4	57.1	52.2	60.8	53.0	60.1	53.1	56.9	52.6	58.7	52.8
13	83.33	65.5	55.5	65.8	55.6	65.7	55.5	71.1	56.5	67.8	55.4	69.8	56.1	68.9	56.0	66.9	55.5	68.1	55.8
14	91.67	79.3	58.3	77.1	58.2	78.3	58.3	82.8	59.5	80.0	58.6	81.7	59.1	81.4	59.0	78.7	58.4	80.3	58.7
15	100.00	100.0	61.2	100.0	60.9	100.0	61.0	100.0	62.6	100.0	61.8	100.0	62.2	100.0	62.0	100.0	61.3	100.0	61.7

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ($M = 50$, $SD = 10$).

Table A7_D - 123: HU – Hungary. Individual norm data for KIDSCREEN-27: Physical Well-being

Raw- Score	0-100 Score	Females (n=748)		Children 8-11 Males (n=612)		All (n=1360)		Females (n=1122)		Adolescents 12-18 Males (n=721)		All (n=1843)		Females (n=1870)		Children & Adolescents 8-18 Males (n=1333)		All (n=3203)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00							0.1	19.6	0.2	16.8	0.1	19.2	0.1	18.4	0.1	14.8	0.1	17.3
6	5.56	0.2	11.9	0.3	11.9	0.2	12.0	0.5	22.7	1.0	19.8	0.6	22.2	0.3	21.3	0.6	17.7	0.4	20.2
7	11.11	0.3	15.2	0.5	15.0	0.4	15.2	1.8	25.8	1.7	22.7	1.7	25.1	1.2	24.2	1.1	20.6	1.2	23.0
8	16.67	0.5	18.4	1.3	18.1	0.8	18.4	3.5	28.9	2.3	25.7	3.0	28.1	2.2	27.0	1.9	23.5	2.1	25.9
9	22.22	1.1	21.7	1.6	21.2	1.2	21.6	4.7	32.0	3.7	28.6	4.3	31.1	3.3	29.9	2.7	26.4	3.0	28.7
10	27.78	2.0	24.9	1.8	24.4	1.9	24.7	10.0	35.1	5.3	31.6	8.1	34.0	6.8	32.8	3.7	29.3	5.5	31.6
11	33.33	3.1	28.1	2.9	27.5	3.0	27.9	14.9	38.2	8.1	34.5	12.2	37.0	10.1	35.7	5.7	32.1	8.3	34.4
12	38.89	5.8	31.4	5.4	30.6	5.6	31.1	23.3	41.3	13.7	37.5	19.5	40.0	16.3	38.5	9.9	35.0	13.6	37.3
13	44.44	9.4	34.6	7.7	33.7	8.6	34.3	33.5	44.4	20.5	40.4	28.4	42.9	23.8	41.4	14.6	37.9	20.0	40.1
14	50.00	14.7	37.9	12.2	36.9	13.6	37.5	44.6	47.5	28.4	43.3	38.3	45.9	32.7	44.3	21.0	40.8	27.8	43.0
15	55.56	21.8	41.1	19.3	40.0	20.7	40.6	57.5	50.6	37.8	46.3	49.8	48.9	43.2	47.2	29.3	43.7	37.4	45.8
16	61.11	33.0	44.4	28.9	43.1	31.2	43.8	70.0	53.7	49.1	49.2	61.8	51.8	55.2	50.1	39.8	46.6	48.8	48.7
17	66.67	44.5	47.6	37.4	46.2	41.3	47.0	79.3	56.8	61.4	52.2	72.3	54.8	65.3	52.9	50.4	49.5	59.1	51.5
18	72.22	56.0	50.9	48.9	49.3	52.8	50.2	87.7	59.9	73.7	55.1	82.2	57.8	75.0	55.8	62.3	52.4	69.7	54.4
19	77.78	69.5	54.1	59.2	52.5	64.8	53.4	92.9	63.0	82.9	58.1	89.0	60.7	83.5	58.7	72.0	55.3	78.7	57.2
20	83.33	81.0	57.4	72.6	55.6	77.2	56.5	96.2	66.1	90.3	61.0	93.9	63.7	90.1	61.6	82.2	58.2	86.8	60.1
21	88.89	89.0	60.6	84.8	58.7	87.1	59.7	98.5	69.2	95.3	63.9	97.2	66.7	94.7	64.4	90.5	61.1	92.9	62.9
22	94.44	95.4	63.9	94.4	61.8	95.0	62.9	99.5	72.3	98.5	66.9	99.1	69.6	97.8	67.3	96.6	64.0	97.3	65.7
23	100.00	100.0	67.1	100.0	65.0	100.0	66.1	100.0	75.4	100.0	69.8	100.0	72.6	100.0	70.2	100.0	66.9	100.0	68.6

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ($M = 50$, $SD = 10$).

Table A7_D - 124: HU – Hungary. Individual norm data for KIDSCREEN-27: Psychological Well-being

Raw- Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=745)		Males (n=602)		All (n=1347)		Females (n=1123)		Males (n=723)		All (n=1846)		Females (n=1868)		Males (n=1325)		All (n=3193)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
7	0.00									0.2	12.5	0.1	14.0			0.1	8.7	0.1	10.5
8	3.57			0.3	1.3	0.1	0.0	0.1	16.4	0.2	14.4	0.1	15.9	0.1	13.3	0.2	10.7	0.1	12.4
9	7.14			0.3	3.6	0.1	2.3	0.2	18.3	0.5	16.3	0.3	17.8	0.1	15.2	0.3	12.7	0.2	14.3
10	10.71			0.3	5.8	0.1	4.7	0.4	20.2	0.7	18.2	0.5	19.7	0.3	17.2	0.5	14.6	0.3	16.3
11	14.29			0.3	8.1	0.1	7.0	0.9	22.2	0.9	20.1	0.9	21.6	0.5	19.1	0.6	16.6	0.5	18.2
12	17.86	0.2	8.4	0.4	10.3	0.2	9.3	1.5	24.1	1.5	22.0	1.5	23.5	1.0	21.0	1.0	18.5	1.0	20.1
13	21.43	0.2	10.8	0.4	12.6	0.2	11.6	2.2	26.0	2.2	23.9	2.2	25.3	1.4	22.9	1.4	20.5	1.4	22.1
14	25.00	0.4	13.1	0.7	14.8	0.5	13.9	3.4	27.9	3.9	25.8	3.6	27.2	2.2	24.9	2.4	22.5	2.3	24.0
15	28.57	0.6	15.5	1.0	17.1	0.7	16.3	4.9	29.8	4.3	27.7	4.6	29.1	3.1	26.8	2.8	24.4	3.0	25.9
16	32.14	0.8	17.9	1.4	19.3	1.0	18.6	7.3	31.8	5.8	29.6	6.7	31.0	4.7	28.7	3.8	26.4	4.3	27.8
17	35.71	1.5	20.3	2.1	21.6	1.8	20.9	9.2	33.7	6.9	31.4	8.3	32.9	6.1	30.6	4.8	28.3	5.6	29.8
18	39.29	2.0	22.7	2.8	23.8	2.4	23.2	11.7	35.6	8.7	33.3	10.5	34.8	7.8	32.5	6.0	30.3	7.1	31.7
19	42.86	2.7	25.1	3.6	26.1	3.1	25.6	14.1	37.5	10.2	35.2	12.6	36.7	9.6	34.5	7.2	32.2	8.6	33.6
20	46.43	3.8	27.5	4.6	28.4	4.1	27.9	17.6	39.4	13.4	37.1	16.0	38.6	12.1	36.4	9.4	34.2	11.0	35.6
21	50.00	5.1	29.9	5.3	30.6	5.2	30.2	21.1	41.4	15.6	39.0	19.0	40.5	14.7	38.3	10.9	36.2	13.1	37.5
22	53.57	6.4	32.2	7.3	32.9	6.8	32.5	24.9	43.3	17.8	40.9	22.2	42.4	17.6	40.2	13.0	38.1	15.7	39.4
23	57.14	9.0	34.6	9.6	35.1	9.3	34.9	30.5	45.2	22.4	42.8	27.4	44.3	21.9	42.2	16.6	40.1	19.7	41.3
24	60.71	12.8	37.0	12.1	37.4	12.5	37.2	37.4	47.1	27.6	44.7	33.6	46.2	27.6	44.1	20.5	42.0	24.7	43.3
25	64.29	15.5	39.4	15.6	39.6	15.5	39.5	43.1	49.0	33.6	46.6	39.4	48.1	32.1	46.0	25.4	44.0	29.3	45.2
26	67.86	21.3	41.8	20.9	41.9	21.2	41.8	51.3	51.0	39.5	48.5	46.7	50.0	39.4	47.9	31.1	45.9	35.9	47.1
27	71.43	28.2	44.2	27.9	44.2	28.1	44.2	59.3	52.9	46.2	50.4	54.2	51.9	46.9	49.9	37.9	47.9	43.2	49.1
28	75.00	36.8	46.6	33.2	46.4	35.2	46.5	68.0	54.8	56.0	52.3	63.3	53.8	55.6	51.8	45.7	49.9	51.5	51.0
29	78.57	44.7	49.0	40.6	48.7	42.9	48.8	76.3	56.7	64.5	54.2	71.7	55.7	63.7	53.7	53.7	51.8	59.5	52.9
30	82.14	53.7	51.3	50.1	50.9	52.1	51.2	83.4	58.6	72.7	56.0	79.2	57.6	71.5	55.6	62.4	53.8	67.8	54.8
31	85.71	64.8	53.7	60.1	53.2	62.7	53.5	89.6	60.6	81.7	57.9	86.5	59.4	79.7	57.6	71.9	55.7	76.5	56.8
32	89.29	73.4	56.1	69.4	55.4	71.6	55.8	93.6	62.5	89.8	59.8	92.1	61.3	85.5	59.5	80.5	57.7	83.5	58.7
33	92.86	81.9	58.5	82.1	57.7	82.0	58.1	97.8	64.4	94.3	61.7	96.4	63.2	91.4	61.4	88.8	59.6	90.3	60.6
34	96.43	91.2	60.9	89.4	60.0	90.4	60.5	99.3	66.3	98.6	63.6	99.0	65.1	96.0	63.3	94.4	61.6	95.4	62.6
35	100.00	100.0	63.3	100.0	62.2	100.0	62.8	100.0	68.2	100.0	65.5	100.0	67.0	100.0	65.2	100.0	63.6	100.0	64.5

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7_D - 125: HU – Hungary. Individual norm data for KIDSCREEN-27: Parent Relations & Autonomy

Raw- Score	0-100 Score	Females (n=735)		Children 8-11 Males (n=604)		All (n=1339)		Females (n=1114)		Adolescents 12-18 Males (n=716)		All (n=1830)		Females (n=1849)		Children & Adolescents 8-18 Males (n=1320)		All (n=3169)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
7	0.00																		
8	3.57							0.4	21.6			0.2	19.9	0.2	19.2			0.1	17.6
9	7.14							0.7	23.3			0.4	21.6	0.4	20.9			0.3	19.3
10	10.71	0.2	14.4			0.1	14.7	1.1	25.0			0.7	23.4	0.7	22.6			0.4	21.1
11	14.29	0.2	16.3	0.5	17.0	0.3	16.6	1.5	26.7	0.7	21.7	1.2	25.1	1.0	24.3	0.6	20.2	0.8	22.8
12	17.86	0.2	18.2	0.5	18.9	0.3	18.5	2.2	28.4	1.2	23.6	1.8	26.8	1.4	26.0	0.8	22.0	1.2	24.5
13	21.43	0.3	20.1	0.9	20.8	0.5	20.4	3.6	30.1	1.4	25.4	2.7	28.6	2.3	27.7	1.1	23.8	1.8	26.3
14	25.00	0.5	22.1	1.5	22.7	0.9	22.3	5.5	31.8	2.1	27.2	4.2	30.3	3.5	29.4	1.8	25.6	2.8	28.0
15	28.57	1.0	24.0	2.0	24.6	1.4	24.3	7.5	33.5	2.9	29.1	5.7	32.1	4.9	31.1	2.5	27.5	3.9	29.7
16	32.14	1.8	25.9	3.1	26.5	2.4	26.2	9.3	35.2	4.6	30.9	7.5	33.8	6.3	32.7	3.9	29.3	5.3	31.5
17	35.71	3.1	27.8	4.3	28.4	3.7	28.1	12.4	36.9	7.0	32.7	10.3	35.5	8.7	34.4	5.8	31.1	7.5	33.2
18	39.29	5.7	29.7	5.6	30.2	5.7	30.0	15.6	38.6	9.9	34.6	13.4	37.3	11.7	36.1	8.0	32.9	10.1	34.9
19	42.86	7.0	31.7	7.0	32.1	7.0	31.9	19.3	40.3	12.3	36.4	16.5	39.0	14.4	37.8	9.8	34.8	12.5	36.7
20	46.43	9.8	33.6	8.8	34.0	9.3	33.8	24.4	42.0	15.4	38.3	20.9	40.7	18.6	39.5	12.4	36.6	16.0	38.4
21	50.00	11.8	35.5	12.6	35.9	12.2	35.7	30.1	43.7	19.7	40.1	26.0	42.5	22.9	41.2	16.4	38.4	20.2	40.1
22	53.57	15.1	37.4	14.9	37.8	15.0	37.6	36.1	45.4	25.7	41.9	32.0	44.2	27.7	42.9	20.8	40.3	24.8	41.9
23	57.14	19.2	39.4	18.1	39.7	18.7	39.5	41.2	47.1	30.7	43.8	37.1	45.9	32.4	44.6	24.9	42.1	29.3	43.6
24	60.71	22.3	41.3	20.6	41.6	21.5	41.4	46.4	48.8	35.6	45.6	42.2	47.7	36.8	46.3	28.7	43.9	33.4	45.4
25	64.29	26.2	43.2	25.2	43.5	25.7	43.3	52.2	50.5	39.7	47.4	47.3	49.4	41.9	48.0	33.0	45.7	38.2	47.1
26	67.86	31.5	45.1	31.8	45.4	31.6	45.2	58.1	52.2	44.7	49.3	52.9	51.1	47.5	49.6	38.8	47.6	43.9	48.8
27	71.43	37.2	47.1	37.8	47.2	37.5	47.1	64.0	54.0	51.4	51.1	59.1	52.9	53.4	51.3	45.1	49.4	49.9	50.6
28	75.00	42.1	49.0	43.7	49.1	42.8	49.0	70.1	55.7	59.5	53.0	65.9	54.6	59.0	53.0	52.3	51.2	56.2	52.3
29	78.57	48.2	50.9	50.1	51.0	49.0	51.0	76.4	57.4	67.5	54.8	72.9	56.3	65.2	54.7	59.5	53.0	62.8	54.0
30	82.14	55.9	52.8	57.5	52.9	56.7	52.9	81.9	59.1	74.3	56.6	78.9	58.1	71.6	56.4	66.6	54.9	69.5	55.8
31	85.71	64.1	54.7	64.5	54.8	64.3	54.8	87.3	60.8	80.6	58.5	84.7	59.8	78.1	58.1	73.2	56.7	76.1	57.5
32	89.29	72.9	56.7	73.4	56.7	73.2	56.7	91.3	62.5	86.6	60.3	89.4	61.5	84.0	59.8	80.6	58.5	82.6	59.2
33	92.86	81.1	58.6	81.4	58.6	81.2	58.6	94.8	64.2	91.6	62.1	93.5	63.3	89.4	61.5	86.9	60.3	88.3	61.0
34	96.43	88.8	60.5	87.9	60.5	88.4	60.5	97.4	65.9	95.8	64.0	96.8	65.0	94.0	63.2	92.2	62.2	93.2	62.7
35	100.00	100.0	62.4	100.0	62.4	100.0	62.4	100.0	67.6	100.0	65.8	100.0	66.7	100.0	64.8	100.0	64.0	100.0	64.4

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7_D - 126: HU – Hungary. Individual norm data for KIDSCREEN-27: Social Support & Peers

Raw- Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=751)		Males (n=608)		All (n=1359)		Females (n=1117)		Males (n=724)		All (n=1841)		Females (n=1868)		Males (n=1332)		All (n=3200)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
4	0.00	0.2	6.2	0.8	13.8	0.4	10.1	0.2	10.2	0.6	15.3	0.3	12.5	0.2	8.9	0.7	14.9	0.4	11.7
5	6.25	0.6	9.5	1.2	16.7	0.8	13.2	0.5	13.4	1.0	18.2	0.7	15.5	0.5	12.1	1.1	17.7	0.8	14.8
6	12.50	0.6	12.9	1.7	19.5	1.0	16.3	0.7	16.6	1.4	21.1	0.9	18.6	0.6	15.4	1.5	20.6	1.0	17.8
7	18.75	0.8	16.2	2.0	22.3	1.3	19.4	1.0	19.8	2.2	24.0	1.5	21.7	0.9	18.6	2.1	23.4	1.4	20.9
8	25.00	1.6	19.6	3.1	25.2	2.3	22.5	1.9	23.0	3.9	26.9	2.7	24.8	1.8	21.8	3.5	26.3	2.5	23.9
9	31.25	2.7	22.9	4.8	28.0	3.6	25.5	3.1	26.2	5.4	29.9	4.0	27.8	2.9	25.1	5.1	29.2	3.9	27.0
10	37.50	4.4	26.3	7.6	30.9	5.8	28.6	5.3	29.4	8.4	32.8	6.5	30.9	4.9	28.3	8.0	32.0	6.2	30.0
11	43.75	6.0	29.6	9.9	33.7	7.7	31.7	8.7	32.6	12.1	35.7	10.1	34.0	7.6	31.5	11.1	34.9	9.1	33.1
12	50.00	9.5	32.9	13.4	36.6	11.2	34.8	13.2	35.8	17.3	38.6	14.8	37.0	11.7	34.8	15.5	37.8	13.3	36.2
13	56.25	12.8	36.3	17.8	39.4	15.0	37.9	17.9	39.0	22.8	41.5	19.9	40.1	15.9	38.0	20.5	40.6	17.8	39.2
14	62.50	16.0	39.6	22.8	42.3	19.0	41.0	24.1	42.2	29.3	44.4	26.1	43.2	20.8	41.3	26.3	43.5	23.1	42.3
15	68.75	23.5	43.0	29.2	45.1	26.0	44.1	31.2	45.4	37.1	47.3	33.5	46.2	28.1	44.5	33.5	46.3	30.3	45.3
16	75.00	32.7	46.3	36.7	48.0	34.5	47.1	41.3	48.6	46.4	50.3	43.3	49.3	37.8	47.7	42.0	49.2	39.6	48.4
17	81.25	45.0	49.7	46.1	50.8	45.5	50.2	52.8	51.8	59.2	53.2	55.3	52.4	49.7	51.0	53.2	52.1	51.1	51.5
18	87.50	61.0	53.0	59.6	53.7	60.3	53.3	69.4	55.0	74.1	56.1	71.2	55.4	66.0	54.2	67.4	54.9	66.6	54.5
19	93.75	73.3	56.4	72.5	56.5	72.9	56.4	85.0	58.2	87.7	59.0	86.1	58.5	80.3	57.4	80.8	57.8	80.5	57.6
20	100.00	100.0	59.7	100.0	59.4	100.0	59.5	100.0	61.4	100.0	61.9	100.0	61.6	100.0	60.7	100.0	60.7	100.0	60.6

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 127: HU – Hungary. Individual norm data for KIDSCREEN-27: School Environment

Raw- Score	0-100 Score	Females (n=757)		Children 8-11 Males (n=615)		All (n=1372)		Females (n=1124)		Adolescents 12-18 Males (n=725)		All (n=1849)		Females (n=1881)		Children & Adolescents 8-18 Males (n=1340)		All (n=3221)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
4	0.00	0.3	8.4	0.5	16.2	0.4	12.6	0.2	19.5	0.7	24.1	0.4	21.5	0.2	19.0	0.6	22.5	0.4	20.6
5	6.25	0.5	11.7	0.5	19.1	0.5	15.7	0.8	22.8	1.4	27.0	1.0	24.7	0.6	21.9	1.0	25.3	0.8	23.5
6	12.50	0.8	15.0	1.2	22.0	1.0	18.8	1.8	26.1	3.9	29.9	2.6	27.8	1.4	24.9	2.6	28.0	1.9	26.3
7	18.75	1.1	18.4	2.3	24.9	1.6	21.9	3.7	29.4	7.2	32.9	5.1	30.9	2.7	27.8	4.9	30.7	3.6	29.1
8	25.00	1.9	21.7	4.1	27.8	2.8	25.0	6.4	32.7	12.7	35.8	8.9	34.0	4.6	30.7	8.7	33.4	6.3	31.9
9	31.25	3.0	25.0	6.0	30.7	4.4	28.0	10.1	35.9	17.3	38.7	12.9	37.1	7.3	33.7	12.1	36.1	9.3	34.8
10	37.50	4.5	28.4	9.4	33.7	6.7	31.1	17.5	39.2	24.2	41.6	20.1	40.3	12.3	36.6	17.4	38.8	14.4	37.6
11	43.75	6.9	31.7	14.1	36.6	10.1	34.2	27.2	42.5	34.0	44.5	29.8	43.4	19.0	39.5	24.9	41.5	21.4	40.4
12	50.00	10.2	35.0	18.8	39.5	14.1	37.3	40.2	45.8	43.6	47.5	41.6	46.5	28.1	42.5	32.2	44.2	29.8	43.2
13	56.25	15.6	38.4	25.4	42.4	20.0	40.4	53.4	49.1	54.6	50.4	53.8	49.6	38.2	45.4	41.2	46.9	39.4	46.1
14	62.50	22.1	41.7	33.1	45.3	27.0	43.5	64.2	52.4	66.0	53.3	64.9	52.7	47.2	48.3	50.9	49.7	48.8	48.9
15	68.75	31.8	45.0	40.1	48.2	35.6	46.6	75.7	55.6	76.7	56.2	76.1	55.9	58.0	51.2	59.9	52.4	58.8	51.7
16	75.00	42.9	48.4	52.2	51.2	47.1	49.7	85.1	58.9	85.8	59.1	85.4	59.0	68.1	54.2	70.4	55.1	69.1	54.6
17	81.25	54.8	51.7	64.5	54.1	59.2	52.8	90.8	62.2	91.3	62.1	91.0	62.1	76.3	57.1	79.0	57.8	77.4	57.4
18	87.50	71.9	55.0	78.4	57.0	74.8	55.9	96.4	65.5	95.3	65.0	96.0	65.2	86.6	60.0	87.6	60.5	87.0	60.2
19	93.75	83.0	58.4	88.8	59.9	85.6	59.0	98.8	68.8	98.6	67.9	98.7	68.3	92.4	63.0	94.1	63.2	93.1	63.0
20	100.00	100.0	61.7	100.0	62.8	100.0	62.1	100.0	72.1	100.0	70.8	100.0	71.5	100.0	65.9	100.0	65.9	100.0	65.9

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ($M = 50$, $SD = 10$).

Table A7_D - 128: HU – Hungary. Individual norm data for KIDSCREEN-10 Index

Raw- Score	0-100 Score	Females (n=743)		Children 8-11 Males (n=605)		All (n=1348)		Females (n=1115)		Adolescents 12-18 Males (n=717)		All (n=1832)		Females (n=1858)		Children & Adolescents 8-18 Males (n=1322)		All (n=3180)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
10	0.00																		
11	2.50																		
12	5.00																		
13	7.50																		
14	10.00							0.1	15.2			0.1	14.8	0.1	13.9			0.0	12.7
15	12.50							0.1	16.9			0.1	16.4	0.1	15.4			0.0	14.3
16	15.00							0.2	18.5	0.2	16.4	0.2	18.0	0.1	16.9	0.1	13.6	0.1	15.8
17	17.50							0.4	20.1	0.4	18.0	0.3	19.6	0.2	18.5	0.2	15.2	0.2	17.3
18	20.00							0.6	21.7	0.5	19.6	0.5	21.2	0.4	20.0	0.3	16.7	0.3	18.8
19	22.50							0.8	23.4	0.6	21.2	0.7	22.8	0.5	21.5	0.3	18.3	0.4	20.3
20	25.00							1.5	25.0	0.8	22.8	1.2	24.4	0.9	23.0	0.4	19.9	0.7	21.9
21	27.50	0.2	11	0.4	12.6	0.2	11.8	1.8	26.6	1.4	24.3	1.6	26.0	1.1	24.5	0.9	21.4	1.0	23.4
22	30.00	0.4	12.9	0.4	14.4	0.4	13.6	2.5	28.3	2.1	25.9	2.3	27.6	1.7	26.0	1.3	23.0	1.5	24.9
23	32.50	0.4	14.8	0.6	16.2	0.5	15.4	3.3	29.9	2.9	27.5	3.2	29.2	2.2	27.5	1.8	24.6	2.0	26.4
24	35.00	0.6	16.6	0.8	18.0	0.6	17.3	4.4	31.5	3.8	29.1	4.1	30.8	2.9	29.0	2.3	26.1	2.6	27.9
25	37.50	0.6	18.5	1.2	19.8	0.8	19.1	6.6	33.1	4.7	30.7	5.9	32.3	4.2	30.5	3.1	27.7	3.7	29.5
26	40.00	1.1	20.4	1.2	21.6	1.1	21.0	8.6	34.8	6.0	32.3	7.6	33.9	5.6	32.0	3.8	29.3	4.8	31.0
27	42.50	1.3	22.2	1.8	23.4	1.5	22.8	10.5	36.4	8.3	33.9	9.6	35.5	6.8	33.5	5.3	30.8	6.2	32.5
28	45.00	1.5	24.1	2.7	25.2	2.0	24.6	13.9	38.0	10.3	35.5	12.5	37.1	8.9	35.0	6.8	32.4	8.1	34.0
29	47.50	2.8	26.0	3.5	27.0	3.1	26.5	16.8	39.7	12.0	37.0	14.9	38.7	11.2	36.5	8.1	34.0	9.9	35.6
30	50.00	3.6	27.9	5.1	28.8	4.3	28.3	21.6	41.3	14.4	38.6	18.8	40.3	14.4	38.0	10.2	35.5	12.6	37.1
31	52.:50	5.1	29.7	6.3	30.6	5.7	30.2	26.5	42.9	18.5	40.2	23.4	41.9	18.0	39.6	13.0	37.1	15.9	38.6
32	55.00	6.1	31.6	6.8	32.4	6.4	32.0	31.7	44.5	23.3	41.8	28.4	43.5	21.5	41.1	15.8	38.6	19.1	40.1
33	57.50	7.8	33.5	9.5	34.2	8.5	33.8	37.1	46.2	27.0	43.4	33.2	45.1	25.4	42.6	19.0	40.2	22.7	41.7
34	60.00	9.7	35.4	11.3	36.0	10.4	35.7	43.2	47.8	30.9	45.0	38.4	46.7	29.8	44.1	21.9	41.8	26.5	43.2
35	62.50	13.2	37.2	13.3	37.8	13.2	37.5	49.7	49.4	36.4	46.6	44.5	48.3	35.1	45.6	25.8	43.3	31.2	44.7
36	65.00	16.3	39.1	15.8	39.6	16.1	39.4	55.1	51.1	41.5	48.2	49.8	49.9	39.6	47.1	29.7	44.9	35.5	46.2
37	67.50	19.4	41.0	20.9	41.4	20.1	41.2	60.1	52.:7	47.0	49.7	55.0	51.5	43.8	48.6	35.0	46.5	40.2	47.7
38	70.00	23.3	42.9	24.9	43.2	24.0	43.0	66.8	54.3	53.4	51.3	61.5	53.1	49.4	50.1	40.3	48.0	45.6	49.3
39	72.50	28.4	44.7	29.2	45.0	28.8	44.9	71.6	55.9	60.3	52.:9	67.2	54.7	54.3	51.6	46.1	49.6	50.9	50.8
40	75.00	35.1	46.6	33.9	46.8	34.6	46.7	78.1	57.6	67.2	54.5	73.8	56.3	60.9	53.1	52.:0	51.2	57.2	52.:3
41	77.50	42.6	48.5	40.9	48.7	41.8	48.6	83.5	59.2	73.3	56.1	79.5	57.9	67.1	54.6	58.5	52.:7	63.5	53.8
42	80.00	51.1	50.4	48.1	50.5	49.7	50.4	88.0	60.8	80.5	57.7	85.1	59.5	73.2	56.1	65.7	54.3	70.1	55.4
43	82.50	57.2	52.:2	55.2	52.:3	56.3	52.:2	91.5	62.5	85.1	59.3	89.0	61.1	77.8	57.6	71.5	55.8	75.2	56.9
44	85.00	65.7	54.1	64.0	54.1	64.9	54.1	94.8	64.1	88.9	60.9	92.5	62.7	83.2	59.1	77.5	57.4	80.8	58.4
45	87.50	72.1	56.0	72.1	55.9	72.1	55.9	96.7	65.7	92.8	62.4	95.2	64.3	86.9	60.7	83.3	59.0	85.4	59.9
46	90.00	79.8	57.9	79.7	57.7	79.8	57.8	98.2	67.3	95.2	64.0	97.0	65.9	90.9	62.2	88.1	60.5	89.7	61.4
47	92.50	86.8	59.7	87.6	59.5	87.2	59.6	99.1	69.0	96.6	65.6	98.1	67.5	94.2	63.7	92.5	62.1	93.5	63.0
48	95.00	92.1	61.6	92.1	61.3	92.1	61.4	99.5	70.6	98.2	67.2	99.0	69.1	96.6	65.2	95.4	63.7	96.1	64.5
49	97.50	95.7	63.5	96.7	63.1	96.1	63.3	99.8	72.2	99.0	68.8	99.5	70.7	98.2	66.7	98.0	65.2	98.1	66
50	100.00	100.0	65.3	100.0	64.9	100.0	65.1	100.0	73.9	100.0	70.4	100.0	72.3	100.0	68.2	100.0	66.8	100.0	67.5

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 129: IE – Ireland. Individual norm data for KIDSCREEN-52: Physical Well-being

Raw-Score	0-100 Score	Females (n=162)		Children 8-11 Males (n=145)		All (n=307)		Females (n=560)		Adolescents 12-18 Males (n=341)		All (n=901)		Children & Adolescents 8-18 Females (n=722)		Males (n=486)		All (n=1208)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00																		
6	5.56																		
7	11.11																		
8	16.67	1.0	13.7			0.5	13.6	0.3	24.1	0.5	15.6	0.3	21.9	0.2	22.7	0.3	14.7	0.2	20.4
9	22.22	1.6	17.3	1.1	16.4	1.1	17.1	2.0	27.0	0.8	18.9	1.4	24.8	1.7	25.6	0.5	18.0	1.2	23.4
10	27.78	2.2	20.8	1.4	19.8	1.4	20.5	4.3	29.9	1.3	22.2	3.1	27.8	3.6	28.5	1.0	21.2	2.6	26.3
11	33.33	2.7	24.4	1.7	23.2	1.8	24.0	8.1	32.8	2.1	25.5	5.8	30.8	6.7	31.3	1.7	24.4	4.6	29.3
12	38.89	3.2	27.9	2.4	26.6	2.6	27.4	11.5	35.7	3.5	28.8	8.5	33.7	9.3	34.2	2.9	27.7	6.7	32.2
13	44.44	6.2	31.4	4.9	30.0	5.5	30.8	16.5	38.6	6.4	32.0	12.7	36.7	13.5	37.1	5.1	30.9	10.1	35.2
14	50.00	10.5	34.9	8.3	33.4	9.4	34.3	23.3	41.5	12.6	35.3	19.2	39.6	19.4	40.0	10.3	34.2	15.7	38.1
15	55.56	16.0	38.4	14.5	36.8	15.3	37.7	32.0	44.4	16.1	38.6	26.0	42.6	27.2	42.9	13.8	37.4	21.8	41.0
16	61.11	22.2	42.0	20.0	40.2	21.2	41.1	44.1	47.3	22.6	41.9	36.0	45.5	37.8	45.8	20.2	40.6	30.7	44.0
17	66.67	36.4	45.5	31.6	43.5	34.1	44.6	66.0	53.1	48.8	48.5	59.5	51.4	59.4	51.6	43.7	47.1	53.0	49.9
18	72.22	47.5	49.0	39.3	46.9	43.6	48.0	76.5	56.0	61.7	51.8	70.9	54.4	70.0	54.4	55.0	50.3	64.0	52.8
19	77.78	60.5	52.5	52.4	50.3	56.7	51.5	83.3	58.9	75.7	55.0	80.4	57.4	78.2	57.3	68.8	53.6	74.4	55.8
20	83.33	77.8	56.1	67.6	53.7	73.0	54.9	92.2	61.8	83.3	58.3	88.8	60.3	89.0	60.2	78.6	56.8	84.8	58.7
21	88.89	88.3	59.6	78.6	57.1	83.7	58.3	94.5	64.7	90.6	61.6	93.0	63.3	93.1	63.1	87.0	60.1	90.7	61.7
22	94.44	97.6	63.1	87.6	60.5	92.9	61.8	98.2	67.6	96.8	64.9	97.7	66.2	98.1	66.0	94.0	63.3	96.4	64.6
23	100.00	100.0	66.6	100.0	63.9	100.0	65.2	100.0	70.5	100.0	68.2	100.0	69.2	100.0	68.9	100.0	66.5	100.0	67.6

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ($M = 50$, $SD = 10$).

Table A7_D - 130: IE – Ireland. Individual norm data for KIDSCREEN-52: Psychological Well-being

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=164)		Males (n=144)		All (n=308)		Females (n=567)		Males (n=342)		All (n=909)		Females (n=731)		Males (n=486)		All (n=1217)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00																		
7	4.17																		
8	8.33	1.0	3.2			0.5	2.4	0.6	16.7			0.4	13.8	0.6	14.9			0.3	12.0
9	12.50	1.6	5.9			0.9	5.1	1.1	18.9			0.7	16.1	1.1	17.1			0.7	14.4
10	16.67	1.9	8.6			1.1	7.9	1.4	21.1			0.8	18.4	1.3	19.4			0.8	16.7
11	20.83	2.1	11.4			1.3	10.6	1.7	23.3	0.7	14.8	1.2	20.8	1.6	21.6	0.5	13.9	1.1	19.1
12	25.00	2.4	14.1			1.5	13.4	3.0	25.4	0.9	17.5	2.1	23.1	2.6	23.9	0.6	16.6	1.7	21.5
13	29.17	2.6	16.8	1.1	14.9	1.7	16.1	4.4	27.6	1.1	20.2	3.0	25.4	4.0	26.1	0.7	19.2	2.6	23.9
14	33.33	3.0	19.6	2.3	17.7	2.4	18.8	5.7	29.8	1.3	22.9	4.0	27.7	4.9	28.3	1.4	21.9	3.5	26.2
15	37.50	3.4	22.3	3.1	20.5	3.0	21.6	7.3	32.0	2.4	25.5	5.4	30.1	6.3	30.6	2.5	24.5	4.8	28.6
16	41.67	4.4	25.0	4.4	23.2	4.2	24.3	9.0	34.2	3.5	28.2	6.9	32.4	7.9	32.8	3.7	27.2	6.2	31.0
17	45.83	5.2	27.8	5.8	26.0	5.2	27.1	11.8	36.4	5.3	30.9	9.4	34.7	10.3	35.1	5.4	29.9	8.3	33.4
18	50.00	5.6	30.6	6.7	28.8	5.7	29.8	14.6	38.5	9.6	33.6	12.8	37.0	12.4	37.3	8.6	32.6	10.9	35.7
19	54.17	5.8	33.3	7.4	31.6	6.3	32.6	18.4	40.7	11.4	36.3	15.7	39.4	15.5	39.5	10.1	35.2	13.3	38.1
20	58.33	6.5	36.0	9.1	34.4	7.5	35.3	23.5	42.9	16.0	39.0	20.7	41.7	19.6	41.8	14.0	37.9	17.3	40.5
21	62.50	9.1	38.7	11.3	37.2	10.1	38.1	31.1	45.1	22.2	41.7	27.7	44.0	26.1	44.0	18.9	40.6	23.2	42.8
22	66.67	15.2	41.5	13.4	40.0	14.3	40.8	38.1	47.3	31.5	44.4	35.6	46.4	33.0	46.3	26.1	43.2	30.2	45.2
23	70.83	23.8	44.2	20.9	42.8	22.4	43.6	45.5	49.5	41.2	47.1	43.9	48.7	40.6	48.5	35.2	45.9	38.5	47.6
24	75.00	37.2	46.9	27.1	45.5	32.5	46.3	54.2	51.6	49.4	49.8	52.4	51.0	50.4	50.7	42.8	48.6	47.3	50.0
25	79.17	48.7	49.7	41.7	48.3	45.5	49.1	63.1	53.8	58.5	52.5	61.4	53.3	59.9	53.0	53.5	51.2	57.3	52.3
26	83.33	60.4	52.4	52.1	51.1	56.5	51.8	72.3	56.0	70.5	55.1	71.6	55.7	69.6	55.2	65.0	53.9	67.8	54.7
27	87.50	72.5	55.1	66.7	53.9	69.8	54.5	83.7	58.2	80.7	57.8	82.6	58.0	81.2	57.5	76.6	56.6	79.4	57.1
28	91.67	89.0	57.9	78.6	56.7	84.1	57.3	90.1	60.4	90.6	60.5	90.3	60.3	89.8	59.7	87.1	59.3	88.7	59.5
29	95.83	92.0	60.6	91.6	59.5	91.9	60.0	95.0	62.6	95.3	63.2	95.1	62.7	94.4	61.9	94.2	61.9	94.3	61.8
30	100.00	100.0	63.3	100.0	62.3	100.0	62.8	100.0	64.7	100.0	65.9	100.0	65.0	100.0	64.2	100.0	64.6	100.0	64.2

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ($M = 50$, $SD = 10$).

Table A7_D - 131: IE – Ireland. Individual norm data for KIDSCREEN-52: Moods & Emotions

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=164)		Males (n=148)		All (n=312)		Females (n=561)		Males (n=340)		All (n=901)		Females (n=725)		Males (n=488)		All (n=1213)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
7	0.00	1.0	9.8			0.5	8.3	0.3	10.3	0.5	-2.7	0.3	6.9	0.3	10.6	0.3	0.7	0.3	7.6
8	3.57							0.4	12.3			0.4	9.0	0.4	12.5			0.4	9.6
9	7.14							0.5	14.3			0.4	11.0	0.5	14.4			0.4	11.6
10	10.71							0.6	16.2			0.5	13.1	0.6	16.4			0.5	13.6
11	14.29							1.1	18.2			0.8	15.2	1.0	18.3			0.7	15.6
12	17.86			1.1	15.9	0.8	17.7	1.7	20.2	1.0	9.3	1.3	17.3	1.4	20.2	0.8	11.9	1.2	17.6
13	21.43	2.1	20.9	1.7	17.9	1.7	19.6	2.4	22.1			1.8	19.3	2.2	22.1	1.1	14.1	1.8	19.6
14	25.00	3.3	22.8	2.1	17.9	2.4	21.5	3.2	24.1			2.4	21.4	3.2	24.0	1.3	15.3	2.3	21.6
15	28.57	4.5	24.6	2.5	21.8	3.0	23.4	4.0	26.1			2.8	23.5	4.0	25.9	1.5	17.6	2.8	23.6
16	32.14	5.8	26.4	2.9	23.8	4.2	25.3	4.9	28.0	1.3	18.9	3.5	25.5	5.0	27.9	1.7	20.8	3.6	25.6
17	35.71	6.1	28.3	4.2	25.7	4.9	27.2	6.3	30.0	1.8	21.3	4.6	27.6	6.1	29.8	2.5	23.0	4.6	27.6
18	39.29	6.4	30.1	5.2	27.7	5.5	29.1	7.7	32.0	2.7	23.2	5.5	29.7	7.3	31.7	2.8	25.3	5.5	29.6
19	42.86	7.1	32.0	7.5	29.7	7.1	31.0	9.8	33.9	3.5	26.1	7.4	31.7	9.1	33.6	4.7	27.5	7.4	31.7
20	46.43	8.7	33.8	9.0	31.6	8.7	32.9	11.3	35.9	4.4	28.5	8.7	33.8	10.6	35.5	5.7	29.8	8.7	33.7
21	50.00	10.5	35.7	10.3	33.6	10.3	34.8	13.4	37.9	5.6	30.9	10.4	35.9	12.7	37.5	6.9	32.0	10.4	35.7
22	53.57	12.9	37.5	11.7	35.5	12.2	36.6	16.1	39.8	7.6	33.4	12.9	37.9	15.3	39.4	8.8	34.2	12.7	37.7
23	57.14	14.8	39.3	14.3	37.5	14.5	38.5	19.8	41.8	9.9	35.8	16.1	40.0	18.7	41.3	11.3	36.5	15.7	39.7
24	60.71	17.7	41.2	17.0	39.5	17.4	40.4	23.1	43.8	13.2	38.2	19.3	42.1	21.9	43.2	14.3	38.7	18.8	41.7
25	64.29	20.8	43.0	19.7	41.4	20.2	42.3	28.2	45.7	17.3	40.6	24.1	44.1	26.5	45.1	18.0	40.9	23.1	43.7
26	67.86	24.4	44.9	24.4	43.4	24.4	44.2	35.0	47.7	23.2	43.0	30.5	46.2	32.6	47.1	23.6	43.2	29.0	45.7
27	71.43	31.1	46.7	25.9	45.4	28.6	46.1	41.4	49.7	29.1	45.4	36.7	48.3	39.0	49.0	28.1	45.4	34.6	47.7
28	75.00	37.3	48.6	29.9	47.3	33.8	48.0	51.7	51.6	36.5	47.8	46.0	50.3	48.4	50.9	34.5	47.6	42.8	49.7
29	78.57	45.1	50.4	37.2	49.3	41.4	49.9	61.7	53.6	47.7	50.2	56.4	52.4	57.9	52.8	44.5	49.9	52.5	51.7
30	82.14	55.5	52.2	45.3	51.2	50.7	51.8	71.1	55.6	58.5	52.6	66.4	54.5	67.6	54.7	54.5	52.1	62.3	53.7
31	85.71	65.9	54.1	58.1	53.2	62.2	53.7	83.3	57.5	69.7	55.0	78.1	56.6	79.3	56.6	66.2	54.3	74.0	55.7
32	89.29	72.0	55.9	69.6	55.2	70.9	55.6	90.9	59.5	83.5	57.4	88.1	58.6	86.7	58.6	79.3	56.6	83.7	57.7
33	92.86	81.2	57.8	79.0	57.1	80.2	57.5	95.9	61.5	91.8	59.8	94.3	60.7	92.6	60.5	87.9	58.8	90.7	59.7
34	96.43	88.4	59.6	89.2	59.1	88.8	59.3	98.2	63.4	96.8	62.2	97.7	62.8	96.0	62.4	94.5	61.1	95.4	61.7
35	100.00	100.0	61.5	100.0	61.1	100.0	61.2	100.0	65.4	100.0	64.6	100.0	64.8	100.0	64.3	100.0	63.3	100.0	63.7

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 132: IE – Ireland. Individual norm data for KIDSCREEN-52: Self Perception

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=166)		Males (n=150)		All (n=316)		Females (n=566)		Males (n=341)		All (n=907)		Females (n=732)		Males (n=491)		All (n=1223)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00	1.4	8.7			0.7	4.7			0.5	12.6	0.2	24.4	0.3	25.9	0.3	10.1	0.3	22.3
6	5.00							2.1	29.2	0.8	15.1	1.5	26.4	1.9	27.9	0.5	12.7	1.3	24.3
7	10.00							4.6	31.2	1.1	17.6	3.2	28.4	3.8	29.8	0.7	15.2	2.5	26.3
8	15.00							7.6	33.2	1.3	20.1	5.2	30.4	6.2	31.7	0.9	17.8	4.0	28.4
9	20.00	2.5	18.9	1.1	10.6	1.6	15.7	10.6	35.2	2.1	22.6	7.4	32.4	8.8	33.7	1.6	20.3	5.9	30.4
10	25.00	2.9	21.5	1.4	13.7	2.0	18.4	15.7	37.2	2.7	25.1	10.6	34.4	12.7	35.6	2.1	22.9	8.3	32.4
11	30.00	3.3	24.0	1.7	16.7	2.3	21.1	20.3	39.2	3.2	27.6	13.9	36.4	16.4	37.5	2.6	25.5	10.9	34.4
12	35.00	4.4	26.5	2.9	19.7	3.5	23.9	24.8	41.2	5.0	30.1	17.3	38.4	20.1	39.4	4.3	28.0	13.8	36.4
13	40.00	5.6	29.1	3.6	22.7	4.2	26.6	29.9	43.2	7.6	32.6	21.5	40.5	24.3	41.4	6.1	30.6	17.0	38.4
14	45.00	6.3	31.6	4.2	25.8	5.1	29.4	35.4	45.2	10.8	35.1	26.1	42.5	28.7	43.3	8.7	33.1	20.7	40.5
15	50.00	6.9	34.2	6.1	28.9	6.3	32.1	42.6	47.2	12.5	37.6	31.3	44.5	34.5	45.2	10.5	35.7	24.9	42.5
16	55.00	10.8	36.7	8.7	31.9	9.8	34.8	48.6	49.2	18.2	40.0	37.2	46.5	40.1	47.2	15.3	38.3	30.1	44.5
17	60.00	16.7	39.3	10.2	35.0	13.5	37.6	54.5	51.2	24.6	42.5	43.2	48.5	45.9	49.1	20.1	40.8	35.6	46.5
18	65.00	22.2	41.9	12.7	38.0	17.7	40.3	59.7	53.2	31.9	45.0	49.3	50.5	51.2	51.0	26.0	43.4	41.1	48.5
19	70.00	26.4	44.4	17.4	41.1	22.1	43.1	66.3	55.2	39.6	47.5	56.3	52.5	57.3	52.9	32.8	46.0	47.4	50.6
20	75.00	30.6	47.0	26.0	44.1	28.4	45.8	75.3	57.2	46.0	50.0	64.3	54.5	65.2	54.9	39.9	48.5	55.0	52.6
21	80.00	42.0	49.5	36.5	47.2	39.4	48.5	84.4	59.2	58.9	52.5	74.9	56.6	74.8	56.8	52.1	51.1	65.7	54.6
22	85.00	52.8	52.1	43.2	50.3	48.3	51.3	88.8	61.2	70.9	55.0	82.1	58.6	80.7	58.7	62.4	53.6	73.4	56.6
23	90.00	64.9	54.6	62.0	53.3	63.5	54.0	93.1	63.2	78.6	57.5	87.6	60.6	86.7	60.6	73.5	56.2	81.4	58.6
24	95.00	79.5	57.2	72.7	56.4	76.3	56.8	96.6	65.2	85.7	60.0	92.5	62.6	92.8	62.6	81.7	58.8	88.3	60.7
25	100.00	100.0	59.7	100.0	59.4	100.0	59.5	100.0	67.2	100.0	62.5	100.0	64.6	100.0	64.5	100.0	61.3	100.0	62.7

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ($M = 50$, $SD = 10$).

Table A7_D - 133: IE – Ireland. Individual norm data for KIDSCREEN-52: Autonomy

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=167)		Males (n=147)		All (n=314)		Females (n=567)		Males (n=341)		All (n=908)		Females (n=734)		Males (n=488)		All (n=1222)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00							0.3	22.1			0.2	20.1	0.2	21.3			0.1	18.9
6	5.00	1.4	17.6			0.7	14.7	0.6	24.3			0.4	22.4	0.7	23.5			0.4	21.1
7	10.00	1.8	19.9			1.1	17.2	1.4	26.5	0.7	19.7	1.1	24.6	1.4	25.7	0.5	18.2	1.0	23.4
8	15.00	2.1	22.2	1.1	15.9	1.4	19.7	2.5	28.7	0.9	22.2	1.8	26.9	2.3	27.9	0.7	20.7	1.6	25.6
9	20.00	2.7	24.5	1.7	18.7	2.0	22.2	3.7	30.9	1.0	24.6	2.6	29.1	3.4	30.0	1.1	23.2	2.4	27.9
10	25.00	3.7	26.8	2.1	21.4	2.6	24.6	6.2	33.2	2.3	27.1	4.7	31.4	5.6	32.2	2.0	25.8	4.2	30.2
11	30.00	5.0	29.1	2.4	24.1	3.5	27.1	10.4	35.4	4.1	29.6	8.0	33.6	9.1	34.4	3.4	28.3	6.9	32.4
12	35.00	7.8	31.4	3.1	26.9	5.4	29.6	14.5	37.6	6.1	32.0	11.3	35.9	13.0	36.6	5.1	30.8	9.8	34.7
13	40.00	9.1	33.8	4.3	29.6	6.7	32.1	20.8	39.8	10.8	34.5	17.1	38.1	18.1	38.7	8.8	33.3	14.4	37.0
14	45.00	12.0	36.1	8.1	32.3	10.2	34.6	26.9	42.0	12.9	37.0	21.6	40.4	23.5	40.9	11.4	35.8	18.7	39.2
15	50.00	16.1	38.4	10.2	35.0	13.3	37.0	33.6	44.2	18.7	39.4	28.0	42.6	29.6	43.1	16.1	38.3	24.2	41.5
16	55.00	22.1	40.7	13.5	37.8	18.1	39.5	39.0	46.4	24.6	41.9	33.6	44.9	35.2	45.2	21.3	40.8	29.6	43.7
17	60.00	23.5	43.0	21.1	40.5	22.3	42.0	46.6	48.6	32.8	44.4	41.4	47.2	41.3	47.4	29.3	43.4	36.5	46.0
18	65.00	28.0	45.3	25.9	43.2	27.0	44.5	53.8	50.8	39.3	46.8	48.4	49.4	47.9	49.6	35.2	45.9	42.9	48.3
19	70.00	37.7	47.7	34.6	46.0	36.2	47.0	61.2	53.0	46.0	49.3	55.5	51.7	55.9	51.8	42.6	48.4	50.6	50.5
20	75.00	47.2	50.0	42.8	48.7	45.1	49.4	70.9	55.2	57.8	51.8	66.0	53.9	65.5	53.9	53.3	50.9	60.6	52.8
21	80.00	53.2	52.3	59.0	51.4	56.0	51.9	78.0	57.4	68.3	54.2	74.4	56.2	72.4	56.1	65.5	53.4	69.6	55.1
22	85.00	63.5	54.6	67.2	54.2	65.2	54.4	83.7	59.6	75.7	56.7	80.7	58.4	79.1	58.3	73.2	55.9	76.7	57.3
23	90.00	76.6	56.9	76.2	56.9	76.4	56.9	88.2	61.8	82.4	59.2	86.0	60.7	85.6	60.5	80.5	58.4	83.6	59.6
24	95.00	86.2	59.2	81.6	59.6	84.1	59.3	93.6	64.0	87.7	61.6	91.4	62.9	92.0	62.6	85.8	61.0	89.5	61.8
25	100.00	100.0	61.5	100.0	62.4	100.0	61.8	100.0	66.2	100.0	64.1	100.0	65.2	100.0	64.8	100.0	63.5	100.0	64.1

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ($M = 50$, $SD = 10$).

Table A7_D - 134: IE – Ireland. Individual norm data for KIDSCREEN-52: Parent Relations & Home Life

Raw-Score	0-100 Score	Females (n=158)		Children 8-11 Males (n=144)		302		Females (n=566)		Adolescents 12-18 Males (n=338)		All (n=904)		Females (n=724)		Children & Adolescents 8-18 Males (n=482)		All (n=1206)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00							0.3	17.9			0.2	15.0	0.2	15.8			0.1	12.7
7	4.17							0.5	19.8			0.3	16.9	0.4	17.7			0.2	14.8
8	8.33	1.0	2.5			0.5	3.2	0.6	21.6			0.4	18.9	0.6	19.5			0.4	16.8
9	12.50							0.8	23.4			0.5	20.9	0.8	21.4			0.5	18.8
10	16.67							1.8	25.3	0.5	17.0	1.2	22.8	1.5	23.3	0.3	15.6	1.0	20.8
11	20.83			1.1	11.4	0.8	10.8	3.0	27.1	0.8	19.3	2.0	24.8	2.5	25.2	0.5	17.9	1.7	22.8
12	25.00			1.8	13.9	1.2	13.4	4.3	29.0	1.0	21.6	3.0	26.8	3.5	27.1	1.1	20.2	2.5	24.9
13	29.17	1.6	15.4	2.1	16.4	1.5	15.9	5.8	30.8	2.1	23.9	4.4	28.8	4.8	29.0	1.9	22.5	3.7	26.9
14	33.33	2.2	17.9	2.4	18.9	2.1	18.5	7.3	32.6	3.0	26.2	5.7	30.7	6.1	30.9	2.7	24.8	4.7	28.9
15	37.50	2.8	20.5	2.7	21.4	2.5	21.0	10.6	34.5	4.2	28.5	8.2	32.7	8.9	32.8	3.5	27.1	6.7	30.9
16	41.67	3.5	23.1	3.0	23.9	2.8	23.6	13.8	36.3	5.6	30.8	10.8	34.7	11.5	34.7	4.6	29.4	8.7	32.9
17	45.83	3.9	25.7	3.2	26.4	3.1	26.1	15.9	38.1	8.0	33.1	13.0	36.6	13.1	36.6	6.4	31.7	10.5	35.0
18	50.00	4.2	28.3	5.6	29.0	4.6	28.6	20.5	40.0	10.4	35.4	16.7	38.6	16.8	38.5	8.9	34.0	13.7	37.0
19	54.17	5.2	30.8	7.7	31.5	6.3	31.2	25.0	41.8	13.6	37.7	20.7	40.6	20.6	40.4	11.8	36.3	17.1	39.0
20	58.33	8.8	33.4	10.5	34.0	9.6	33.7	28.8	43.7	18.7	40.0	25.0	42.5	24.5	42.2	16.2	38.6	21.2	41.0
21	62.50	11.9	36.0	12.6	36.5	12.2	36.3	33.5	45.5	23.9	42.3	29.9	44.5	28.7	44.1	20.5	40.9	25.5	43.0
22	66.67	15.7	38.6	16.7	39.0	16.2	38.8	37.3	47.3	30.4	44.6	34.8	46.5	32.6	46.0	26.3	43.2	30.1	45.1
23	70.83	18.9	41.2	18.9	41.5	18.8	41.4	42.5	49.2	39.1	46.9	41.2	48.4	37.3	47.9	33.0	45.5	35.6	47.1
24	75.00	23.4	43.7	26.4	44.0	24.8	43.9	49.4	51.0	47.0	49.2	48.5	50.4	43.7	49.8	40.8	47.8	42.5	49.1
25	79.17	29.1	46.3	31.3	46.6	30.1	46.4	54.5	52.9	56.2	51.5	55.1	52.4	48.9	51.7	48.7	50.1	48.8	51.1
26	83.33	38.6	48.9	40.9	49.1	39.7	49.0	59.9	54.7	63.3	53.8	61.2	54.4	55.3	53.6	56.6	52.4	55.8	53.1
27	87.50	49.3	51.5	48.5	51.6	49.0	51.5	69.8	56.5	70.1	56.1	69.9	56.3	65.3	55.5	63.6	54.7	64.7	55.2
28	91.67	60.1	54.1	59.7	54.1	59.9	54.1	80.0	58.4	78.9	58.4	79.6	58.3	75.7	57.4	73.2	57.0	74.7	57.2
29	95.83	77.8	56.6	72.9	56.6	75.5	56.6	90.1	60.2	88.1	60.7	89.4	60.3	87.4	59.3	83.6	59.3	85.9	59.2
30	100.00	100.0	59.2	100.0	59.1	100.0	59.2	100.0	62.0	100.0	63.0	100.0	62.2	100.0	61.2	100.0	61.6	100.0	61.2

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 135: IE – Ireland. Individual norm data for KIDSCREEN-52: Social Support & Peers

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=164)		Males (n=149)		All (n=313)		Females (n=565)		Males (n=340)		All (n=905)		Females (n=729)		Males (n=489)		All (n=1218)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00																		
7	4.17			1.1	6.9	0.5	6.9			0.5	13.5	0.2	11.7			0.5	11.9	0.2	10.6
8	8.33							0.3	12.3			0.3	13.9	0.2	11.7			0.3	12.9
9	12.50							0.6	14.6			0.5	16.2	0.5	14.0			0.4	15.2
10	16.67							1.1	16.9	0.7	20.2	0.9	18.4	0.8	16.3	0.7	18.8	0.7	17.5
11	20.83							1.2	19.2	1.1	22.4	1.1	20.7	1.1	18.6	0.9	21.1	0.9	19.8
12	25.00	2.0	19.0	1.8	19.3	1.6	19.2	1.3	21.4	1.3	24.7	1.3	22.9	1.4	20.9	1.3	23.4	1.3	22.1
13	29.17	2.9	21.5	2.9	21.8	2.4	21.7	2.0	23.7	1.9	26.9	1.9	25.2	1.9	23.3	2.1	25.7	2.0	24.4
14	33.33	3.8	23.9	3.8	24.3	3.6	24.1	3.0	26.0	3.0	29.2	3.0	27.4	3.2	25.6	3.1	28.0	3.1	26.7
15	37.50	4.7	26.4	4.1	26.8	4.2	26.6	4.1	28.3	5.9	31.4	4.8	29.7	4.0	27.9	5.1	30.3	4.5	29.0
16	41.67	5.6	28.8	4.4	29.2	4.8	29.1	5.9	30.6	8.6	33.6	6.9	31.9	5.8	30.2	7.2	32.5	6.3	31.3
17	45.83	6.9	31.3	5.0	31.7	5.8	31.5	7.6	32.8	12.4	35.9	9.4	34.1	7.4	32.5	10.0	34.8	8.5	33.6
18	50.00	7.7	33.7	6.8	34.2	7.1	34.0	10.7	35.1	15.6	38.1	12.5	36.4	9.9	34.8	12.9	37.1	11.1	35.8
19	54.17	11.1	36.2	11.9	36.7	11.5	36.5	13.3	37.4	19.7	40.4	15.7	38.6	12.8	37.2	17.3	39.4	14.6	38.1
20	58.33	12.0	38.7	15.3	39.2	13.4	38.9	17.9	39.7	27.4	42.6	21.5	40.9	16.5	39.5	23.7	41.7	19.4	40.4
21	62.50	20.8	41.1	21.3	41.6	21.0	41.4	21.3	42.0	32.7	44.8	25.6	43.1	21.2	41.8	29.2	44.0	24.4	42.7
22	66.67	28.7	43.6	27.3	44.1	28.1	43.8	28.4	44.2	40.3	47.1	32.9	45.4	28.5	44.1	36.4	46.3	31.6	45.0
23	70.83	33.0	46.0	33.5	46.6	33.3	46.3	33.6	46.5	47.1	49.3	38.7	47.6	33.5	46.4	43.0	48.6	37.3	47.3
24	75.00	43.3	48.5	43.6	49.1	43.5	48.8	43.9	48.8	55.9	51.6	48.4	49.9	43.8	48.7	52.2	50.9	47.1	49.6
25	79.17	52.4	50.9	55.7	51.6	54.0	51.2	53.4	51.1	63.6	53.8	57.2	52.1	53.2	51.1	61.2	53.1	56.4	51.9
26	83.33	62.3	53.4	67.8	54.0	64.9	53.7	62.4	53.4	71.8	56.0	66.0	54.3	62.4	53.4	70.6	55.4	65.7	54.2
27	87.50	70.7	55.9	75.2	56.5	72.9	56.2	70.3	55.6	78.9	58.3	73.5	56.6	70.4	55.7	77.7	57.7	73.3	56.5
28	91.67	84.1	58.3	88.0	59.0	86.0	58.6	79.1	57.9	88.6	60.5	82.7	58.8	80.2	58.0	88.4	60.0	83.5	58.8
29	95.83	90.8	60.8	93.3	61.5	92.0	61.1	88.0	60.2	94.7	62.8	90.5	61.1	88.7	60.3	94.3	62.3	90.9	61.1
30	100.00	100.0	63.2	100.0	64.0	100.0	63.6	100.0	62.5	100.0	65.0	100.0	63.3	100.0	62.6	100.0	64.6	100.0	63.4

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7_D - 136: IE – Ireland. Individual norm data for KIDSCREEN-52: School Environment

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=168)		Males (n=147)		All (n=315)		Females (n=570)		Males (n=338)		All (n=908)		Females (n=738)		Males (n=485)		All (n=1223)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00	1.4	14.9			0.7	17.3	0.7	20.9	0.5	21.4	0.6	21.2	0.8	20.7	0.3	21.4	0.6	21.1
7	4.17	1.8	16.9			1.2	19.3	0.9	23.0	1.0	23.5	0.8	23.3	0.9	22.7	0.7	23.4	0.8	23.0
8	8.33	2.1	18.9	1.6	22.9	1.7	21.2	1.0	25.0	2.1	25.6	1.3	25.3	1.1	24.6	1.9	25.4	1.4	25.0
9	12.50	2.5	20.9	2.3	24.9	2.0	23.2	1.9	27.1	3.0	27.7	2.3	27.4	1.9	26.6	2.5	27.4	2.1	27.0
10	16.67	2.8	22.9	3.0	26.8	2.3	25.1	4.2	29.1	4.2	29.9	4.2	29.4	3.7	28.5	3.7	29.4	3.7	28.9
11	20.83	3.2	24.9	4.3	28.7	3.6	27.0	6.0	31.1	5.9	32.0	6.0	31.5	5.3	30.5	5.4	31.4	5.3	30.9
12	25.00	3.9	26.9	6.2	30.6	4.8	28.9	8.1	33.2	8.3	34.1	8.2	33.5	7.1	32.4	7.6	33.4	7.3	32.9
13	29.17	5.0	18.9	8.9	32.6	6.1	30.9	10.4	35.2	10.7	36.2	10.5	35.6	8.9	34.4	10.1	35.4	9.4	34.8
14	33.33	6.0	30.9	10.4	34.5	8.0	32.8	12.5	37.2	15.1	38.3	13.5	37.7	11.0	36.3	13.6	37.4	12.0	36.8
15	37.50	7.8	32.8	12.4	36.4	9.9	34.8	17.0	39.3	20.1	40.4	18.2	39.7	14.9	38.3	17.7	39.4	16.0	38.7
16	41.67	12.0	34.8	13.8	38.4	12.7	36.7	22.7	41.3	24.2	42.5	23.2	41.8	20.2	40.2	21.0	41.4	20.5	40.7
17	45.83	13.3	36.8	17.1	40.3	15.0	38.6	27.0	43.4	30.7	44.6	28.4	43.8	23.9	42.2	26.5	43.4	24.9	42.7
18	50.00	16.1	38.8	21.8	42.3	18.8	40.6	33.0	45.4	38.9	46.7	35.2	45.9	29.2	44.1	33.7	45.4	31.0	44.6
19	54.17	18.1	40.8	32.0	44.2	24.5	42.5	38.8	47.4	47.5	48.8	42.0	47.9	34.0	46.1	42.8	47.4	37.5	46.6
20	58.33	20.9	42.8	37.5	46.1	28.7	44.5	48.6	49.5	54.0	50.9	50.6	50.0	42.3	48.0	49.0	49.4	45.0	48.6
21	62.50	28.1	44.8	43.0	48.1	35.0	46.4	55.5	51.5	62.9	53.0	58.2	52.1	49.2	49.9	56.9	51.4	52.3	50.5
22	66.67	36.4	46.8	49.8	50.0	42.6	48.3	64.2	53.5	71.9	55.2	67.0	54.1	57.9	51.9	65.2	53.4	60.7	52.5
23	70.83	40.0	48.8	55.8	52.0	47.4	50.3	74.9	55.6	79.9	57.3	76.8	56.2	67.0	53.8	72.6	55.4	69.2	54.4
24	75.00	46.5	50.8	62.6	53.9	54.0	52.2	81.4	57.6	85.3	59.4	82.8	58.2	73.5	55.8	78.4	57.4	75.4	56.4
25	79.17	55.4	52.8	68.7	55.8	61.6	54.2	86.3	59.6	89.4	61.5	87.5	60.3	79.3	57.7	83.1	59.4	80.8	58.4
26	83.33	68.5	54.8	81.6	57.8	74.6	56.1	89.5	61.7	95.0	63.6	91.5	62.3	84.7	59.7	90.9	61.4	87.2	60.3
27	87.50	76.2	56.8	88.5	59.7	82.0	58.0	94.0	63.7	97.3	65.7	95.3	64.4	90.0	61.6	94.7	63.4	91.8	62.3
28	91.67	84.5	58.7	90.6	61.7	87.3	60.0	96.7	65.8	97.9	67.8	97.1	66.5	93.9	63.6	95.7	65.4	94.6	64.3
29	95.83	93.4	60.7	93.3	63.6	93.4	61.9	98.8	67.8	98.5	69.9	98.7	68.5	97.6	65.5	96.9	67.4	97.3	66.2
30	100.00	100.0	62.7	100.0	65.5	100.0	63.9	100.0	69.8	100.0	72.0	100.0	70.6	100.0	67.5	100.0	69.4	100.0	68.2

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7_D - 137: IE – Ireland. Individual norm data for KIDSCREEN-52: Social Acceptance

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=167)		Males (n=146)		All (n=313)		Females (n=569)		Males (n=346)		All (n=915)		Females (n=736)		Males (n=492)		All (n=1228)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
3	0.00	1.4	14.4	1.6	6.6	1.3	11.4	0.4	5.1	0.5	-5.1	0.3	2.0	0.6	7.9	0.6	-0.6	0.6	5.0
4	8.33	2.5	18.1			2.0	15.3	0.9	9.5	0.7	0.2	0.8	6.6	1.0	12.0	0.9	4.2	0.9	9.4
5	16.67	3.6	21.7			2.6	19.1	2.1	13.9	1.0	5.4	1.7	11.3	2.5	16.2	1.1	9.1	1.9	13.8
6	25.00	5.5	25.3			3.6	23.0	3.0	18.3	1.5	10.7	2.2	15.9	3.6	20.3	2.0	14.0	2.5	18.2
7	33.33	9.0	29.0	4.8	23.5	7.1	26.8	3.9	22.6	2.0	16.0	3.2	20.6	5.1	24.5	2.8	18.8	4.2	22.6
8	41.67	10.5	32.6	6.6	27.7	7.8	30.7	4.9	27.0	2.9	21.2	4.2	25.2	6.2	28.6	3.5	23.7	5.1	26.9
9	50.00	12.2	36.3	8.3	31.9	10.3	34.5	7.1	31.4	4.3	26.5	6.0	29.9	8.2	32.8	5.5	28.5	7.1	31.3
10	58.33	15.1	39.9	11.1	36.1	13.2	38.4	10.6	35.8	6.3	31.7	9.0	34.5	11.6	36.9	7.7	33.4	10.0	35.7
11	66.67	21.1	43.5	17.2	40.4	19.3	42.3	15.1	40.1	12.1	37.0	14.0	39.1	16.5	41.1	13.6	38.2	15.3	40.1
12	75.00	31.8	47.2	26.1	44.6	29.2	46.1	26.0	44.5	23.4	42.2	25.0	43.8	27.4	45.2	24.2	43.1	26.1	44.5
13	83.33	45.5	50.8	38.5	48.8	42.2	50.0	39.0	48.9	37.3	47.5	38.4	48.4	40.5	49.4	37.6	48.0	39.3	48.9
14	91.67	67.1	54.5	55.0	53.0	61.5	53.8	61.6	53.3	61.8	52.8	61.7	53.1	62.8	53.6	59.8	52.8	61.6	53.3
15	100.00	100.0	58.1	100.0	57.2	100.0	57.7	100.0	57.6	100.0	58.0	100.0	57.7	100.0	57.7	100.0	57.7	100.0	57.7

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ($M = 50$, $SD = 10$).

Table A7_D - 138: IE – Ireland. Individual norm data for KIDSCREEN-52: Financial Resources

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=163)		Males (n=145)		All (n=308)		Females (n=568)		Males (n=344)		All (n=912)		Females (n=731)		Males (n=489)		All (n=1220)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
3	0.00	1.9	21.9			1.0	21.2	0.5	20.3	0.9	16.9	0.6	19.1	0.8	20.7	0.6	18.0	0.7	19.7
4	8.33	3.3	25.1			1.7	24.5	1.9	23.7	1.2	20.5	1.5	22.6	2.2	24.0	1.3	21.5	1.6	23.1
5	16.67	5.0	28.4	3.5	26.9	4.2	27.7	2.6	27.0	1.5	24.1	2.2	26.0	3.1	27.4	2.0	25.0	2.7	26.5
6	25.00	8.6	31.6	9.0	30.2	8.7	31.0	6.2	30.4	4.3	27.7	5.5	29.5	6.7	30.7	5.7	28.5	6.3	29.9
7	33.33	10.5	34.9	11.8	33.6	11.0	34.3	10.2	33.8	7.2	31.3	9.1	32.9	10.2	34.0	8.5	32.1	9.6	33.3
8	41.67	14.1	38.2	14.5	36.9	14.3	37.6	14.7	37.2	11.6	34.9	13.6	36.4	14.6	37.4	12.5	35.6	13.7	36.7
9	50.00	23.9	41.4	21.4	40.3	22.7	40.9	23.5	40.5	20.3	38.5	22.3	39.8	23.6	40.7	20.6	39.1	22.4	40.1
10	58.33	31.9	44.7	27.7	43.6	29.9	44.2	31.8	43.9	24.6	42.1	29.1	43.3	31.8	44.1	25.5	42.6	29.3	43.5
11	66.67	43.6	47.9	40.0	46.9	41.9	47.5	39.5	47.3	33.4	45.8	37.2	46.7	40.4	47.4	35.3	46.1	38.4	46.9
12	75.00	53.3	51.2	49.8	50.3	51.7	50.8	51.7	50.6	45.9	49.4	49.5	50.2	52.0	50.8	47.1	49.7	50.1	50.3
13	83.33	63.7	54.4	59.4	53.6	61.7	54.0	63.0	54.0	61.7	53.0	62.5	53.6	63.1	54.1	61.0	53.2	62.3	53.7
14	91.67	76.6	57.7	71.1	57.0	74.0	57.3	72.8	57.4	70.1	56.6	71.8	57.1	73.7	57.4	70.4	56.7	72.4	57.1
15	100.00	100.0	60.9	100.0	60.3	100.0	60.6	100.0	60.8	100.0	60.2	100.0	60.5	100.0	60.8	100.0	60.2	100.0	60.5

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ($M = 50$, $SD = 10$).

Table A7_D - 139: IE – Ireland. Individual norm data for KIDSCREEN-27: Physical Well-being

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=162)		Males (n=145)		All (n=307)		Females (n=560)		Males (n=341)		All (n=901)		Females (n=722)		Males (n=486)		All (n=1208)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00																		
6	5.56																		
7	11.11							0.3	24.1	0.5	15.6	0.3	21.9	0.2	22.7	0.3	14.7	0.2	20.4
8	16.67	1.0	13.7			0.5	13.6	2.0	27.0	0.8	18.9	1.4	24.8	1.7	25.6	0.5	18.0	1.2	23.4
9	22.22	1.6	17.3	1.1	16.4	1.1	17.1	4.3	29.9	1.3	22.2	3.1	27.8	3.6	28.5	1.0	21.2	2.6	26.3
10	27.78	2.2	20.8	1.4	19.8	1.4	20.5	8.1	32.8	2.1	25.5	5.8	30.8	6.7	31.3	1.7	24.4	4.6	29.3
11	33.33	2.7	24.4	1.7	23.2	1.8	24.0	11.5	35.7	3.5	28.8	8.5	33.7	9.3	34.2	2.9	27.7	6.7	32.2
12	38.89	3.2	27.9	2.4	26.6	2.6	27.4	16.5	38.6	6.4	32.0	12.7	36.7	13.5	37.1	5.1	30.9	10.1	35.2
13	44.44	6.2	31.4	4.9	30.0	5.5	30.8	23.3	41.5	12.6	35.3	19.2	39.6	19.4	40.0	10.3	34.2	15.7	38.1
14	50.00	10.5	34.9	8.3	33.4	9.4	34.3	32.0	44.4	16.1	38.6	26.0	42.6	27.2	42.9	13.8	37.4	21.8	41.0
15	55.56	16.0	38.4	14.5	36.8	15.3	37.7	44.1	47.3	22.6	41.9	36.0	45.5	37.8	45.8	20.2	40.6	30.7	44.0
16	61.11	22.2	42.0	20.0	40.2	21.2	41.1	54.2	50.2	32.0	45.2	45.8	48.5	47.0	48.7	28.4	43.9	39.5	46.9
17	66.67	36.4	45.5	31.6	43.5	34.1	44.6	66.0	53.1	48.8	48.5	59.5	51.4	59.4	51.6	43.7	47.1	53.0	49.9
18	72.22	47.5	49.0	39.3	46.9	43.6	48.0	76.5	56.0	61.7	51.8	70.9	54.4	70.0	54.4	55.0	50.3	64.0	52.8
19	77.78	60.5	52.5	52.4	50.3	56.7	51.5	83.3	58.9	75.7	55.0	80.4	57.4	78.2	57.3	68.8	53.6	74.4	55.8
20	83.33	77.8	56.1	67.6	53.7	73.0	54.9	92.2	61.8	83.3	58.3	88.8	60.3	89.0	60.2	78.6	56.8	84.8	58.7
21	88.89	88.3	59.6	78.6	57.1	83.7	58.3	94.5	64.7	90.6	61.6	93.0	63.3	93.1	63.1	87.0	60.1	90.7	61.7
22	94.44	97.6	63.1	87.6	60.5	92.9	61.8	98.2	67.6	96.8	64.9	97.7	66.2	98.1	66.0	94.0	63.3	96.4	64.6
23	100.00	100.0	66.6	100.0	63.9	100.0	65.2	100.0	70.5	100.0	68.2	100.0	69.2	100.0	68.9	100.0	66.5	100.0	67.6

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ($M = 50$, $SD = 10$).

Table A7_D - 140: IE – Ireland. Individual norm data for KIDSCREEN-27: Psychological Well-being

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=160)		Males (n=151)		All (n=311)		Females (n=564)		Males (n=340)		All (n=904)		Females (n=724)		Males (n=491)		All (n=1215)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
7	0.00																		
8	3.57	1.0	3.1			0.5	0.3							0.2	8.8			0.1	5.1
9	7.14													0.3	10.9			0.2	7.3
10	10.71							0.4	13.6			0.2	10.1	0.4	13.0			0.3	9.5
11	14.29							0.6	15.7			0.4	12.4	0.6	15.1			0.4	11.8
12	17.86	1.6	11.9			0.8	9.5	0.9	17.9			0.6	14.7	1.0	17.3			0.6	14.0
13	21.43	2.2	14.7			1.1	11.8	1.2	20.0			0.7	16.9	1.2	19.4			0.7	16.2
14	25.00	2.7	16.4			1.4	14.1	1.6	22.2	0.5	10.5	1.1	19.2	1.8	21.5	0.3	11.1	1.1	18.5
15	28.57	3.0	18.6			1.6	16.5	2.2	24.3	0.8	13.2	1.5	21.4	2.2	23.6	0.6	13.7	1.4	20.7
16	32.14	3.3	20.8	1.0	15.9	1.8	18.8	2.9	26.5	1.0	15.8	2.1	23.7	2.8	25.7	0.8	16.2	2.0	22.9
17	35.71	3.6	23.1			2.1	21.1	5.0	28.6	1.6	18.5	3.6	25.9	4.4	27.9	1.3	18.8	3.1	25.1
18	39.29	3.9	25.3			2.3	23.4	6.0	30.8	1.9	21.2	4.4	28.2	5.5	30.0	1.5	21.4	3.8	27.4
19	42.86	4.8	27.5	3.3	23.2	3.5	25.7	7.8	32.9	2.2	23.8	5.6	30.5	6.9	32.1	2.4	23.9	5.1	29.6
20	46.43	5.6	29.7	3.8	25.8	4.5	28.0	9.7	35.0	2.7	26.5	7.0	32.7	8.8	34.2	2.9	26.5	6.4	31.8
21	50.00	6.3	31.9	4.3	28.1	5.0	30.3	12.9	37.2	4.1	29.2	9.6	35.0	11.3	36.3	4.0	29.1	8.3	34.1
22	53.57	7.0	34.1	6.6	30.6	6.7	32.6	16.8	39.3	6.7	31.9	13.0	37.2	14.6	38.4	6.7	31.6	11.4	36.3
23	57.14	7.7	36.3	9.9	33.0	8.6	34.9	20.9	41.5	9.7	34.5	16.6	39.5	17.9	40.6	9.7	34.2	14.6	38.5
24	60.71	9.4	38.6	11.4	35.5	10.2	37.2	24.8	43.6	12.6	37.2	20.2	41.7	21.3	42.7	12.2	36.8	17.6	40.8
25	64.29	14.3	40.8	13.3	37.9	13.8	39.5	30.7	45.8	16.4	39.9	25.3	44.0	27.0	44.8	15.4	39.4	22.3	43.0
26	67.86	21.1	43.0	19.9	40.4	20.5	41.9	38.2	47.9	23.1	42.5	32.6	46.3	34.5	46.9	22.1	41.9	29.5	45.2
27	71.43	26.8	45.2	24.6	42.8	25.7	44.2	47.1	50.0	31.1	45.2	41.1	48.5	42.6	49.0	29.1	44.5	37.1	47.5
28	75.00	35.0	47.4	30.6	45.3	32.8	46.5	56.8	52.2	39.7	47.9	50.4	50.8	52.0	51.2	36.9	47.1	45.9	49.7
29	78.57	48.1	49.7	35.8	47.7	42.2	48.8	67.3	54.3	52.1	50.6	61.6	53.0	63.1	53.3	47.1	49.6	56.6	51.9
30	82.14	58.7	51.9	50.4	50.2	54.7	51.1	76.2	56.5	65.3	53.2	72.1	55.3	72.3	55.4	60.7	52.2	67.6	54.2
31	85.71	68.1	54.1	55.6	52.6	62.1	53.4	85.3	58.6	75.6	55.9	81.6	57.5	81.5	57.5	69.4	54.8	76.6	56.4
32	89.29	75.7	56.3	68.2	55.1	72.0	55.7	92.0	60.8	85.2	58.6	89.5	59.8	88.4	59.6	80.0	57.4	85.0	58.6
33	92.86	87.5	58.5	79.4	57.6	83.6	58.0	95.9	62.9	92.6	61.2	94.7	62.1	94.1	61.7	88.5	59.9	91.8	60.9
34	96.43	91.8	60.8	90.7	60.0	91.3	60.3	98.6	65.1	96.4	63.9	97.8	64.3	97.1	63.9	94.7	62.5	96.1	63.1
35	100.00	100.0	63.0	100.0	62.5	100.0	62.6	100.0	67.2	100.0	66.6	100.0	66.6	100.0	66.0	100.0	65.1	100.0	65.3

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ($M = 50$, $SD = 10$).

Table A7_D - 141: IE – Ireland. Individual norm data for KIDSCREEN-27: Parent Relations & Autonomy

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=154)		Males (n=144)		All (n=298)		Females (n=568)		Males (n=337)		All (n=905)		Females (n=722)		Males (n=481)		All (n=1203)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
7	0.00																		
8	3.57																		
9	7.14							0.4	18.8			0.3	16.4	0.3	17.8			0.2	15.1
10	10.71							0.6	20.6			0.4	18.3	0.5	19.6			0.3	17.0
11	14.29	1.0	14.8			0.5	12.3	0.8	22.4			0.5	20.1	0.7	21.4			0.4	18.9
12	17.86	1.2	16.8			0.6	14.4	1.1	24.2			0.7	22.0	1.0	23.2			0.6	20.7
13	21.43	1.5	18.8			0.8	16.5	1.6	26.0	0.7	18.8	1.2	23.9	1.4	25.0	0.5	17.6	1.0	22.6
14	25.00	1.7	20.7			0.9	18.6	2.1	27.8	0.9	20.9	1.6	25.8	2.0	26.8	0.6	19.7	1.3	24.5
15	28.57	2.3	22.7			1.2	20.6	3.2	29.6	1.1	23.0	2.3	27.6	2.9	28.6	0.7	21.8	2.0	26.4
16	32.14	3.0	24.7	1.1	20.1	1.8	22.7	5.6	31.4	1.8	25.1	4.2	29.5	5.0	30.4	1.5	23.9	3.6	28.3
17	35.71	4.7	26.7	1.8	22.4	3.1	24.8	7.5	33.2	2.5	27.2	5.6	31.4	6.9	32.2	2.1	26.0	5.0	30.2
18	39.29	5.6	28.6	3.0	24.6	4.1	26.9	11.2	35.0	3.8	29.3	8.5	33.2	9.9	34.0	3.5	28.2	7.4	32.1
19	42.86	6.7	30.6	3.9	26.9	5.1	29.0	13.4	36.7	6.5	31.4	10.8	35.1	11.9	35.8	5.6	30.3	9.4	34.0
20	46.43	8.0	32.6	4.8	27.1	5.8	31.1	16.9	38.5	8.6	33.5	13.8	37.0	14.9	37.6	7.1	32.4	11.8	35.9
21	50.00	8.8	34.5	5.7	31.4	7.1	33.2	20.4	40.3	11.6	35.5	17.1	38.9	17.9	39.4	9.8	34.5	14.6	37.8
22	53.57	10.5	36.5	6.7	33.6	8.4	35.3	24.8	42.1	13.3	37.6	20.5	40.7	21.8	41.2	11.2	36.6	17.5	39.7
23	57.14	14.3	38.5	7.9	35.9	11.1	37.4	27.8	43.9	19.0	39.7	24.5	42.6	25.0	43.0	15.6	38.8	21.2	41.6
24	60.71	17.0	40.4	15.3	38.2	16.1	39.5	33.3	45.7	23.4	41.8	29.6	44.5	29.8	44.8	21.0	40.9	26.3	43.4
25	64.29	21.5	42.4	23.6	40.4	22.5	41.5	40.0	47.5	28.8	43.9	35.8	46.4	36.1	46.6	27.2	43.0	32.5	45.3
26	67.86	28.6	44.4	27.2	42.7	27.9	43.6	46.5	49.3	34.4	46.0	42.0	48.2	42.7	48.4	32.2	45.1	38.5	47.2
27	71.43	33.8	46.3	32.7	44.9	33.3	45.7	52.9	51.1	43.6	48.1	49.4	50.1	48.8	50.2	40.4	47.2	45.4	49.1
28	75.00	40.3	48.3	39.0	47.2	39.6	47.8	59.2	52.9	48.1	50.2	55.1	52.0	55.2	52.0	45.3	49.4	51.3	51.0
29	78.57	50.1	50.3	48.6	49.4	49.4	49.9	65.7	54.7	55.7	52.3	62.0	53.8	62.4	53.8	53.6	51.5	58.9	52.9
30	82.14	55.9	52.2	58.4	51.7	57.1	52.0	74.3	56.5	67.0	54.4	71.6	55.7	70.4	55.6	64.4	53.6	68.0	54.8
31	85.71	63.0	54.2	67.4	54.0	65.1	54.1	80.8	58.3	75.9	56.5	79.0	57.6	77.0	57.3	73.4	55.7	75.6	56.7
32	89.29	72.1	56.2	71.5	56.2	71.8	56.2	87.0	60.1	83.1	58.6	85.5	59.5	83.8	59.1	79.6	57.8	82.1	58.6
33	92.86	78.6	58.1	77.8	58.5	78.2	58.3	90.7	61.9	87.0	60.7	89.3	61.3	88.1	60.9	84.2	60.0	86.6	60.5
34	96.43	88.3	60.1	83.4	60.7	86.0	60.4	94.4	63.7	93.2	62.8	94.0	63.2	93.1	62.7	90.3	62.1	92.0	62.4
35	100.00	100.0	62.1	100.0	63.0	100.0	62.4	100.0	65.5	100.0	64.9	100.0	65.1	100.0	64.5	100.0	64.2	100.0	64.2

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 142: IE – Ireland. Individual norm data for KIDSCREEN-27: Social Support & Peers

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=167)		Males (n=150)		All (n=317)		Females (n=569)		Males (n=342)		All (n=911)		Females (n=736)		Males (n=492)		All (n=1228)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
4	0.00			1.0	3.1	0.5	2.4			0.5	10.5	0.2	8.6			0.5	9.1	0.2	7.4
5	6.25									0.7	13.8	0.3	12.0			0.7	12.4	0.3	10.8
6	12.50							0.6	13.7	0.9	17.7	0.6	15.3	0.4	12.8	0.8	16.3	0.5	14.2
7	18.75	0.9	12.6			0.8	13.3	1.1	17.1	1.1	20.5	1.0	18.6	1.0	16.2	0.9	19.1	0.9	17.6
8	25.00	2.0	16.2	1.7	17.5	1.6	16.9	1.3	20.5	1.4	23.8	1.3	22.0	1.4	19.7	1.3	22.5	1.3	20.9
9	31.25	3.2	19.9	2.6	21.1	2.3	20.5	2.5	23.9	2.4	27.1	2.4	25.3	2.6	23.1	2.1	25.8	2.4	24.3
10	37.50	4.0	23.6	3.4	24.7	3.5	24.2	3.9	27.3	5.0	30.4	4.3	28.7	3.8	26.6	4.5	29.1	4.1	27.7
11	43.75	5.0	27.3	5.4	28.3	5.0	27.8	6.5	30.7	8.5	33.7	7.2	32.0	6.1	30.0	7.5	32.5	6.7	31.1
12	50.00	7.3	31.0	6.8	31.9	6.9	31.4	10.5	34.1	14.4	37.0	12.0	35.3	9.8	33.5	12.0	35.8	10.7	34.5
13	56.25	8.6	34.6	9.9	35.5	9.1	35.1	14.9	37.5	22.3	40.4	17.7	38.7	13.4	36.9	18.5	39.1	15.5	37.9
14	62.50	13.8	38.3	15.9	39.0	14.8	38.7	19.7	40.9	31.3	43.7	24.1	42.0	18.3	40.4	26.6	42.5	21.7	41.3
15	68.75	20.4	42.0	22.5	42.6	21.4	42.3	28.3	44.3	40.7	47.0	33.0	45.4	26.5	43.8	35.2	45.8	30.0	44.7
16	75.00	31.8	45.7	33.2	46.2	32.5	45.9	40.8	47.7	50.6	50.3	44.5	48.7	38.7	47.3	45.3	49.1	41.4	48.0
17	81.25	47.3	49.4	49.2	49.8	48.2	49.6	53.4	51.1	64.6	53.6	57.6	52.0	52.0	50.7	59.9	52.5	55.2	51.4
18	87.50	61.7	53.0	61.2	53.4	61.4	53.2	67.1	54.5	77.2	56.9	70.9	55.4	65.9	54.2	72.3	55.8	68.4	54.8
19	93.75	78.4	56.7	80.7	57.0	79.5	56.8	80.9	57.9	89.4	60.3	84.1	58.7	80.3	57.6	86.8	59.2	82.9	58.2
20	100.00	100.0	60.4	100.0	60.6	100.0	60.5	100.0	61.3	100.0	63.6	100.0	62.0	100.0	61.0	100.0	62.5	100.0	61.6

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ($M = 50$, $SD = 10$).

Table A7_D - 143: IE – Ireland. Individual norm data for KIDSCREEN-27: School Environment

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=169)		Males (n=148)		All (n=317)		Females (n=570)		Males (n=338)		All (n=908)		Females (n=739)		Males (n=486)		All (n=1225)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
4	0.00	1.4	14.6	1.1	17.9	1.0	16.4	0.7	19.5	0.5	19.6	0.6	19.6	0.8	19.3	0.5	19.9	0.7	19.6
5	6.25	2.0	17.6	1.4	20.8	1.5	19.3	1.0	22.5	1.0	22.8	0.9	22.7	1.0	22.3	0.9	22.9	0.9	22.6
6	12.50	2.5	20.6	1.7	23.6	1.9	22.2	1.8	25.6	2.4	26.0	2.0	25.8	1.9	25.2	2.1	25.9	2.0	25.5
7	18.75	3.2	23.6	2.9	26.5	2.6	25.1	4.4	28.7	5.0	29.2	4.6	28.9	3.9	28.2	4.3	28.9	4.1	28.5
8	25.00	3.8	26.5	5.4	29.4	4.4	28.0	7.4	31.7	7.1	32.4	7.3	32.0	6.5	31.1	6.5	31.9	6.5	31.5
9	31.25	6.0	29.4	8.7	32.3	7.2	30.9	9.5	34.8	10.3	35.6	9.8	35.1	8.7	34.1	9.8	34.9	9.1	34.4
10	37.50	7.8	32.4	12.8	35.1	10.1	33.8	15.6	37.9	17.1	38.7	16.2	38.2	13.8	37.0	15.8	37.9	14.6	37.4
11	43.75	10.1	35.3	17.2	38.0	11.4	36.7	21.4	40.9	23.0	41.9	22.0	41.3	18.8	40.0	19.9	40.9	19.2	40.3
12	50.00	15.4	38.3	21.6	40.9	18.3	39.6	30.5	44.0	35.8	45.1	32.5	44.4	27.0	42.9	31.5	43.9	28.8	43.3
13	56.25	19.6	41.3	29.0	43.8	24.0	42.5	39.6	47.1	45.6	48.3	41.9	47.5	35.0	45.8	40.6	46.9	37.2	46.3
14	62.50	26.7	44.2	36.4	46.7	31.2	45.4	51.4	50.1	57.7	51.5	53.7	50.6	45.8	48.8	51.2	49.9	47.9	49.2
15	68.75	36.7	47.2	47.3	49.6	41.7	48.3	66.1	53.2	71.3	54.6	68.0	53.7	59.4	51.7	64.0	52.9	61.2	52.2
16	75.00	49.1	50.1	56.8	52.4	52.7	51.2	78.9	56.3	84.3	57.8	80.9	56.8	72.1	54.7	75.9	55.9	73.6	55.2
17	81.25	61.6	53.1	74.3	55.3	67.6	54.1	85.4	59.3	91.1	61.0	87.5	59.9	80.0	57.6	86.0	58.9	82.4	58.1
18	87.50	72.8	56.0	83.8	58.2	77.9	57.0	93.5	62.4	95.8	64.2	94.4	63.0	88.8	60.6	92.2	61.9	90.1	61.1
19	93.75	88.2	59.0	89.9	61.1	89.0	59.9	97.6	65.5	97.9	67.4	97.7	66.1	95.4	63.5	95.5	64.9	95.4	64.0
20	100.00	100.0	62.0	100.0	64.0	100.0	62.8	100.0	68.5	100.0	70.6	100.0	69.2	100.0	66.5	100.0	67.9	100.0	67.0

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ($M = 50$, $SD = 10$).

Table A7_D - 144: IE – Ireland. Individual norm data for KIDSCREEN-10 Index

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=160)		Males (n=148)		All (n=308)		Females (n=564)		Males (n=330)		All (n=894)		Females (n=724)		Males (n=478)		All (n=1202)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
10	0.00																		
11	2.50																		
12	5.00																		
13	7.50																		
14	10.00																		
15	12.50																		
16	15.00							0.3	15.0			0.2	12.2	0.2	14.5			0.1	11.5
17	17.50													0.3	16.1			0.2	13.3
18	20.00	1.0	8.1			0.5	6.7							0.4	17.7			0.2	15.0
19	22.50													0.5	19.4			0.3	16.7
20	25.00							0.5	21.7			0.3	19.2	0.5	21.0			0.3	18.4
21	27.50							0.8	23.4	0.5	14.2	0.6	20.9	0.7	22.6	0.3	14.2	0.5	20.1
22	30.00			1.1	12.6	0.8	14.1	1.6	25.1	0.7	16.2	1.1	22.7	1.4	24.2	0.5	16.1	1.0	21.8
23	32.50	1.6	17.1			1.2	16.0	2.2	26.8	0.8	18.2	1.6	24.4	1.9	25.9	0.7	18.0	1.4	23.5
24	35.00	1.8	18.9			1.3	17.8	2.4	28.4	1.0	20.2	1.7	26.2	2.1	27.5	0.8	19.9	1.5	25.2
25	37.50	2.0	20.7			1.4	19.7	3.6	30.1	1.1	22.2	2.6	27.9	3.1	29.1	0.9	21.8	2.2	26.9
26	40.00	2.2	22.5			1.5	21.5	5.2	31.8	2.2	24.2	4.0	29.7	4.4	30.8	1.7	23.8	3.3	28.6
27	42.50	2.4	24.3			1.7	23.4	7.8	33.5	2.6	26.2	5.8	31.4	6.5	32.4	2.0	25.7	4.7	30.3
28	45.00	2.7	26.2			1.9	25.3	9.4	35.2	3.1	28.2	7.1	33.2	7.7	34.0	2.4	27.6	5.6	32.0
29	47.50	2.9	28.0	1.8	25.9	2.1	27.1	13.0	36.8	4.0	30.2	9.6	35.0	10.7	35.7	3.2	29.5	7.7	33.7
30	50.00	3.5	29.8	2.4	27.8	2.7	28.9	16.3	38.5	5.5	32.2	12.3	36.7	13.4	37.3	4.4	31.4	9.8	35.4
31	52:50	4.2	31.6	4.2	29.8	3.9	30.8	19.9	40.2	7.0	34.2	15.1	38.5	16.3	38.9	6.1	33.3	12.3	37.1
32	55.00	5.8	33.4	6.3	31.7	5.9	32.6	23.4	41.9	8.8	36.2	18.0	40.2	19.5	40.6	8.0	35.2	14.9	38.8
33	57.50	7.1	35.2	7.7	33.6	7.2	34.5	26.8	43.6	12.7	38.2	21.6	42.0	22.4	42.2	11.1	37.1	17.9	40.5
34	60.00	8.9	37.0	9.1	35.5	8.8	36.4	32.3	45.3	17.5	40.2	26.8	43.7	27.1	43.8	14.9	39.1	22.2	42.2
35	62.50	15.7	38.9	12.3	37.4	14.0	38.2	38.0	46.9	24.2	42.2	32.9	45.5	33.0	45.5	20.5	41.0	28.1	43.9
36	65.00	19.5	40.7	16.3	39.3	17.9	40.1	43.8	48.6	30.2	44.2	38.8	47.2	38.4	47.1	25.9	42.9	33.5	45.7
37	67.50	23.3	42.5	19.7	41.2	21.6	41.9	51.3	50.3	38.4	46.2	46.5	49.0	45.1	48.7	32.6	44.8	40.1	47.4
38	70.00	29.5	44.3	25.8	43.1	27.7	43.8	58.5	52:0	46.3	48.2	54.0	50.7	52:1	50.4	40.0	46.7	47.3	49.1
39	72.50	36.3	46.1	33.3	45.0	34.9	45.6	65.1	53.7	52:9	50.2	60.6	52:5	58.8	52:0	46.9	48.6	54.0	50.8
40	75.00	45.7	47.9	40.6	47.0	43.3	47.5	71.2	55.4	60.2	52:2	67.1	54.2	65.5	53.6	54.2	50.5	61.0	52:5
41	77.50	51.3	49.7	48.1	48.9	49.8	49.3	77.0	57.0	69.3	54.2	74.2	56.0	71.3	55.3	62.8	52:4	67.9	54.2
42	80.00	57.5	51.5	52:8	50.8	55.3	51.2	82.0	58.7	73.8	56.2	79.0	57.7	76.6	56.9	67.3	54.4	72.9	55.9
43	82.50	62.5	53.4	62.2	52:7	62.4	53.0	87.3	60.4	81.4	58.2	85.1	59.5	81.8	58.5	75.5	56.3	79.3	57.6
44	85.00	68.7	55.2	69.0	54.6	68.8	54.9	90.4	62.1	87.5	60.2	89.4	61.2	85.6	60.2	81.8	58.2	84.1	59.3
45	87.50	72.4	57.0	75.0	56.5	73.7	56.7	94.7	63.8	90.9	62.2	93.3	63.0	89.8	61.8	86.0	60.1	88.3	61.0
46	90.00	82.4	58.8	81.0	58.4	81.7	58.6	96.5	65.4	93.9	64.2	95.5	64.8	93.4	63.4	89.9	62.0	92.0	62.7
47	92.50	87.4	60.6	85.7	60.3	86.6	60.4	98.2	67.1	97.3	66.2	97.9	66.5	95.8	65.1	93.7	63.9	95.0	64.4
48	95.00	93.1	62.4	90.5	62.2	91.8	62.3	99.3	68.8	99.1	68.2	99.2	68.3	97.9	66.7	96.4	65.8	97.3	66.1
49	97.50	96.9	64.2	93.2	64.2	95.1	64.2	99.8	70.5	99.4	70.2	99.7	70.0	99.2	68.3	97.5	67.7	98.5	67.8
50	100.00	100.0	66.0	100.0	66.1	100.0	66.0	100.0	72.2	100.0	72.2	100.0	71.8	100.0	70.0	100.0	69.7	100.0	69.5

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 145: NL – Netherlands Individual norm data for KIDSCREEN-52: Physical Well-being

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=327)		Males (n=335)		All (n=662)		Females (n=620)		Males (n=567)		All (n=1187)		Females (n=947)		Males (n=902)		All (n=1849)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00																		
6	5.56							0.4	16.2			0.2	13.6	0.2	13.9			0.1	11.1
7	11.11							0.4	19.3			0.2	16.8	0.2	16.9			0.1	14.2
8	16.67			0.5	8.1	0.2	5.6	0.8	22.3	0.4	15.3	0.6	19.9	0.5	19.9	0.3	13.7	0.4	17.3
9	22.22	0.5	6.5	0.8	11.7	0.5	9.4	1.6	25.4	0.7	18.7	1.2	23.0	1.2	22.9	0.7	17.0	0.9	20.5
10	27.78	0.5	10.5	1.3	15.3	0.8	13.1	3.0	28.5	1.4	22.0	2.3	26.1	2.1	25.9	1.3	20.3	1.7	23.6
11	33.33	0.8	14.4	1.7	18.8	1.1	16.9	6.3	31.5	2.3	25.3	4.4	29.2	4.3	28.9	2.0	23.7	3.2	26.7
12	38.89	1.3	18.3	2.7	22.4	2.0	20.6	9.3	34.6	3.2	28.7	6.4	32.3	6.5	31.8	3.0	27.0	4.8	29.8
13	44.44	1.9	22.3	4.5	26.0	3.2	24.3	15.0	37.6	5.4	32.0	10.4	35.4	10.4	34.8	5.1	30.3	7.8	32.9
14	50.00	3.4	26.3	6.0	29.5	4.7	28.1	21.2	40.7	10.7	35.3	16.2	38.5	15.1	37.8	9.0	33.7	12.1	36.1
15	55.56	5.8	30.2	8.4	33.1	7.1	31.8	30.4	43.7	17.4	38.7	24.2	41.6	21.9	40.8	14.1	37.0	18.1	39.2
16	61.11	10.1	34.2	13.1	36.7	11.6	35.6	40.7	46.8	26.1	42.0	33.8	44.7	30.2	43.8	21.3	40.3	25.8	42.3
17	66.67	14.1	38.2	17.6	40.3	15.9	39.3	51.9	49.8	35.6	45.3	44.1	47.8	38.9	46.8	28.9	43.7	34.0	45.4
18	72.22	24.2	42.1	23.9	43.8	24.0	43.1	62.4	52.9	45.8	48.7	54.4	50.9	49.2	49.8	37.6	47.0	43.6	48.5
19	77.78	38.6	46.1	34.9	47.4	36.7	46.8	74.2	55.9	59.7	52.0	67.3	54.0	61.9	52.8	50.5	50.4	56.3	51.7
20	83.33	52.1	50.1	54.6	51.0	53.4	50.5	85.0	59.0	73.1	55.3	79.3	57.2	73.6	55.8	66.3	53.7	70.0	54.8
21	88.89	65.2	54.0	71.5	54.6	68.4	54.3	93.4	62.1	84.8	58.6	89.3	60.3	83.7	58.8	79.9	57.0	81.8	57.9
22	94.44	83.8	58.0	86.3	58.1	85.1	58.0	97.6	65.1	91.9	62.0	94.8	63.4	92.8	61.8	89.8	60.4	91.3	61.0
23	100.00	100.0	61.9	100.0	61.7	100.0	61.8	100.0	68.2	100.0	65.3	100.0	66.5	100.0	64.8	100.0	63.7	100.0	64.1

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ($M = 50$, $SD = 10$).

Table A7_D - 146: NL – Netherlands. Individual norm data for KIDSCREEN-52: Psychological Well-being

Raw- Score	0-100 Score	Females (n=327)		Children 8-11 Males (n=341)		All (n=668)		Females (n=625)		Adolescents 12-18 Males (n=571)		All (n=1196)		Children & Adolescents 8-18 Females (n=952:)		Males (n=912)		All (n=1864)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00																		
7	4.17																		
8	8.33																		
9	12.50	0.5	-5.2			0.2	-4.4							0.2	0.4			0.1	-0.9
10	16.67	0.5	-2.1			0.2	-1.3	0.3	4.0			0.1	2.8	0.3	3.3			0.1	2.2
11	20.83	0.5	0.9	0.5	2.3	0.4	1.8	0.4	7.0			0.2	5.9	0.4	6.3	0.2	3.9	0.2	5.2
12	25.00	0.8	4.0	0.5	5.4	0.5	4.9	0.4	10.1			0.2	9.0	0.5	9.3	0.2	7.0	0.3	8.2
13	29.17	1.1	7.1	0.7	8.5	0.8	7.9	0.4	13.1	0.4	10.5	0.4	12.0	0.6	12.2	0.5	10.0	0.5	11.2
14	33.33	1.1	10.2	1.0	11.6	1.0	11.0	0.4	16.2	0.6	13.6	0.5	15.1	0.6	15.2	0.7	13.1	0.6	14.2
15	37.50	1.6	13.3	1.3	14.6	1.4	14.1	1.0	19.2	0.6	16.8	0.8	18.1	1.2	18.1	0.8	16.2	1.0	17.2
16	41.67	1.6	16.4	1.3	17.7	1.4	17.2	1.5	22.2	0.9	19.9	1.2	21.2	1.5	21.1	1.0	19.3	1.2	20.3
17	45.83	1.6	19.5	1.8	20.8	1.7	20.3	2.7	25.2	1.6	23.0	2.2	24.2	2.3	24.1	1.6	22.4	2.0	23.3
18	50.00	2.0	22.6	2.6	23.9	2.2	23.3	4.5	28.3	3.0	26.1	3.8	27.3	3.6	27.0	2.8	25.4	3.2	26.3
19	54.17	2.5	25.7	3.3	27.0	2.8	26.4	6.6	31.3	4.2	29.2	5.4	30.4	5.1	30.0	3.8	28.5	4.5	29.3
20	58.33	4.0	28.8	5.2	30.1	4.6	29.5	9.0	34.3	5.7	32.3	7.4	33.4	7.2	33.0	5.5	31.6	6.4	32.3
21	62.50	5.2	31.9	7.9	33.1	6.5	32.6	12.8	37.3	10.5	35.4	11.7	36.5	10.2	35.9	9.5	34.7	9.8	35.3
22	66.67	8.5	35.0	11.1	36.2	9.8	35.7	18.8	40.4	15.5	38.5	17.3	39.5	15.3	38.9	13.9	37.8	14.6	38.4
23	70.83	13.1	38.1	16.1	39.3	14.6	38.7	24.9	43.4	22.7	41.7	23.9	42.6	20.8	41.8	20.2	40.8	20.5	41.4
24	75.00	20.1	41.2	21.4	42.4	20.8	41.8	37.2	46.4	33.4	44.8	35.4	45.7	31.3	44.8	28.9	43.9	30.2	44.4
25	79.17	29.0	44.2	30.8	45.5	29.9	44.9	48.4	49.5	45.9	47.9	47.2	48.7	41.7	47.8	40.3	47.0	41.0	47.4
26	83.33	36.9	47.3	43.1	48.6	40.1	48.0	60.2	52.5	55.2	51.0	57.8	51.8	52.2	50.7	50.7	50.1	51.5	50.4
27	87.50	49.1	50.4	56.8	51.6	53.1	51.1	75.6	55.5	67.7	54.1	71.8	54.8	66.5	53.7	63.6	53.2	65.1	53.4
28	91.67	60.5	53.5	68.2	54.7	64.4	54.1	84.4	58.6	77.6	57.2	81.2	57.9	76.2	56.7	74.1	56.2	75.2	56.4
29	95.83	75.2	56.6	80.3	57.8	77.8	57.2	92.5	61.6	87.4	60.3	90.1	61.0	86.5	59.6	84.8	59.3	85.7	59.5
30	100.00	100.0	59.7	100.0	60.9	100.0	60.3	100.0	64.6	100.0	63.5	100.0	64.0	100.0	62.6	100.0	62.4	100.0	62.5

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 147: NL – Netherlands. Individual norm data for KIDSCREEN-52: Moods & Emotions

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=325)		Males (n=334)		All (n=659)		Females (n=623)		Males (n=571)		All (n=1194)		Females (n=948)		Males (n=905)		All (n=1853)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
7	0.00																		
8	3.57																		
9	7.14																		
10	10.71																		
11	14.29																		
12	17.86							0.3	14.7			0.1	11.2	0.2	12.3			0.1	9.1
13	21.43							0.7	16.8	0.3	7.9	0.4	13.4	0.4	14.5	0.2	7.0	0.3	11.4
14	25.00							1.0	18.9	0.3	10.4	0.6	15.7	0.7	16.7	0.2	9.5	0.4	13.7
15	28.57	0.5	12.5	0.7	10.5	0.5	11.5	1.3	21.0	0.3	12.8	0.8	17.9	1.0	18.9	0.4	12.0	0.6	16.1
16	32.14	0.5	15.0	1.1	13.1	0.7	14.1	2.1	23.2	0.5	15.3	1.3	20.2	1.5	21.1	0.6	14.6	1.0	18.4
17	35.71	0.5	17.4	1.6	15.7	0.9	16.6	2.9	25.3	0.5	17.8	1.7	22.4	2.0	23.3	0.8	17.1	1.4	20.7
18	39.29	1.0	19.9	2.0	18.3	1.4	19.1	4.0	27.4	0.9	20.2	2.5	24.6	3.0	25.4	1.2	19.6	2.1	23.0
19	42.86	1.4	22.3	2.0	20.9	1.6	21.6	5.6	29.5	1.8	22.7	3.8	26.9	4.1	27.6	1.8	22.1	3.0	25.3
20	46.43	3.1	24.8	2.7	23.4	2.9	24.2	7.5	31.6	2.6	25.2	5.2	29.1	6.0	29.8	2.7	24.6	4.4	27.6
21	50.00	4.3	27.3	4.2	26.0	4.3	26.7	9.6	33.7	3.7	27.6	6.8	31.3	7.8	32.0	3.9	27.1	5.9	29.9
22	53.57	5.6	29.8	4.6	28.6	5.0	29.2	11.1	35.9	4.9	30.1	8.1	33.6	9.2	34.2	4.7	29.6	7.0	32.3
23	57.14	7.7	32.2	5.2	31.2	6.4	31.7	13.0	38.0	7.9	32.6	10.6	35.8	11.2	36.4	6.8	32.1	9.1	34.6
24	60.71	10.2	34.7	8.1	33.7	9.1	34.2	16.1	40.1	11.4	35.0	13.8	38.1	14.0	38.6	10.2	34.6	12.1	36.9
25	64.29	13.5	37.2	10.2	36.3	11.8	36.8	20.7	42.2	13.8	37.5	17.4	40.3	18.3	40.8	12.5	37.1	15.4	39.2
26	67.86	16.6	39.7	16.5	38.9	16.5	39.3	28.1	44.3	19.3	40.0	23.9	42.5	24.2	43.0	18.2	39.6	21.3	41.5
27	71.43	22.8	42.1	19.7	41.5	21.2	41.8	33.1	46.5	24.9	42.4	29.2	44.8	29.6	45.2	23.0	42.1	26.4	43.8
28	75.00	28.6	44.6	26.3	44.1	27.5	44.3	42.1	48.6	31.0	44.9	36.8	47.0	37.5	47.4	29.3	44.6	33.5	46.2
29	78.57	38.5	47.1	34.1	46.6	36.3	46.9	51.1	50.7	37.4	47.4	44.5	49.2	46.8	49.6	36.2	47.1	41.6	48.5
30	82.14	45.9	49.5	42.5	49.2	44.2	49.4	60.2	52.8	47.3	49.9	54.0	51.5	55.3	51.8	45.5	49.6	50.5	50.8
31	85.71	55.7	52.0	55.0	51.8	55.4	51.9	68.2	54.9	55.6	52.3	62.2	53.7	63.9	54.0	55.4	52.1	59.7	53.1
32	89.29	65.2	54.5	64.9	54.4	65.1	54.4	75.9	57.0	64.8	54.8	70.6	56.0	72.3	56.2	64.9	54.6	68.7	55.4
33	92.86	75.4	57.0	79.3	56.9	77.4	56.9	84.3	59.2	77.7	57.3	81.1	58.2	81.2	58.4	78.3	57.1	79.8	57.7
34	96.43	85.2	59.4	90.0	59.5	87.7	59.5	93.6	61.3	88.3	59.7	91.0	60.4	90.7	60.5	88.9	59.6	89.8	60.0
35	100.00	100.0	61.9	100.0	62.1	100.0	62.0	100.0	63.4	100.0	62.2	100.0	62.7	100.0	62.7	100.0	62.1	100.0	62.4

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 148: NL – Netherlands. Individual norm data for KIDSCREEN-52: Self Perception

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=330)		Males (n=337)		All (n=667)		Females (n=626)		Males (n=572)		All (n=1198)		Females (n=956)		Males (n=909)		All (n=1865)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00							0.3	15.2			0.1	11.4	0.2	13.1			0.1	8.0
6	5.00							0.3	17.8			0.1	14.0	0.2	15.6			0.1	10.7
7	10.00							0.3	20.3			0.1	16.7	0.2	18.1			0.1	13.3
8	15.00							0.7	22.9	0.6	10.5	0.6	19.3	0.4	20.6	0.3	6.8	0.4	16.0
9	20.00							1.3	25.5	0.6	13.6	0.9	21.9	0.8	23.1	0.3	10.0	0.6	18.7
10	25.00	0.5	11.2			0.2	7.1	3.2	28.1	0.8	16.6	2.0	24.6	2.2	25.6	0.5	13.2	1.3	21.4
11	30.00	0.5	14.4			0.2	10.6	4.1	30.6	1.1	19.6	2.7	27.2	2.8	28.2	0.7	16.4	1.8	24.1
12	35.00	0.5	17.7			0.2	14.1	7.5	33.2	1.6	22.7	4.7	29.8	5.0	30.7	1.0	19.6	3.1	26.8
13	40.00	1.5	20.9	0.7	13.1	1.1	17.6	10.9	35.8	3.0	25.8	7.1	32.5	7.7	33.2	2.1	22.8	5.0	29.5
14	45.00	3.0	24.1	1.5	17.0	2.2	21.1	15.4	38.4	4.4	28.8	10.1	35.1	11.1	35.7	3.3	26.0	7.3	32.2
15	50.00	4.6	27.3	2.0	20.8	3.1	24.6	22.4	40.9	7.0	31.9	15.0	37.7	16.2	38.2	5.0	29.2	10.8	34.9
16	55.00	7.0	30.6	2.5	24.7	4.7	28.0	29.0	43.5	9.4	34.9	19.6	40.4	21.4	40.7	6.8	32.4	14.3	37.6
17	60.00	10.0	33.8	6.0	28.6	8.0	31.5	39.4	46.1	15.2	38.0	27.8	43.0	29.3	43.2	11.8	35.6	20.7	40.3
18	65.00	14.3	37.0	8.3	32.4	11.2	35.0	48.0	48.7	22.0	41.1	35.6	45.6	36.4	45.7	16.9	38.8	26.9	43.0
19	70.00	20.0	40.3	13.7	36.3	16.8	38.5	57.9	51.3	28.8	44.1	44.0	48.2	44.8	48.2	23.2	41.9	34.3	45.7
20	75.00	28.1	43.5	20.8	40.2	24.4	42.0	67.2	53.8	38.1	47.2	53.3	50.9	53.7	50.7	31.7	45.1	43.0	48.4
21	80.00	35.4	46.7	29.2	44.0	32.2	45.5	76.4	56.4	50.4	50.2	64.0	53.5	62.2	53.2	42.5	48.3	52.6	51.1
22	85.00	43.3	49.9	37.1	47.9	40.2	49.0	81.9	59.0	61.7	53.3	72.3	56.1	68.6	55.7	52.6	51.5	60.8	53.8
23	90.00	58.4	53.2	52.6	51.8	55.5	52.5	88.7	61.6	75.4	56.3	82.4	58.8	78.2	58.2	66.9	54.7	72.7	56.5
24	95.00	71.7	56.4	71.8	55.6	71.8	56.0	95.0	64.1	87.3	59.4	91.3	61.4	87.0	60.7	81.5	57.9	84.3	59.2
25	100.00	100.0	59.6	100.0	59.5	100.0	59.5	100.0	66.7	100.0	62.5	100.0	64.0	100.0	63.2	100.0	61.1	100.0	61.9

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7_D - 149: NL – Netherlands. Individual norm data for KIDSCREEN-52: Autonomy

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=333)		Males (n=340)		All (n=673)		Females (n=621)		Males (n=569)		All (n=1190)		Females (n=954)		Males (n=909)		All (n=1863)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00							0.3	2.0			0.1	-0.8	0.2	-1.4			0.1	-4.0
6	5.00							0.3	5.1			0.1	2.4	0.2	1.8			0.1	-0.8
7	10.00							0.4	8.1			0.2	5.5	0.3	4.9			0.1	2.5
8	15.00							0.6	11.2			0.3	8.7	0.4	8.1			0.2	5.8
9	20.00							0.7	14.2	0.3	8.3	0.5	11.8	0.5	11.3	0.2	6.3	0.3	9.1
10	25.00	0.5	4.6	0.5	5.3	0.3	5.0	0.7	17.3	0.3	11.7	0.5	15.0	0.6	14.5	0.3	9.7	0.4	12.4
11	30.00	0.5	8.3	0.5	9.0	0.3	8.7	0.9	20.3	0.3	15.0	0.6	18.2	0.7	17.6	0.3	13.2	0.5	15.7
12	35.00	0.5	12.1	0.8	12.7	0.5	12.4	1.2	23.4	0.3	18.4	0.7	21.3	0.9	20.8	0.4	16.6	0.6	19.0
13	40.00	0.8	15.8	1.3	16.4	0.9	16.1	2.4	26.5	0.7	21.7	1.6	24.5	1.8	24.0	0.9	20.1	1.4	22.3
14	45.00	1.6	19.6	1.6	20.0	1.5	19.8	4.8	29.5	2.0	25.1	3.5	27.7	3.7	27.2	1.8	23.5	2.8	25.6
15	50.00	2.5	23.3	3.3	23.7	2.8	23.6	7.8	32.6	4.6	28.4	6.2	30.9	5.9	30.4	4.1	27.0	5.0	28.9
16	55.00	3.4	27.1	4.4	27.4	3.9	27.3	9.7	35.7	7.6	31.8	8.7	34.0	7.5	33.5	6.4	30.4	6.9	32.2
17	60.00	6.3	30.8	5.9	31.1	6.1	31.0	15.0	38.7	11.1	35.1	13.1	37.2	12.0	36.7	9.1	33.9	10.6	35.4
18	65.00	9.9	34.6	9.8	34.8	9.8	34.7	21.8	41.8	16.3	38.5	19.2	40.4	17.6	39.9	13.9	37.3	15.8	38.7
19	70.00	15.6	38.3	13.9	38.5	14.7	38.4	31.9	44.9	22.5	41.8	27.4	43.5	26.2	43.1	19.3	40.7	22.8	42.0
20	75.00	24.9	42.1	25.4	42.2	25.1	42.1	47.2	47.9	38.1	45.2	42.9	46.7	39.4	46.2	33.4	44.2	36.5	45.3
21	80.00	35.8	45.8	35.4	45.9	35.6	45.9	57.8	51.0	46.4	48.6	52.3	49.9	50.1	49.4	42.3	47.6	46.3	48.6
22	85.00	47.7	49.5	46.5	49.6	47.1	49.6	67.8	54.1	57.3	51.9	62.8	53.1	60.8	52.6	53.3	51.1	57.1	51.9
23	90.00	61.2	53.3	65.1	53.3	63.2	53.3	76.7	57.1	68.9	55.3	72.9	56.2	71.3	55.8	67.5	54.5	69.4	55.2
24	95.00	77.5	57.0	75.9	57.0	76.7	57.0	85.7	60.2	80.7	58.6	83.3	59.4	82.8	59.0	78.9	58.0	80.9	58.5
25	100.00	100.0	60.8	100.0	60.7	100.0	60.7	100.0	63.3	100.0	62.0	100.0	62.6	100.0	62.1	100.0	61.4	100.0	61.8

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7_D - 150: NL – Netherlands. Individual norm data for KIDSCREEN-52: Parent Relations & Home Life

Raw- Score	0-100 Score	Females (n=331)		Children 8-11 Males (n=342)		All (n=673)		Females (n=621)		Adolescents 12-18 Males (n=568)		All (n=1189)		Females (n=952:)		Males (n=910)		All (n=1862)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00																		
7	4.17							0.3	0.9			0.1	0.2	0.2	-3.9			0.1	-3.9
8	8.33			0.5	-9.8	0.2	-13.7	0.3	3.5			0.1	2.8	0.2	-1.1	0.2	-1.2	0.1	-1.2
9	12.50			0.5	-6.5	0.2	-10.4	0.3	6.1			0.1	5.5	0.2	1.6	0.2	1.6	0.1	1.6
10	16.67			0.8	-3.5	0.4	-7.1	0.3	8.7	0.6	7.4	0.3	8.1	0.2	4.4	0.6	4.4	0.3	4.4
11	20.83			0.8	-0.4	0.4	-3.8	0.3	11.3	0.6	10.1	0.3	10.8	0.2	7.1	0.6	7.2	0.3	7.2
12	25.00			0.8	2.8	0.4	-0.5	0.7	13.9	0.8	12.8	0.7	13.4	0.4	9.9	0.7	9.9	0.5	10.0
13	29.17	0.5	-1.3	0.8	5.9	0.5	2.8	1.0	16.5	0.8	15.5	0.9	16.0	0.8	12.7	0.7	12.7	0.7	12.7
14	33.33	0.8	2.2	1.0	9.0	0.8	6.2	1.3	19.1	0.8	18.1	1.0	18.6	1.1	15.5	0.8	15.5	0.9	15.5
15	37.50	0.8	5.8	1.0	12.2	0.8	9.5	1.7	21.7	1.2	20.8	1.4	21.3	1.3	18.3	1.1	18.3	1.2	18.3
16	41.67	0.8	9.3	1.0	15.3	0.8	12.8	2.6	24.3	2.1	23.4	2.4	23.9	1.9	21.0	1.6	21.1	1.8	21.1
17	45.83	0.8	12.9	1.3	18.5	1.0	16.1	4.2	26.9	2.7	26.1	3.4	26.5	2.9	23.8	2.1	23.9	2.5	23.8
18	50.00	1.8	16.4	1.9	21.6	1.8	19.4	5.0	29.5	4.2	28.7	4.6	29.1	3.9	26.6	3.3	26.7	3.6	26.6
19	54.17	2.5	19.9	1.9	24.8	2.1	22.7	7.1	32.1	6.5	31.4	6.8	31.8	5.4	29.3	4.7	29.4	5.1	29.4
20	58.33	3.1	23.5	3.8	27.9	3.4	26.0	9.8	34.7	9.0	34.1	9.4	34.4	7.5	32.1	7.0	32.2	7.2	32.2
21	62.50	4.0	27.0	6.7	31.1	5.3	29.3	13.3	37.3	12.1	36.7	12.8	37.0	10.1	34.9	10.1	35.0	10.1	35.0
22	66.67	5.1	30.6	8.8	34.2	7.0	32.6	18.7	39.9	16.5	39.4	17.6	39.7	14.0	37.7	13.6	37.8	13.8	37.7
23	70.83	8.4	34.1	11.7	37.3	10.1	35.9	23.0	42.5	23.4	42.1	23.2	42.3	18.0	40.4	19.0	40.6	18.5	40.5
24	75.00	13.9	37.6	18.1	40.5	16.0	39.2	29.6	45.1	31.3	44.7	30.4	44.9	24.2	43.2	26.3	43.4	25.2	43.3
25	79.17	20.2	41.2	24.8	43.6	22.6	42.5	37.6	47.7	39.4	47.4	38.4	47.5	31.5	46.0	33.9	46.2	32.7	46.1
26	83.33	27.8	44.7	36.0	46.8	31.9	45.9	46.2	50.3	48.2	50.0	47.2	50.2	39.8	48.8	43.6	49.0	41.7	48.9
27	87.50	37.7	48.3	44.5	49.9	41.1	49.2	57.2	52:9	56.0	52:7	56.6	52:8	50.4	51.5	51.6	51.7	51.0	51.6
28	91.67	53.1	51.8	57.0	53.1	55.1	52:5	68.6	55.5	65.3	55.4	67.0	55.4	63.2	54.3	62.2	54.5	62.7	54.4
29	95.83	70.7	55.4	76.3	56.2	73.5	55.8	82.0	58.1	80.2	58.0	81.1	58.0	78.0	57.1	78.7	57.3	78.4	57.2
30	100.00	100.0	58.9	100.0	59.4	100.0	59.1	100.0	60.7	100.0	60.7	100.0	60.7	100.0	59.8	100.0	60.1	100.0	60.0

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 151: NL – Netherlands. Individual norm data for KIDSCREEN-52: Social Support & Peers

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=324)		Males (n=338)		All (n=662)		Females (n=626)		Males (n=567)		All (n=1193)		Females (n=950)		Males (n=905)		All (n=1855)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00			0.7	1.3	0.4	-2.1			0.3	4.8	0.1	2.2			0.4	3.7	0.2	0.9
7	4.17			0.7	3.9	0.4	0.6			0.6	7.3	0.3	4.8			0.6	6.1	0.3	3.5
8	8.33			0.7	6.5	0.4	3.3	0.4	4.6	0.8	9.7	0.5	7.3	0.2	2.9	0.7	8.6	0.4	6.1
9	12.50			0.7	9.0	0.4	6.0	0.6	7.3	0.8	12.2	0.6	9.9	0.4	5.7	0.7	11.1	0.5	8.7
10	16.67			0.7	11.6	0.4	8.7	0.6	10.3	0.8	14.6	0.6	12.5	0.4	8.4	0.7	13.6	0.5	11.3
11	20.83			1.3	14.2	0.7	11.4	0.7	12.6	1.0	17.1	0.8	15.0	0.5	11.1	1.0	16.1	0.7	13.8
12	25.00	1.0	10.4	1.3	16.8	1.1	14.1	0.9	15.3	1.3	19.5	1.0	17.5	0.9	13.9	1.2	18.6	1.0	16.4
13	29.17	1.0	13.3	1.7	19.4	1.3	16.8	1.1	18.0	1.5	22.0	1.2	20.1	1.0	16.6	1.5	21.1	1.2	19.0
14	33.33	1.0	16.2	2.4	21.9	1.7	19.5	1.4	20.6	2.6	24.4	1.9	22.6	1.2	19.3	2.5	23.6	1.8	21.6
15	37.50	1.9	19.1	2.8	24.5	2.3	22.3	2.3	23.3	3.3	26.9	2.8	25.2	2.1	22.1	3.1	26.1	2.6	24.2
16	41.67	2.6	22.0	3.1	27.1	2.8	25.0	2.8	26.0	4.4	29.3	3.5	27.7	2.7	24.8	3.8	28.6	3.2	26.8
17	45.83	3.0	24.9	3.5	29.7	3.1	27.7	4.2	28.6	6.1	31.8	5.1	30.3	3.7	27.5	5.1	31.1	4.4	29.4
18	50.00	4.0	27.8	5.1	32.3	4.5	30.4	5.5	31.3	8.1	34.2	6.7	32.8	5.0	30.3	6.9	33.6	5.9	32.0
19	54.17	5.0	30.7	8.0	34.8	6.5	33.1	8.0	34.0	10.4	36.7	9.1	35.4	7.0	33.0	9.5	36.1	8.2	34.6
20	58.33	7.7	33.6	11.0	37.4	9.4	35.8	10.8	36.6	14.1	39.1	12.3	37.9	9.7	35.7	12.9	38.5	11.3	37.2
21	62.50	11.4	36.5	16.3	40.0	13.9	38.5	15.4	39.3	19.5	41.6	17.4	40.5	14.0	38.5	18.3	41.0	16.1	39.8
22	66.67	14.8	39.5	22.2	42.6	18.6	41.2	22.4	42.0	27.1	44.0	24.6	43.0	19.8	41.2	25.3	43.5	22.5	42.4
23	70.83	21.3	42.4	30.2	45.2	25.8	43.9	30.5	44.6	35.4	46.5	32.8	45.6	27.4	43.9	33.4	46.0	30.3	45.0
24	75.00	31.5	45.3	42.0	47.8	36.8	46.6	39.9	47.3	46.5	49.0	43.0	48.1	37.0	46.7	44.8	48.5	40.8	47.6
25	79.17	44.4	48.2	51.2	50.3	47.9	49.4	49.5	50.0	56.8	51.4	53.0	50.7	47.8	49.4	54.7	51.0	51.1	50.2
26	83.33	55.2	51.1	61.8	52.9	58.6	52.1	60.3	52.7	67.0	53.9	63.5	53.2	58.5	52.1	65.1	53.5	61.7	52.8
27	87.50	66.0	54.0	73.4	55.5	69.8	54.8	72.1	55.3	74.6	56.3	73.3	55.8	70.0	54.9	74.2	56.0	72.0	55.4
28	91.67	78.7	56.9	82.6	58.1	80.7	57.5	81.1	58.0	83.4	58.8	82.2	58.3	80.3	57.6	83.1	58.5	81.7	58.0
29	95.83	87.3	59.8	90.9	60.7	89.2	60.2	90.6	60.7	90.9	61.2	90.7	60.9	89.5	60.3	90.9	61.0	90.1	60.6
30	100.00	100.0	62.7	100.0	63.2	100.0	62.9	100.0	63.3	100.0	63.7	100.0	63.4	100.0	63.1	100.0	63.5	100.0	63.2

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7_D - 152: NL – Netherlands. Individual norm data for KIDSCREEN-52: School Environment

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=326)		Males (n=337)		All (n=663)		Females (n=617)		Males (n=561)		All (n=1178)		Females (n=943)		Males (n=898)		All (n=1841)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00							0.3	10.4	0.6	10.7	0.4	10.6	0.2	9.3	0.4	10.2	0.2	9.8
7	4.17							0.3	12.8	0.6	13.1	0.4	13.0	0.2	11.6	0.4	12.5	0.2	12.1
8	8.33			0.5	9.1	0.2	5.7	0.5	15.2	0.8	15.5	0.6	15.4	0.4	13.9	0.6	14.7	0.4	14.3
9	12.50			0.5	11.5	0.2	8.2	0.9	17.7	0.8	17.9	0.8	17.8	0.6	16.3	0.6	17.0	0.6	16.6
10	16.67			0.5	13.8	0.2	10.8	1.2	20.1	0.8	20.2	1.0	20.2	0.8	18.6	0.6	19.2	0.7	18.9
11	20.83			0.8	16.2	0.4	13.3	1.5	22.5	1.3	22.6	1.4	22.6	1.0	20.9	1.0	21.5	1.0	21.2
12	25.00			1.0	18.6	0.5	15.8	2.1	24.9	2.5	25.0	2.3	25.0	1.4	23.2	1.9	23.8	1.6	23.5
13	29.17	0.7	14.7	1.3	20.9	0.9	18.3	2.9	27.3	3.6	27.3	3.2	27.4	2.1	25.5	2.7	26.1	2.4	25.8
14	33.33	1.1	17.4	2.4	23.3	1.7	20.8	4.6	29.8	4.1	29.7	4.3	29.8	3.3	27.8	3.4	28.3	3.4	28.1
15	37.50	1.7	20.2	2.4	25.7	2.0	23.4	5.9	32.2	5.1	32.1	5.5	32.1	4.4	30.1	4.1	30.6	4.2	30.4
16	41.67	2.5	22.9	4.4	28.1	3.5	25.9	8.1	34.6	6.7	34.5	7.5	34.5	6.2	32.4	5.9	32.9	6.0	32.7
17	45.83	2.9	25.6	5.4	30.4	4.1	28.4	11.4	37.0	8.5	36.9	10.0	36.9	8.4	34.7	7.3	35.2	7.9	34.9
18	50.00	3.7	28.3	6.8	32.8	5.3	30.9	16.1	39.4	15.5	39.2	15.8	39.3	11.8	37.1	12.2	37.4	12.0	37.2
19	54.17	5.6	31.1	10.4	35.2	8.0	33.4	21.8	41.9	21.7	41.6	21.8	41.7	16.2	39.4	17.5	39.7	16.8	39.5
20	58.33	8.9	33.8	14.8	37.6	11.9	35.9	29.7	44.3	29.6	44.0	29.7	44.1	22.5	41.7	24.1	42.0	23.3	41.8
21	62.50	12.3	36.5	19.3	40.0	15.9	38.5	38.3	46.7	39.4	46.4	38.8	46.5	29.3	44.0	31.9	44.2	30.6	44.1
22	66.67	16.6	39.3	24.0	42.3	20.4	41.0	47.4	49.1	49.1	48.7	48.2	48.9	36.8	46.3	39.7	46.5	38.2	46.4
23	70.83	23.7	42.0	29.4	44.7	26.6	43.5	57.0	51.5	55.2	51.1	56.1	51.3	45.5	48.6	45.5	48.8	45.5	48.7
24	75.00	34.1	44.7	35.3	47.1	34.7	46.0	71.3	54.0	66.4	53.5	68.9	53.7	58.4	50.9	54.7	51.0	56.6	51.0
25	79.17	40.5	47.4	44.5	49.5	42.5	48.5	77.9	56.4	74.9	55.9	76.5	56.1	65.0	53.2	63.5	53.3	64.3	53.3
26	83.33	45.8	50.2	56.0	51.8	51.0	51.1	84.7	58.8	81.9	58.3	83.3	58.5	71.3	55.5	72.1	55.6	71.7	55.6
27	87.50	57.1	52.9	62.5	54.2	59.9	53.6	90.3	61.2	88.8	60.6	89.6	60.9	78.9	57.9	78.9	57.8	78.9	57.8
28	91.67	68.5	55.6	72.9	56.6	70.7	56.1	93.7	63.6	93.4	63.0	93.6	63.3	85.0	60.2	85.7	60.1	85.3	60.1
29	95.83	81.0	58.4	82.5	59.0	81.7	58.6	97.3	66.0	96.4	65.4	96.9	65.7	91.6	62.5	91.2	62.4	91.4	62.4
30	100.00	100.0	61.1	100.0	61.3	100.0	61.1	100.0	68.5	100.0	67.8	100.0	68.1	100.0	64.8	100.0	64.7	100.0	64.7

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7_D - 153: NL – Netherlands. Individual norm data for KIDSCREEN-52: Social Acceptance

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=331)		Males (n=341)		All (n=672)		Females (n=620)		Males (n=569)		All (n=1189)		Females (n=951)		Males (n=910)		All (n=1861)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
3	0.00																		
4	8.33	0.7	8.0	0.5	8.4	0.5	8.2	0.4	0.3	0.3	-1.4	0.3	-0.5	0.4	3.4	0.3	3.0	0.3	3.3
5	16.67	0.7	12.6	0.8	12.9	0.7	12.8	0.8	5.5	0.3	4.0	0.5	4.8	0.7	8.4	0.4	8.0	0.5	8.2
6	25.00	0.7	17.1	1.1	17.4	0.8	17.3	1.2	10.7	1.1	9.4	1.1	10.1	1.0	13.3	1.0	13.0	1.0	13.2
7	33.33	2.1	21.7	3.0	22.0	2.5	21.8	1.5	16.0	1.8	14.8	1.6	15.4	1.7	18.3	2.2	18.0	1.9	18.2
8	41.67	3.7	26.2	4.1	26.5	3.9	26.4	2.9	21.2	2.3	20.1	2.6	20.7	3.2	23.3	3.0	23.0	3.1	23.2
9	50.00	8.2	30.8	8.5	31.1	8.4	30.9	4.5	26.5	3.7	25.5	4.1	26.1	5.8	28.2	5.5	28.0	5.6	28.1
10	58.33	13.3	35.3	12.3	35.6	12.8	35.5	7.1	31.7	6.8	30.9	7.0	31.4	9.3	33.2	8.9	33.0	9.1	33.1
11	66.67	20.3	39.9	20.5	40.1	20.4	40.0	12.2	37.0	12.6	36.3	12.4	36.7	15.0	38.1	15.6	38.0	15.3	38.1
12	75.00	30.0	44.4	31.7	44.7	30.9	44.6	24.2	42.2	24.0	41.7	24.1	42.0	26.2	43.1	26.9	43.0	26.6	43.0
13	83.33	42.4	49.0	42.0	49.2	42.2	49.1	37.9	47.5	36.5	47.1	37.3	47.3	39.5	48.0	38.6	48.0	39.0	48.0
14	91.67	55.6	53.5	59.3	53.8	57.5	53.6	59.0	52.7	56.8	52.5	58.0	52.6	57.8	53.0	57.7	53.0	57.8	53.0
15	100.00	100.0	58.1	100.0	58.3	100.0	58.2	100.0	58.0	100.0	57.9	100.0	57.9	100.0	58.0	100.0	58.0	100.0	58.0

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 154: NL – Netherlands. Individual norm data for KIDSCREEN-52: Financial Resources

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=308)		Males (n=318)		All (n=626)		Females (n=620)		Males (n=570)		All (n=1190)		Females (n=928)		Males (n=888)		All (n=1816)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
3	0.00	2.3	19.1	4.1	24.4	3.2	22.2	0.7	14.0	1.4	15.6	1.0	14.8	1.2	16.0	2.4	19.6	1.8	17.9
4	8.33	2.8	22.5	4.8	27.4	3.7	25.3	1.0	17.9	1.7	19.2	1.3	18.6	1.5	19.6	2.7	22.9	2.1	21.4
5	16.67	3.9	25.8	7.5	30.3	5.7	28.4	1.3	21.7	2.6	22.9	1.9	22.3	2.2	23.3	4.4	26.2	3.2	24.8
6	25.00	5.5	29.1	10.4	33.3	8.0	31.5	2.4	25.6	4.5	26.5	3.4	26.1	3.4	26.9	6.6	29.6	5.0	28.3
7	33.33	8.5	32.5	13.8	36.3	11.2	34.6	4.5	29.4	6.5	30.2	5.5	29.8	5.8	30.6	9.1	32.9	7.4	31.8
8	41.67	11.0	35.8	18.0	39.2	14.6	37.7	8.4	33.3	8.6	33.9	8.5	33.6	9.3	34.2	11.9	36.2	10.6	35.3
9	50.00	19.6	39.1	22.4	42.2	21.0	40.8	16.6	37.1	14.5	37.5	15.6	37.3	17.6	37.9	17.3	39.5	17.5	38.8
10	58.33	23.8	42.5	30.6	45.1	27.2	43.9	23.4	40.9	20.8	41.2	22.2	41.1	23.5	41.5	24.3	42.9	23.9	42.2
11	66.67	32.5	45.8	40.3	48.1	36.5	47.1	31.7	44.8	29.4	44.8	30.6	44.8	32.0	45.2	33.3	46.2	32.6	45.7
12	75.00	45.2	49.1	52.9	51.1	49.1	50.2	48.6	48.6	45.7	48.5	47.2	48.6	47.5	48.8	48.3	49.5	47.9	49.2
13	83.33	53.6	52.5	61.4	54.0	57.6	53.3	57.8	52.5	54.4	52.1	56.2	52.3	56.4	52.5	56.9	52.9	56.6	52.7
14	91.67	66.2	55.8	70.5	57.0	68.4	56.4	68.6	56.3	67.6	55.8	68.1	56.1	67.8	56.1	68.6	56.2	68.2	56.1
15	100.00	100.0	59.2	100.0	59.9	100.0	59.5	100.0	60.2	100.0	59.4	100.0	59.8	100.0	59.8	100.0	59.5	100.0	59.6

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ($M = 50$, $SD = 10$).

Table A7_D - 155: NL – Netherlands. Individual norm data for KIDSCREEN-27: Physical Well-being

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=327)		Males (n=335)		All (n=662)		Females (n=620)		Males (n=567)		All (n=1187)		Females (n=947)		Males (n=902)		All (n=1849)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00																		
6	5.56							0.4	16.1			0.2	13.6	0.2	13.8			0.1	11.0
7	11.11							0.4	19.2			0.2	16.7	0.2	16.8			0.1	14.2
8	16.67			0.5	8.1	0.2	5.6	0.8	22.3	0.4	15.3	0.6	19.8	0.5	19.8	0.3	13.6	0.4	17.3
9	22.22	0.5	6.5	0.8	11.7	0.5	9.4	1.6	25.3	0.8	18.6	1.2	22.9	1.2	22.8	0.7	17.0	0.9	20.4
10	27.78	0.5	10.5	1.3	15.2	0.8	13.1	3.1	28.4	1.4	22.0	2.3	26.0	2.1	25.8	1.3	20.3	1.7	23.5
11	33.33	0.8	14.4	1.7	18.8	1.1	16.9	6.3	31.4	2.3	25.3	4.4	29.1	4.3	28.8	2.0	23.6	3.2	26.7
12	38.89	1.3	18.4	2.7	22.4	2.0	20.6	9.3	34.5	3.2	28.6	6.4	32.2	6.5	31.8	3.0	27.0	4.8	29.8
13	44.44	1.9	22.3	4.5	26.0	3.2	24.3	15.0	37.6	5.5	32.0	10.4	35.4	10.4	34.8	5.1	30.3	7.8	32.9
14	50.00	3.4	26.3	6.0	29.5	4.7	28.1	21.2	40.6	10.7	35.3	16.2	38.5	15.1	37.8	9.0	33.6	12.1	36.0
15	55.56	5.8	30.3	8.3	33.1	7.1	31.8	30.4	43.7	17.4	38.6	24.2	41.6	21.9	40.8	14.0	37.0	18.1	39.1
16	61.11	10.1	34.2	13.1	36.7	11.6	35.6	40.8	46.7	26.1	42.0	33.7	44.7	30.2	43.8	21.3	40.3	25.8	42.3
17	66.67	14.1	38.2	17.6	40.3	15.9	39.3	51.9	49.8	35.6	45.3	44.1	47.8	38.8	46.8	28.9	43.7	34.0	45.4
18	72.22	24.2	42.1	23.9	43.8	24.0	43.1	62.3	52.9	45.8	48.6	54.5	50.9	49.2	49.8	37.7	47.0	43.6	48.5
19	77.78	38.6	46.1	35.0	47.4	36.8	46.8	74.1	55.9	59.8	52.0	67.3	54.0	61.9	52.8	50.6	50.3	56.4	51.6
20	83.33	52.1	50.1	54.7	51.0	53.4	50.5	85.0	59.0	73.2	55.3	79.4	57.1	73.6	55.8	66.3	53.7	70.1	54.8
21	88.89	65.2	54.0	71.7	54.5	68.5	54.3	93.4	62.1	84.8	58.6	89.3	60.2	83.6	58.8	79.9	57.0	81.8	57.9
22	94.44	83.8	58.0	86.3	58.1	85.1	58.0	97.6	65.1	91.9	62.0	94.9	63.4	92.8	61.8	89.8	60.3	91.4	61.0
23	100.00	100.0	61.9	100.0	61.7	100.0	61.8	100.0	68.2	100.0	65.3	100.0	66.5	100.0	64.8	100.0	63.7	100.0	64.1

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ($M = 50$, $SD = 10$).

Table A7_D - 156: NL – Netherlands. Individual norm data for KIDSCREEN-27: Psychological Well-being

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=324)		Males (n=332)		All (n=656)		Females (n=621)		Males (n=593)		All (n=1184)		Females (n=945)		Males (n=895)		All (n=1840)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
7	0.00																		
8	3.57																		
9	7.14																		
10	10.71																		
11	14.29																		
12	17.86																		
13	21.43	0.5	-0.5			0.2	-0.4							0.2	6.8			0.1	3.8
14	25.00	0.5	2.4			0.2	2.5							0.2	9.5			0.1	6.6
15	28.57	0.5	5.2	0.7	5.3	0.5	5.3	0.4	13.7			0.2	10.6	0.4	12.1	0.3	5.2	0.3	9.3
16	32.14	0.5	8.1	0.7	8.2	0.5	8.2	0.6	16.3	0.3	7.9	0.4	13.3	0.5	14.7	0.4	8.1	0.4	12.0
17	35.71	0.5	10.9	0.7	11.0	0.5	11.0	0.9	19.0	0.5	10.8	0.6	16.0	0.7	17.3	0.5	11.0	0.6	14.7
18	39.29	0.5	13.8	0.7	13.9	0.5	13.9	1.8	21.6	0.7	13.8	1.2	18.7	1.3	19.9	0.6	13.9	0.9	17.5
19	42.86	0.8	16.6	1.3	16.7	0.9	16.7	2.8	24.2	0.8	16.8	1.8	21.5	2.0	22.6	0.9	16.8	1.5	20.2
20	46.43	1.3	19.4	1.7	19.5	1.4	19.5	3.9	26.8	1.1	19.8	2.6	24.2	3.0	25.2	1.2	19.8	2.1	22.9
21	50.00	1.7	22.3	2.5	22.4	2.0	22.4	5.5	29.5	1.4	22.7	3.5	26.9	4.1	27.8	1.7	22.7	2.9	25.7
22	53.57	2.6	25.1	2.9	25.2	2.6	25.2	7.6	32.1	2.3	25.7	5.1	29.6	5.8	30.4	2.5	25.6	4.2	28.4
23	57.14	3.2	28.0	4.2	28.1	3.7	28.1	9.3	34.7	3.6	28.7	6.6	32.4	7.2	33.0	3.8	28.5	5.5	31.1
24	60.71	5.6	30.8	6.6	31.0	6.1	30.9	12.4	37.3	5.4	31.7	9.1	35.1	10.0	35.7	5.8	31.5	8.0	33.9
25	64.29	8.7	33.7	8.1	33.8	8.4	33.8	16.7	40.0	9.1	34.6	13.1	37.8	14.0	38.3	8.7	34.4	11.4	36.6
26	67.86	11.8	36.6	11.1	36.7	11.4	36.6	22.5	42.6	13.2	37.6	18.1	40.6	18.8	40.9	12.4	37.3	15.7	39.3
27	71.43	18.6	39.4	15.4	39.5	17.0	39.5	29.7	45.2	20.8	40.6	25.5	43.3	25.9	43.5	18.8	40.2	22.5	42.1
28	75.00	23.6	42.3	21.7	42.4	22.6	42.3	40.4	47.8	30.4	43.6	35.6	46.0	34.6	46.1	27.1	43.1	31.0	44.8
29	78.57	29.8	45.1	29.3	45.2	29.5	45.2	51.8	50.4	38.3	46.5	45.4	48.7	44.3	48.7	35.0	46.1	39.7	47.5
30	82.14	41.4	48.0	40.7	48.1	41.0	48.0	64.1	53.1	48.8	49.5	56.8	51.5	56.3	51.4	45.8	49.0	51.2	50.3
31	85.71	51.9	50.8	52.8	50.9	52.4	50.9	74.4	55.7	60.5	52.5	67.8	54.2	66.7	54.0	57.6	51.9	62.3	53.0
32	89.29	63.9	53.7	67.6	53.8	65.8	53.7	84.0	58.3	72.6	55.5	78.6	56.9	77.1	56.6	70.8	54.8	74.0	55.7
33	92.86	76.8	56.5	77.5	56.7	77.2	56.6	91.3	60.9	82.7	58.4	87.2	59.6	86.4	59.2	80.8	57.7	83.7	58.5
34	96.43	85.5	59.4	88.7	59.5	87.1	59.4	96.8	63.6	91.3	61.4	94.2	62.4	92.9	61.8	90.3	60.7	91.6	61.2
35	100.00	100.0	62.2	100.0	62.4	100.0	62.3	100.0	66.2	100.0	64.4	100.0	65.1	100.0	64.5	100.0	63.6	100.0	63.9

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 157: NL – Netherlands. Individual norm data for KIDSCREEN-27: Parent Relations & Autonomy

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=312)		Males (n=326)		All (n=638)		Females (n=615)		Males (n=560)		All (n=1175)		Females (n=927)		Males (n=886)		All (n=1813)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
7	0.00																		
8	3.57																		
9	7.14																		
10	10.71																		
11	14.29			0.5	2.9	0.2	-0.3									0.2	1.0	0.1	0.6
12	17.86	0.5	-1.9	0.5	5.4	0.4	2.3							0.2	2.8	0.2	3.6	0.1	3.2
13	21.43	0.5	0.9	0.5	7.9	0.4	4.9							0.2	5.5	0.2	6.2	0.1	5.8
14	25.00	0.5	3.7	0.5	10.3	0.4	7.5							0.2	8.1	0.2	8.7	0.1	8.4
15	28.57	0.5	6.5	0.5	12.8	0.4	10.1	0.3	12.1			0.1	11.3	0.3	10.8	0.2	11.3	0.2	11.0
16	32.14	0.5	9.3	0.8	15.3	0.6	12.7	0.3	14.7			0.1	14.0	0.3	13.4	0.3	13.9	0.3	13.7
17	35.71	0.5	12.0	0.8	17.8	0.6	15.3	0.3	17.4	0.3	15.6	0.2	16.6	0.3	16.1	0.4	16.5	0.3	16.3
18	39.29	0.5	14.8	1.1	20.2	0.7	17.9	0.8	20.0	0.5	18.3	0.6	19.2	0.7	18.7	0.6	19.1	0.6	18.9
19	42.86	0.5	17.6	1.1	22.7	0.7	20.5	1.5	22.6	0.5	21.0	0.9	21.9	1.1	21.3	0.6	21.7	0.8	21.5
20	46.43	1.1	20.4	2.8	25.2	1.9	23.1	2.1	25.2	0.8	23.7	1.5	24.5	1.7	24.0	1.5	24.3	1.6	24.1
21	50.00	2.0	23.2	2.8	27.7	2.4	25.7	3.3	27.8	2.0	26.3	2.7	27.2	2.8	26.6	2.3	26.9	2.5	26.7
22	53.57	2.9	26.0	4.6	30.1	3.8	28.3	4.5	30.4	4.3	29.0	4.4	29.8	4.0	29.2	4.4	29.5	4.2	29.4
23	57.14	3.6	28.7	6.7	32.6	5.2	30.9	7.3	33.1	6.5	31.7	6.9	32.4	6.0	31.9	6.6	32.0	6.3	32.0
24	60.71	4.8	31.5	10.1	35.0	7.5	33.5	10.8	35.7	9.1	34.3	10.0	35.1	8.8	34.5	9.5	34.6	9.1	34.6
25	64.29	9.9	34.3	13.8	37.5	11.9	36.1	15.7	38.3	13.7	37.0	14.8	37.7	13.8	37.2	13.8	37.2	13.8	37.2
26	67.86	13.1	37.1	18.3	40.0	15.8	38.7	22.4	40.9	19.6	39.7	21.1	40.4	19.3	39.8	19.2	39.8	19.2	39.8
27	71.43	18.3	39.9	25.1	42.5	21.8	41.3	29.6	43.5	28.0	42.4	28.8	43.0	25.8	42.4	27.0	42.4	26.3	42.4
28	75.00	24.0	42.7	32.5	44.9	28.4	43.9	37.2	46.2	35.1	45.0	36.2	45.6	32.8	45.1	34.2	45.0	33.5	45.0
29	78.57	33.9	45.4	41.4	47.4	37.8	46.5	44.3	48.8	41.9	47.7	43.1	48.3	40.8	47.7	41.7	47.6	41.2	47.7
30	82.14	42.7	48.2	46.0	49.9	44.4	49.1	55.6	51.4	50.5	50.4	53.2	50.9	51.3	50.4	48.8	50.2	50.1	50.3
31	85.71	52.6	51.0	56.7	52.4	54.7	51.7	65.7	54.0	57.8	53.1	62.0	53.6	61.3	53.0	57.4	52.8	59.4	52.9
32	89.29	66.0	53.8	66.2	54.8	66.1	54.3	74.2	56.6	71.8	55.7	73.0	56.2	71.4	55.7	69.7	55.4	70.6	55.5
33	92.86	75.6	56.6	76.3	57.3	76.0	56.9	85.1	59.3	81.3	58.4	83.2	58.8	81.9	58.3	79.4	58.0	80.7	58.1
34	96.43	83.3	59.3	87.1	59.8	85.3	59.5	93.0	61.9	90.0	61.1	91.6	61.5	89.7	60.9	88.9	60.6	89.3	60.7
35	100.00	100.0	62.1	100.0	62.2	100.0	62.1	100.0	64.5	100.0	63.7	100.0	64.1	100.0	63.6	100.0	63.1	100.0	63.4

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 158: NL – Netherlands. Individual norm data for KIDSCREEN-27: Social Support & Peers

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=328)		Males (n=340)		All (n=668)		Females (n=626)		Males (n=568)		All (n=1194)		Females (n=954)		Males (n=908)		All (n=1862)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
4	0.00			0.7	-1.8	0.4	-5.2			0.5	1.9	0.3	-0.4			0.6	0.7	0.3	-1.9
5	6.25			0.7	2.1	0.4	-1.1	0.3	1.1	0.8	5.6	0.4	3.5	0.2	-0.7	0.7	4.5	0.4	2.1
6	12.50			0.7	6.1	0.4	3.1	0.5	5.1	0.8	9.4	0.6	7.4	0.3	3.4	0.7	8.3	0.5	6.0
7	18.75			0.7	10.0	0.4	7.2	0.5	9.2	0.8	13.1	0.6	11.3	0.3	7.6	0.7	12.1	0.5	10.0
8	25.00	0.9	7.9	1.3	13.9	1.0	11.3	0.9	13.2	1.1	16.9	0.9	15.1	0.8	11.7	1.1	15.9	1.0	14.0
9	31.25	0.9	12.3	1.9	17.8	1.4	15.5	1.3	17.2	1.4	20.6	1.3	19.0	1.2	15.8	1.5	19.7	1.3	17.9
10	37.50	0.9	16.7	2.4	21.8	1.7	19.6	2.0	21.3	2.6	24.4	2.3	22.9	1.6	20.0	2.5	23.5	2.0	21.9
11	43.75	2.4	21.1	3.3	25.7	2.8	23.7	2.4	25.3	4.0	28.2	3.2	26.8	2.4	24.1	3.7	27.3	3.1	25.8
12	50.00	4.2	25.5	4.4	29.6	4.3	27.8	5.6	29.4	6.7	31.9	6.1	30.7	5.1	28.2	5.8	31.1	5.5	29.8
13	56.25	5.5	29.9	6.1	33.5	5.8	32.0	7.5	33.4	9.2	35.7	8.3	34.6	6.8	32.3	8.0	34.9	7.4	33.7
14	62.50	8.2	34.3	10.5	37.5	9.4	36.1	12.8	37.4	16.0	39.4	14.3	38.4	11.2	36.5	14.0	38.8	12.5	37.7
15	68.75	14.9	38.7	21.1	41.4	18.1	40.2	22.0	41.5	24.5	43.2	23.2	42.3	19.5	40.6	23.2	42.6	21.3	41.6
16	75.00	27.1	43.1	34.4	45.3	30.8	44.3	35.8	45.5	41.0	46.9	38.3	46.2	32.8	44.7	38.5	46.4	35.6	45.6
17	81.25	40.2	47.5	48.2	49.3	44.3	48.4	50.5	49.5	56.5	50.7	53.4	50.1	47.0	48.9	53.4	50.2	50.1	49.5
18	87.50	60.3	51.9	64.6	53.2	62.5	52.6	65.2	53.6	70.2	54.4	67.6	54.0	63.5	53.0	68.1	54.0	65.8	53.5
19	93.75	77.2	56.3	80.5	57.1	78.9	56.7	81.9	57.6	82.7	58.2	82.3	57.9	80.3	57.1	81.9	57.8	81.1	57.4
20	100.00	100.0	60.7	100.0	61.0	100.0	60.8	100.0	61.6	100.0	62.0	100.0	61.8	100.0	61.3	100.0	61.6	100.0	61.4

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 159: NL – Netherlands. Individual norm data for KIDSCREEN-27: School Environment

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=330)		Males (n=339)		All (n=669)		Females (n=620)		Males (n=562)		All (n=1182)		Females (n=950)		Males (n=901)		All (n=1851)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
4	0.00							0.4	8.2	0.6	7.7	0.4	8.0	0.2	6.4	0.4	6.8	0.3	6.6
5	6.25							0.6	11.8	0.6	11.4	0.6	11.7	0.4	10.1	0.4	10.4	0.4	10.2
6	12.50			0.5	7.9	0.2	4.6	0.6	15.5	0.8	15.1	0.6	15.4	0.4	13.7	0.6	14.0	0.4	13.8
7	18.75			0.5	11.7	0.2	8.7	1.1	19.2	0.8	18.8	0.9	19.0	0.7	17.3	0.6	17.6	0.7	17.4
8	25.00			0.7	15.5	0.4	12.7	1.8	22.9	1.0	22.5	1.4	22.7	1.2	20.9	0.8	21.1	1.0	21.0
9	31.25			1.1	19.3	0.5	16.7	2.3	26.6	2.5	26.2	2.4	26.4	1.5	24.5	1.9	24.7	1.7	24.6
10	37.50	0.7	17.5	2.1	23.1	1.3	20.7	4.8	30.3	4.3	29.9	4.6	30.1	3.4	28.1	3.4	28.3	3.4	28.2
11	43.75	1.6	21.8	3.5	26.9	2.5	24.7	7.4	34.0	6.2	33.6	6.8	33.8	5.3	31.7	5.2	31.9	5.3	31.8
12	50.00	3.0	26.2	6.2	30.7	4.6	28.8	14.0	37.7	12.9	37.2	13.5	37.5	10.2	35.3	10.4	35.5	10.3	35.4
13	56.25	6.7	30.5	10.6	34.5	8.7	32.8	23.2	41.4	21.3	40.9	22.3	41.2	17.5	38.9	17.3	39.0	17.4	39.0
14	62.50	12.1	34.8	16.2	38.3	14.2	36.8	34.5	45.1	34.7	44.6	34.6	44.9	26.7	42.5	27.7	42.6	27.2	42.6
15	68.75	18.5	39.2	24.5	42.1	21.5	40.8	48.5	48.8	48.4	48.3	48.5	48.6	38.1	46.1	39.4	46.2	38.7	46.2
16	75.00	32.5	43.5	36.9	45.9	34.7	44.9	66.0	52.5	63.0	52.0	64.5	52.3	54.3	49.7	53.2	49.8	53.8	49.7
17	81.25	42.8	47.9	50.8	49.7	46.8	48.9	78.9	56.2	76.8	55.7	77.9	55.9	66.3	53.3	67.0	53.4	66.7	53.3
18	87.50	58.5	52.2	63.4	53.5	61.0	52.9	87.5	59.9	87.2	59.4	87.4	59.6	77.5	56.9	78.2	56.9	77.8	56.9
19	93.75	74.6	56.5	77.3	57.3	76.0	56.9	95.5	63.6	93.4	63.1	94.5	63.3	88.2	60.5	87.4	60.5	87.8	60.5
20	100.00	100.0	60.9	100.0	61.1	100.0	61.0	100.0	67.2	100.0	66.8	100.0	67.0	100.0	64.1	100.0	64.1	100.0	64.1

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 160: NL – Netherlands. Individual norm data for KIDSCREEN-10 Index

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=322)		Males (n=327)		All (n=649)		Females (n=613)		Males (n=546)		All (n=1159)		Females (n=935)		Males (n=873)		All (n=1808)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
10	0.00																		
11	2.50																		
12	5.00																		
13	7.50																		
14	10.00																		
15	12.50																		
16	15.00																		
17	17.50																		
18	20.00																		
19	22.50																		
20	25.00																		
21	27.50																		
22	30.00																		
23	32.50																		
24	35.00							0.4	16.3			0.2	14.7	0.2	15.1			0.1	13.0
25	37.50							0.4	18.4	0.3	13.8	0.3	16.8	0.2	17.1	0.2	12.3	0.2	15.1
26	40.00							0.7	20.5	0.3	15.9	0.5	18.8	0.5	19.0	0.2	14.4	0.3	17.1
27	42.50							1.2	22.5	0.3	18.1	0.7	20.9	0.8	21.0	0.2	16.6	0.4	19.2
28	45.00			0.5	14.5	0.2	14.3	1.8	24.6	0.5	20.2	1.1	23.0	1.2	23.0	0.4	18.7	0.8	21.2
29	47.50	0.5	16.3	0.8	16.8	0.5	16.6	2.3	26.7	0.9	22.3	1.6	25.0	1.6	25.0	0.8	20.8	1.2	23.2
30	50.00	1.3	18.5	1.1	19.00	1.1	18.8	3.3	28.7	1.2	24.4	2.2	27.1	2.6	27.0	1.1	23.0	1.8	25.3
31	52.:50	1.7	20.8	1.9	21.3	1.7	21.1	4.6	30.8	1.7	26.6	3.2	29.2	3.5	29.0	1.7	25.1	2.7	27.3
32	55.00	2.1	23.0	2.3	23.5	2.1	23.3	6.5	32.9	2.4	28.7	4.5	31.2	4.9	31.0	2.3	27.2	3.6	29.4
33	57.50	2.1	25.3	2.3	25.8	2.1	25.6	8.8	34.9	4.2	30.8	6.6	33.3	6.4	33.0	3.4	29.4	5.0	31.4
34	60.00	3.7	27.5	3.1	28.0	3.4	27.8	11.4	37.0	6.6	33.0	9.1	35.4	8.8	35.0	5.3	31.5	7.1	33.5
35	62.50	5.0	29.8	4.6	30.3	4.8	30.0	15.6	39.1	10.8	35.1	13.3	37.4	12.0	36.9	8.5	33.7	10.3	35.5
36	65.00	6.5	32.0	6.2	32.5	6.3	32.3	21.9	41.1	14.2	37.2	18.3	39.5	16.6	38.9	11.2	35.8	14.0	37.6
37	67.50	8.4	34.3	10.1	34.8	9.3	34.5	27.7	43.2	17.4	39.4	22.8	41.6	21.0	40.9	14.6	37.9	17.9	39.6
38	70.00	12.4	36.5	13.8	37.0	13.1	36.8	33.9	45.3	21.2	41.5	27.9	43.6	26.5	42.9	18.4	40.1	22.6	41.7
39	72.50	14.0	38.8	18.4	39.3	16.2	39.0	40.3	47.3	28.0	43.7	34.5	45.7	31.2	44.9	24.4	42.2	27.9	43.7
40	75.00	18.9	41.0	23.3	41.5	21.1	41.3	48.9	49.4	37.3	45.8	43.4	47.8	38.6	46.9	32.1	44.3	35.4	45.7
41	77.50	26.4	43.3	27.3	43.8	26.8	43.5	57.1	51.5	44.1	47.9	50.9	49.8	46.5	48.9	37.8	46.5	42.3	47.8
42	80.00	33.2	45.5	31.8	46.0	32.5	45.8	64.2	53.6	53.1	50.1	59.0	51.9	53.5	50.9	45.1	48.6	49.5	49.8
43	82.50	42.9	47.8	42.0	48.3	42.4	48.0	72.5	55.6	59.3	52.:2	66.3	54.0	62.3	52.:9	52.:8	50.8	57.7	51.9
44	85.00	49.4	50.0	49.6	50.5	49.5	50.3	79.6	57.7	66.2	54.3	73.3	56.0	69.2	54.9	60.0	52.:9	64.7	53.9
45	87.50	56.2	52.:3	59.7	52.:8	57.9	52.:5	85.8	59.8	74.3	56.5	80.4	58.1	75.6	56.8	68.8	55.0	72.3	56.0
46	90.00	66.2	54.5	69.2	55.0	67.7	54.8	90.8	61.8	80.9	58.6	86.2	60.2	82.3	58.8	76.5	57.2	79.5	58.0
47	92.50	74.6	56.8	78.3	57.3	76.5	57.0	95.1	63.9	88.1	60.7	91.8	62.2	88.0	60.8	84.4	59.3	86.3	60.1
48	95.00	83.6	59.0	86.3	59.5	84.9	59.3	97.6	66.0	92.7	62.9	95.3	64.3	92.7	62.8	90.3	61.5	91.5	62.1
49	97.50	91.0	61.3	93.0	61.8	92.0	61.5	99.2	68.0	96.4	65.0	97.9	66.4	96.4	64.8	95.1	63.6	95.8	64.1
50	100.00	100.0	63.5	100.0	64.0	100.0	63.8	100.0	70.1	100.0	67.1	100.0	68.4	100.0	66.8	100.0	65.7	100.0	66.2

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 161: PL – Poland. Individual norm data for KIDSCREEN-52: Physical Well-being

Raw-Score	0-100 Score	Females (n=294)		Children 8-11 Males (n=257)		All (n=551)		Females (n=624)		Adolescents 12-18 Males (n=508)		All (n=1132)		Females (n=918)		Children & Adolescents 8-18 Males (n=765)		All (n=1683)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00																		
6	5.56							0.3	20.0			0.1	18.0	0.2	18.3			0.1	16.3
7	11.11							1.3	22.9			0.7	21.0	0.9	21.3			0.5	19.3
8	16.67							2.7	25.9	1.0	20.8	1.9	24.0	1.9	24.2	0.7	19.1	1.3	22.3
9	22.22	1.1	20.8	0.9	16.6	0.9	19.1	3.9	28.8	2.2	23.9	3.1	27.0	2.9	27.1	1.7	22.3	2.4	25.3
10	27.78	2.1	24.0	2.0	20.0	2.0	22.4	5.9	31.7	3.1	27.1	4.7	30.0	4.7	30.1	2.7	25.5	3.8	28.3
11	33.33	2.8	27.3	2.6	23.5	2.6	25.7	9.4	34.7	5.5	30.2	7.7	33.0	7.3	33.0	4.4	28.6	6.0	31.3
12	38.89	5.1	30.5	3.3	26.9	4.2	29.1	13.8	37.6	8.1	33.4	11.2	36.0	11.0	35.9	6.4	31.8	8.9	34.3
13	44.44	9.5	33.8	5.5	30.4	7.6	32.4	19.6	40.5	12.2	36.5	16.3	39.0	16.3	38.9	9.9	34.9	13.4	37.3
14	50.00	15.0	37.0	9.0	33.8	12.2	35.7	28.5	43.5	19.1	39.7	24.3	41.9	24.2	41.8	15.7	38.1	20.3	40.3
15	55.56	18.8	40.3	12.9	37.2	16.0	39.0	38.6	46.4	26.2	42.8	33.0	44.9	32.3	44.7	21.7	41.3	27.5	43.3
16	61.11	29.3	43.5	21.5	40.7	25.7	42.3	50.6	49.4	35.1	46.0	43.6	47.9	43.8	47.7	30.5	44.4	37.8	46.3
17	66.67	38.9	46.7	31.6	44.1	35.5	45.6	64.3	52.3	48.0	49.1	57.0	50.9	56.2	50.6	42.5	47.6	49.9	49.3
18	72.22	53.1	50.0	40.9	47.6	47.4	48.9	74.4	55.2	62.6	52.3	69.1	53.9	67.6	53.6	55.3	50.8	62.0	52.3
19	77.78	63.7	53.2	52.6	51.0	58.5	52.2	82.7	58.2	75.8	55.4	79.6	56.9	76.6	56.5	68.0	53.9	72.7	55.3
20	83.33	79.3	56.5	69.7	54.4	74.8	55.5	89.8	61.1	83.8	58.6	87.1	59.9	86.4	59.4	79.1	57.1	83.1	58.3
21	88.89	87.4	59.7	84.1	57.9	85.9	58.8	94.7	64.1	92.5	61.7	93.7	62.9	92.4	62.4	89.7	60.2	91.2	61.3
22	94.44	94.2	63.0	93.8	61.3	94.0	62.1	98.2	67.0	97.0	64.9	97.7	65.9	96.9	65.3	96.0	63.4	96.5	64.3
23	100.00	100.0	66.2	100.0	64.8	100.0	65.4	100.0	69.9	100.0	68.0	100.0	68.8	100.0	68.2	100.0	66.6	100.0	67.3

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 162: PL – Poland. Individual norm data for KIDSCREEN-52: Psychological Well-being

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=298)		Males (n=262)		All (n=560)		Females (n=637)		Males (n=510)		All (n=1147)		Females (n=935)		Males (n=772)		All (n=1707)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00									0.3	16.2	0.1	18.5			0.2	13.8	0.1	16.1
7	4.17							0.3	22.1	0.5	18.3	0.3	20.6	0.2	19.7	0.3	16.0	0.2	18.2
8	8.33							0.9	24.0	0.5	20.5	0.7	22.6	0.6	21.7	0.3	18.2	0.5	20.3
9	12.50	0.8	13.1	0.6	10.7	0.5	12.0	2.3	26.0	1.0	22.7	1.7	24.7	1.8	23.7	0.8	20.4	1.3	22.3
10	16.67	1.2	15.5	0.6	13.3	0.8	14.5	3.0	28.0	1.6	24.9	2.4	26.7	2.3	25.7	1.2	22.6	1.8	24.4
11	20.83	1.2	17.9	1.0	15.9	1.0	17.0	4.2	29.9	3.1	27.1	3.7	28.8	3.2	27.7	2.3	24.8	2.8	26.5
12	25.00	1.5	20.3	1.4	18.4	1.3	19.5	6.6	31.9	4.5	29.2	5.7	30.8	4.9	29.7	3.4	27.0	4.2	28.6
13	29.17	1.9	22.8	1.4	21.0	1.5	22.0	8.3	33.9	7.3	31.4	7.8	32.9	6.2	31.7	5.2	29.2	5.7	30.7
14	33.33	2.4	25.2	1.8	23.6	2.0	24.5	11.4	35.8	8.0	33.6	9.9	34.9	8.5	33.7	5.8	31.4	7.3	32.7
15	37.50	3.4	27.6	2.4	26.2	2.9	27.0	16.3	37.8	11.3	35.8	14.1	37.0	12.2	35.7	8.3	33.6	10.4	34.8
16	41.67	5.4	30.0	4.2	28.8	4.8	29.5	18.3	39.8	13.3	38.0	16.1	39.0	14.2	37.7	10.2	35.8	12.4	36.9
17	45.83	7.7	32.5	5.1	31.3	6.4	32.0	21.5	41.7	16.9	40.1	19.4	41.1	17.1	39.7	12.8	38.0	15.2	39.0
18	50.00	9.8	34.9	8.4	33.9	9.1	34.5	27.3	43.7	23.4	42.3	25.5	43.1	21.7	41.7	18.3	40.2	20.2	41.1
19	54.17	12.4	37.3	12.3	36.5	12.4	37.0	33.7	45.6	29.8	44.5	32.0	45.2	26.9	43.6	23.9	42.4	25.6	43.1
20	58.33	16.1	39.7	16.5	39.1	16.3	39.4	39.4	47.6	38.2	46.7	38.9	47.2	32.0	45.6	30.9	44.6	31.5	45.2
21	62.50	23.2	42.1	22.6	41.7	22.9	41.9	48.6	49.6	44.1	48.9	46.6	49.3	40.5	47.6	36.8	46.8	38.9	47.3
22	66.67	29.2	44.6	28.0	44.3	28.6	44.4	56.5	51.5	53.7	51.0	55.2	51.3	47.8	49.6	45.0	49.0	46.5	49.4
23	70.83	34.9	47.0	36.7	46.8	35.7	46.9	63.2	53.5	63.1	53.2	63.2	53.4	54.2	51.6	54.2	51.2	54.2	51.5
24	75.00	47.6	49.4	51.2	49.4	49.3	49.4	72.9	55.5	73.6	55.4	73.2	55.4	64.9	53.6	66.0	53.4	65.4	53.5
25	79.17	57.1	51.8	60.7	52.0	58.8	51.9	79.4	57.4	82.0	57.6	80.5	57.5	72.3	55.6	74.8	55.6	73.4	55.6
26	83.33	67.1	54.3	68.3	54.6	67.7	54.4	84.1	59.4	87.0	59.7	85.4	59.5	78.7	57.6	80.7	57.8	79.6	57.7
27	87.50	77.2	56.7	77.1	57.2	77.2	56.9	89.6	61.4	91.8	61.9	90.6	61.6	85.7	59.6	86.8	60.0	86.2	59.8
28	91.67	85.6	59.1	87.1	59.8	86.3	59.4	93.6	63.3	94.5	64.1	94.0	63.6	91.0	61.6	92.0	62.2	91.5	61.9
29	95.83	91.6	61.5	93.2	62.3	92.4	61.9	95.8	65.3	97.7	66.3	96.6	65.7	94.5	63.6	96.1	64.4	95.2	63.9
30	100.00	100.0	63.9	100.0	64.9	100.0	64.4	100.0	67.2	100.0	68.5	100.0	67.7	100.0	65.6	100.0	66.6	100.0	66.0

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7_D - 163: PL – Poland. Individual norm data for KIDSCREEN-52: Moods & Emotions

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=296)		Males (n=255)		All (n=551)		Females (n=633)		Males (n=507)		All (n=1140)		Females (n=929)		Males (n=762)		All (n=1691)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
7	0.00																		
8	3.57																		
9	7.14																		
10	10.71							0.5	16.5			0.3	13.7	0.3	14.3			0.2	11.0
11	14.29							0.7	18.4			0.4	15.8	0.5	16.3			0.3	13.1
12	17.86	0.5	9.7			0.3	5.4	1.0	20.3	0.5	13.3	0.7	17.8	0.8	18.2	0.3	9.9	0.5	15.2
13	21.43	0.9	12.0			0.5	7.9	1.9	22.3	0.7	15.5	1.3	19.8	1.5	20.2	0.5	12.2	1.0	17.3
14	25.00	1.2	14.2			0.7	10.4	3.2	24.2	1.2	17.7	2.3	21.8	2.5	22.2	0.8	14.6	1.7	19.4
15	28.57	1.2	16.5	0.6	6.8	0.8	12.9	3.6	26.1	1.5	19.9	2.6	23.9	2.7	24.2	1.1	16.9	2.0	21.5
16	32.14	1.2	18.7	0.6	9.6	0.8	15.4	4.8	28.1	2.6	22.1	3.8	25.9	3.6	26.1	1.8	19.3	2.8	23.6
17	35.71	2.1	21.0	0.6	12.5	1.3	17.8	5.7	30.0	3.2	24.3	4.6	27.9	4.5	28.1	2.3	21.6	3.5	25.7
18	39.29	2.5	23.3	1.0	15.3	1.7	20.3	6.8	32.0	4.6	26.5	5.8	29.9	5.4	30.1	3.3	23.9	4.4	27.8
19	42.86	3.7	25.6	1.7	18.2	2.7	22.8	8.2	33.9	4.9	28.7	6.7	32.0	6.8	32.0	3.7	26.3	5.4	29.9
20	46.43	5.4	27.8	2.5	21.1	4.0	25.3	10.6	35.8	6.1	30.9	8.6	34.0	9.0	34.0	4.9	28.6	7.1	32.0
21	50.00	6.2	30.1	2.5	24.0	4.4	27.8	14.6	37.8	7.9	33.1	11.6	36.0	11.9	36.0	6.1	31.0	9.3	34.1
22	53.57	8.8	32.3	3.3	26.8	6.2	30.3	17.6	39.7	9.5	35.4	14.0	38.0	14.8	38.0	7.4	33.3	11.5	36.2
23	57.14	9.5	34.6	5.5	29.7	7.6	32.7	21.1	41.6	13.8	37.6	17.9	40.1	17.4	39.9	11.1	35.6	14.5	38.3
24	60.71	11.8	36.9	6.8	32.5	9.4	35.2	25.1	43.6	16.0	39.8	21.0	42.1	20.8	41.9	12.9	38.0	17.3	40.4
25	64.29	14.5	39.1	8.3	35.4	11.6	37.7	29.2	45.5	20.3	42.0	25.2	44.1	24.5	43.9	16.3	40.3	20.8	42.5
26	67.86	17.9	41.4	13.4	38.3	15.8	40.2	35.3	47.4	25.4	44.2	30.9	46.1	29.8	45.8	21.4	42.7	26.0	44.6
27	71.43	22.7	43.7	18.1	41.1	20.5	42.7	42.8	49.4	32.4	46.4	38.2	48.2	36.4	47.8	27.6	45.0	32.4	46.7
28	75.00	30.4	45.9	29.5	44.0	30.0	45.2	52.1	51.3	40.6	48.6	47.0	50.2	45.2	49.8	36.9	47.4	41.5	48.8
29	78.57	37.5	48.2	38.9	46.8	38.2	47.7	60.8	53.3	48.9	50.8	55.5	52.2	53.4	51.8	45.6	49.7	49.9	50.9
30	82.14	48.0	50.5	47.9	49.7	48.0	50.2	70.9	55.2	60.2	53.0	66.1	54.2	63.6	53.7	56.1	52.0	60.2	53.0
31	85.71	57.8	52.7	61.1	52.6	59.3	52.6	76.8	57.1	69.8	55.2	73.7	56.3	70.7	55.7	66.9	54.4	69.0	55.1
32	89.29	64.9	55.0	70.5	55.4	67.5	55.1	85.4	59.1	80.9	57.4	83.4	58.3	78.9	57.7	77.4	56.7	78.2	57.2
33	92.86	80.4	57.3	85.1	58.3	82.5	57.6	92.4	61.0	89.9	59.6	91.3	60.3	88.6	59.6	88.3	59.1	88.4	59.3
34	96.43	91.9	59.5	93.3	61.2	92.6	60.1	97.3	62.9	95.5	61.8	96.5	62.3	95.6	61.6	94.7	61.4	95.2	61.4
35	100.00	100.0	61.8	100.0	64.0	100.0	62.6	100.0	64.9	100.0	64.0	100.0	64.4	100.0	63.6	100.0	63.7	100.0	63.5

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 164: PL – Poland. Individual norm data for KIDSCREEN-52: Self Perception

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=296)		Males (n=262)		All (n=558)		Females (n=638)		Males (n=507)		All (n=1145)		Females (n=934)		Males (n=769)		All (n=1703)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00																		
6	5.00							0.5	23.5			0.3	20.4	0.3	21.5			0.2	17.9
7	10.00	0.5	11.2			0.3	7.1	1.6	25.8			0.9	22.8	1.2	23.8			0.6	20.3
8	15.00	1.1	14.1	0.6	3.6	0.7	10.2	3.2	28.2	0.6	19.0	2.0	25.2	2.5	26.0	0.5	16.3	1.6	22.8
9	20.00	1.5	16.9	0.6	7.0	1.0	13.2	4.4	30.5	1.4	21.8	3.1	27.7	3.4	28.3	1.0	19.1	2.4	25.2
10	25.00	2.4	19.7	0.6	10.5	1.5	16.2	7.4	32.8	1.8	24.5	4.9	30.1	5.8	30.6	1.3	21.9	3.8	27.6
11	30.00	2.9	22.5	1.0	13.9	1.8	19.3	11.3	35.1	3.2	27.2	7.7	32.5	8.6	32.9	2.3	24.7	5.8	30.1
12	35.00	3.8	25.3	1.0	17.4	2.3	22.3	15.7	37.4	5.7	30.0	11.3	34.9	11.9	35.2	4.0	27.5	8.4	32.5
13	40.00	4.2	28.1	1.4	20.8	2.7	25.3	18.7	39.8	6.5	32.7	13.3	37.3	14.0	37.5	4.7	30.2	9.8	34.9
14	45.00	6.4	31.0	2.0	24.2	4.3	28.4	24.3	42.1	11.0	35.4	18.4	39.7	18.6	39.8	7.9	33.0	13.8	37.4
15	50.00	8.4	33.8	3.8	27.6	6.3	31.4	30.4	44.4	15.0	38.2	23.6	42.1	23.5	42.1	11.2	35.8	17.9	39.8
16	55.00	11.5	36.6	5.0	31.0	8.4	34.4	38.1	46.7	20.3	40.9	30.2	44.5	29.7	44.3	15.1	38.6	23.1	42.2
17	60.00	15.5	39.4	9.6	34.5	12.7	37.5	46.6	49.0	26.4	43.7	37.7	47.0	36.7	46.6	20.7	41.4	29.5	44.7
18	65.00	20.6	42.2	15.7	37.9	18.3	40.5	57.3	51.4	38.7	46.4	49.0	49.4	45.7	48.9	30.8	44.2	39.0	47.1
19	70.00	30.4	45.0	23.3	41.3	27.1	43.6	65.2	53.7	48.2	49.1	57.7	51.8	54.2	51.2	39.7	47.0	47.6	49.5
20	75.00	39.2	47.9	30.2	44.7	34.9	46.6	76.1	56.0	59.5	51.9	68.8	54.2	64.4	53.5	49.5	49.8	57.7	52.0
21	80.00	48.9	50.7	42.8	48.2	46.1	49.6	82.0	58.3	70.4	54.6	76.9	56.6	71.5	55.8	61.0	52.6	66.8	54.4
22	85.00	63.2	53.5	58.1	51.6	60.8	52.7	87.3	60.6	79.0	57.3	83.7	59.0	79.7	58.1	71.9	55.4	76.2	56.8
23	90.00	75.0	56.3	70.4	55.0	72.8	55.7	92.2	63.0	86.6	60.1	89.7	61.4	86.8	60.3	81.0	58.2	84.2	59.2
24	95.00	89.2	59.1	82.5	58.4	86.1	58.7	96.7	65.3	93.3	62.8	95.2	63.9	94.4	62.6	89.6	61.0	92.2	61.7
25	100.00	100.0	61.9	100.0	61.9	100.0	61.8	100.0	67.6	100.0	65.5	100.0	66.3	100.0	64.9	100.0	63.8	100.0	64.1

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ($M = 50$, $SD = 10$).

Table A7_D - 165: PL – Poland. Individual norm data for KIDSCREEN-52: Autonomy

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=297)		Males (n=259)		All (n=556)		Females (n=636)		Males (n=509)		All (n=1145)		Females (n=933)		Males (n=768)		All (n=1701)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00	0.5	17.4			0.3	14.3	0.4	22.4	0.3	18.2	0.3	21.0	0.3	21.5	0.2	16.1	0.2	19.6
6	5.00	0.9	19.7	0.6	12.1	0.6	16.8	0.7	24.8	0.3	20.6	0.5	23.3	0.7	23.8	0.3	18.6	0.5	21.9
7	10.00	1.2	22.1	0.6	14.9	0.8	19.3	1.1	27.1	0.5	23.0	0.8	25.7	1.1	26.1	0.5	21.1	0.8	24.2
8	15.00	1.8	24.5	1.0	17.7	1.3	21.9	1.6	29.5	0.5	25.5	1.1	28.0	1.6	28.4	0.6	23.6	1.1	26.6
9	20.00	3.4	26.9	1.0	20.5	2.2	24.4	3.1	31.8	1.0	27.9	2.2	30.4	3.2	30.7	0.9	26.0	2.2	28.9
10	25.00	4.2	29.2	1.7	23.2	2.9	26.9	7.9	34.2	2.8	30.3	5.6	32.7	6.6	33.0	2.3	28.5	4.7	31.3
11	30.00	5.7	31.6	1.7	26.0	3.8	29.4	12.7	36.5	6.1	32.7	9.8	35.1	10.5	35.3	4.6	31.0	7.8	33.6
12	35.00	8.8	34.0	3.5	28.8	6.3	31.9	17.8	38.9	9.2	35.1	14.0	37.4	14.9	37.6	7.3	33.5	11.5	36.0
13	40.00	11.5	36.3	7.3	31.5	9.6	34.4	25.0	41.2	14.1	37.6	20.2	39.7	20.7	39.9	11.8	36.0	16.7	38.3
14	45.00	13.5	38.7	8.9	34.3	11.4	37.0	31.9	43.5	20.6	40.0	26.9	42.1	26.0	42.2	16.7	38.4	21.8	40.7
15	50.00	20.9	41.1	13.5	37.1	17.5	39.5	40.3	45.9	29.1	42.4	35.3	44.4	34.1	44.5	23.9	40.9	29.5	43.0
16	55.00	27.6	43.4	19.3	39.9	23.8	42.0	48.1	48.2	36.8	44.8	43.1	46.8	41.6	46.8	30.9	43.4	36.8	45.4
17	60.00	36.3	45.8	26.6	42.6	31.8	44.5	55.5	50.6	42.9	47.2	49.9	49.1	49.4	49.1	37.4	45.9	44.0	47.7
18	65.00	45.1	48.2	31.6	45.4	38.8	47.0	62.8	52.9	52.1	49.7	58.0	51.5	57.1	51.4	45.2	48.4	51.7	50.1
19	70.00	53.2	50.6	40.5	48.2	47.3	49.5	70.0	55.3	60.3	52.1	65.7	53.8	64.7	53.7	53.7	50.9	59.7	52.4
20	75.00	63.6	52.9	56.0	50.9	60.1	52.1	79.6	57.6	70.9	54.5	75.7	56.2	74.5	56.0	65.9	53.3	70.6	54.8
21	80.00	70.6	55.3	69.1	53.7	69.9	54.6	85.1	60.0	77.2	56.9	81.6	58.5	80.5	58.3	74.5	55.8	77.8	57.1
22	85.00	78.4	57.7	75.2	56.5	76.9	57.1	89.9	62.3	83.3	59.3	87.0	60.9	86.3	60.6	80.6	58.3	83.7	59.5
23	90.00	85.5	60.0	85.3	59.3	85.4	59.6	94.8	64.6	87.2	61.8	91.4	63.2	91.8	62.9	86.6	60.8	89.5	61.8
24	95.00	90.9	62.4	91.9	62.0	91.3	62.1	96.8	67.0	91.2	64.2	94.3	65.6	94.9	65.2	91.4	63.3	93.3	64.2
25	100.00	100.0	64.8	100.0	64.8	100.0	64.6	100.0	69.3	100.0	66.6	100.0	67.9	100.0	67.5	100.0	65.8	100.0	66.5

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7_D - 166: PL – Poland. Individual norm data for KIDSCREEN-52: Parent Relations & Home Life

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=299)		Males (n=260)		All (n=559)		Females (n=629)		Males (n=502)		All (n=1131)		Females (n=928)		Males (n=762)		All (n=1690)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00							0.4	20.0	0.3	15.5	0.3	18.2	0.2	17.4	0.2	12.6	0.2	15.4
7	4.17							1.0	21.8	0.7	17.6	0.8	20.1	0.7	19.3	0.4	14.7	0.5	17.4
8	8.33	0.8	10.3			0.4	7.8	1.3	23.6	0.7	19.7	1.0	22.1	1.1	21.2	0.4	16.9	0.8	19.4
9	12.50	0.8	12.6			0.4	10.3	2.2	25.5	0.9	21.8	1.6	24.0	1.7	23.0	0.6	19.0	1.2	21.4
10	16.67	0.8	14.9			0.4	12.7	3.0	27.3	1.3	23.9	2.2	25.9	2.3	24.9	0.8	21.1	1.6	23.4
11	20.83	0.8	17.2			0.4	15.2	3.8	29.2	1.8	25.9	2.9	27.9	2.8	26.8	1.2	23.3	2.1	25.4
12	25.00	0.8	19.5	0.6	14.8	0.6	17.6	4.9	31.0	2.8	28.0	4.0	29.8	3.5	28.7	2.0	25.4	2.8	27.4
13	29.17	1.2	21.8	1.0	17.4	1.0	20.0	6.6	32.9	4.6	30.1	5.7	31.8	4.8	30.6	3.3	27.5	4.1	29.4
14	33.33	2.7	24.1	1.0	20.1	1.8	22.4	9.2	34.7	5.9	32.2	7.7	33.7	7.1	32.5	4.2	29.7	5.8	31.4
15	37.50	2.7	26.4	1.4	22.7	2.1	24.9	12.2	36.5	7.7	34.3	10.2	35.6	9.1	34.4	5.5	31.8	7.5	33.3
16	41.67	4.4	28.7	2.0	25.3	3.2	27.3	14.9	38.4	10.9	36.4	13.1	37.6	11.5	36.3	7.8	34.0	9.8	35.3
17	45.83	7.1	31.0	3.5	28.0	5.4	29.7	19.0	40.2	13.9	38.5	16.8	39.5	15.2	38.2	10.3	36.1	13.0	37.3
18	50.00	9.5	33.3	6.1	30.6	7.9	32.2	24.3	42.1	20.3	40.5	22.5	41.5	19.5	40.1	15.5	38.2	17.7	39.3
19	54.17	11.5	35.6	9.6	33.2	10.6	34.6	30.2	43.9	26.6	42.6	28.6	43.4	24.2	41.9	20.8	40.4	22.7	41.3
20	58.33	14.5	37.9	12.0	35.9	13.3	37.1	34.9	45.7	34.2	44.7	34.6	45.3	28.3	43.8	26.6	42.5	27.6	43.3
21	62.50	17.8	40.2	16.3	38.5	17.1	39.5	41.3	47.6	40.6	46.8	41.0	47.3	33.7	45.7	32.3	44.7	33.1	45.3
22	66.67	22.5	42.5	22.4	41.1	22.4	41.9	47.8	49.4	46.3	48.9	47.2	49.2	39.7	47.6	38.2	46.8	39.0	47.3
23	70.83	28.4	44.8	27.4	43.8	28.0	44.4	52:9	51.3	52:9	51.0	52:9	51.1	45.1	49.5	44.2	48.9	44.7	49.3
24	75.00	36.4	47.1	37.8	46.4	37.0	46.8	59.6	53.1	62.1	53.1	60.7	53.1	52:1	51.4	53.8	51.1	52:9	51.3
25	79.17	46.0	49.4	43.9	49.0	45.0	49.3	65.8	55.0	69.0	55.1	67.3	55.0	59.5	53.3	60.5	53.2	59.9	53.3
26	83.33	51.7	51.7	55.8	51.7	53.6	51.7	73.4	56.8	76.4	57.2	74.8	57.0	66.4	55.2	69.4	55.4	67.8	55.2
27	87.50	61.1	54.0	64.6	54.3	62.7	54.1	80.3	58.6	82.8	59.3	81.4	58.9	74.1	57.1	76.6	57.5	75.2	57.2
28	91.67	71.4	56.3	75.8	57.0	73.4	56.6	86.6	60.5	90.2	61.4	88.2	60.8	81.7	59.0	85.3	59.6	83.3	59.2
29	95.83	81.8	58.6	85.0	59.6	83.3	59.0	92.8	62.3	93.8	63.5	93.3	62.8	89.3	60.9	90.8	61.8	90.0	61.2
30	100.00	100.0	60.9	100.0	62.2	100.0	61.4	100.0	64.2	100.0	65.6	100.0	64.7	100.0	62.7	100.0	63.9	100.0	63.2

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 167: PL – Poland. Individual norm data for KIDSCREEN-52: Social Support & Peers

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=294)		Males (n=255)		All (n=549)		Females (n=629)		Males (n=504)		All (n=1133)		Females (n=923)		Males (n=759)		All (n=1682)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00			0.6	12.6	0.3	15.0	0.4	19.9	0.6	19.8	0.4	19.9	0.2	19.1	0.5	18.1	0.4	18.7
7	4.17			0.6	14.9	0.3	17.2	0.6	21.9	0.9	21.9	0.6	22.0	0.4	21.0	0.7	20.2	0.5	20.7
8	8.33			0.6	17.2	0.3	19.3	0.6	23.9	1.3	24.0	0.8	24.0	0.4	23.0	1.0	22.3	0.6	22.8
9	12.50			0.6	19.5	0.3	21.5	1.1	25.8	1.6	26.0	1.3	26.0	0.8	25.0	1.2	24.4	1.0	24.8
10	16.67	1.4	24.9	0.6	21.8	0.9	23.6	2.1	27.8	2.6	28.1	2.3	28.0	1.8	27.0	1.9	26.6	1.8	26.9
11	20.83	2.7	27.0	1.3	24.1	2.0	25.8	3.3	29.8	3.2	30.2	3.3	30.0	3.1	29.0	2.5	28.7	2.8	28.9
12	25.00	4.5	29.0	2.4	26.4	3.5	27.9	4.9	31.8	5.4	32.3	5.1	32.1	4.8	31.0	4.3	30.8	4.6	30.9
13	29.17	6.2	31.1	3.5	28.7	4.9	30.1	7.8	33.7	8.3	34.4	8.0	34.1	7.3	33.0	6.7	32.9	7.0	33.0
14	33.33	7.2	33.1	4.3	31.0	5.8	32.2	11.0	35.7	11.5	36.5	11.2	36.1	9.8	35.0	9.1	35.0	9.4	35.0
15	37.50	9.2	35.2	8.1	33.3	8.7	34.4	14.3	37.7	15.1	38.6	14.7	38.1	12.7	37.0	12.7	37.2	12.7	37.1
16	41.67	14.0	37.2	10.9	35.6	12.5	36.5	18.3	39.7	20.8	40.7	19.4	40.2	16.9	39.0	17.5	39.3	17.2	39.1
17	45.83	17.7	39.3	14.4	37.9	16.2	38.7	24.4	41.7	25.4	42.8	24.8	42.2	22.2	41.0	21.7	41.4	22.0	41.2
18	50.00	23.8	41.3	20.2	40.2	22.1	40.8	30.2	43.6	32.5	44.9	31.2	44.2	28.2	42.9	28.4	43.5	28.3	43.2
19	54.17	27.5	43.4	24.6	42.5	26.1	43.0	36.6	45.6	41.4	47.0	38.7	46.2	33.7	44.9	35.7	45.6	34.6	45.2
20	58.33	34.9	45.4	32.9	44.8	34.0	45.1	43.4	47.6	50.3	49.1	46.5	48.2	40.7	46.9	44.5	47.7	42.4	47.3
21	62.50	41.4	47.5	38.3	47.1	40.0	47.3	49.4	49.6	56.7	51.2	52.7	50.3	46.9	48.9	50.5	49.9	48.5	49.3
22	66.67	49.1	49.5	45.8	49.3	47.6	49.4	56.3	51.6	64.7	53.2	60.0	52.3	54.0	50.9	58.3	52.0	56.0	51.4
23	70.83	54.0	51.6	54.0	51.6	54.0	51.6	62.3	53.5	71.4	55.3	66.4	54.3	59.7	52.9	65.6	54.1	62.3	53.4
24	75.00	60.8	53.6	67.0	53.9	63.7	53.7	71.0	55.5	79.7	57.4	74.9	56.3	67.8	54.9	75.5	56.2	71.2	55.5
25	79.17	70.0	55.7	76.5	56.2	73.0	55.9	78.0	57.5	85.5	59.5	81.4	58.3	75.5	56.9	82.5	58.3	78.6	57.5
26	83.33	77.5	57.7	83.5	58.5	80.3	58.1	83.9	59.5	89.7	61.6	86.5	60.4	81.9	58.9	87.6	60.4	84.5	59.5
27	87.50	83.3	59.8	90.6	60.8	86.7	60.2	88.5	61.4	92.8	63.7	90.4	62.4	86.9	60.9	92.1	62.6	89.2	61.6
28	91.67	93.2	61.8	93.7	63.1	93.5	62.4	94.1	63.4	95.6	65.8	94.8	64.4	93.8	62.9	95.0	64.7	94.4	63.6
29	95.83	96.3	63.9	97.2	65.4	96.7	64.5	96.0	65.4	98.2	67.9	97.0	66.4	96.1	64.9	97.9	66.8	96.9	65.7
30	100.00	100.0	65.9	100.0	67.7	100.0	66.7	100.0	67.4	100.0	70.0	100.0	68.4	100.0	66.8	100.0	68.9	100.0	67.7

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 168: PL – Poland. Individual norm data for KIDSCREEN-52: School Environment

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=294)		Males (n=259)		All (n=553)		Females (n=632)		Males (n=505)		All (n=1137)		Females (n=926)		Males (n=764)		All (n=1690)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00																		
7	4.17							0.3	23.8	0.8	25.6	0.4	24.8	0.2	22.7	0.5	24.8	0.3	23.8
8	8.33							1.1	25.9	1.1	27.8	1.1	26.9	0.8	24.7	0.7	26.8	0.7	25.8
9	12.50							1.7	28.1	2.4	30.0	2.0	29.1	1.2	26.8	1.6	28.9	1.4	27.8
10	16.67			0.6	23.9	0.3	22.2	3.0	30.3	5.6	32.2	4.1	31.3	2.0	28.8	3.8	30.9	2.8	29.9
11	20.83	0.8	22.4	1.2	26.1	0.9	24.4	5.0	32.4	8.1	34.4	6.4	33.4	3.7	30.9	5.7	32.9	4.6	31.9
12	25.00	0.8	24.7	2.3	28.3	1.4	26.6	7.9	34.6	12.3	36.7	9.8	35.6	5.6	32.9	8.9	35.0	7.1	33.9
13	29.17	2.1	27.0	4.2	30.5	3.0	28.8	11.2	36.8	15.8	38.9	13.3	37.8	8.3	34.9	11.9	37.0	9.9	36.0
14	33.33	4.1	29.3	8.8	32.7	6.3	31.1	16.3	38.9	20.8	41.1	18.3	39.9	12.4	37.0	16.7	39.1	14.4	38.0
15	37.50	6.8	31.6	10.0	34.8	8.3	33.3	20.9	41.1	28.5	43.3	24.3	42.1	16.4	39.0	22.2	41.1	19.0	40.0
16	41.67	8.8	33.9	12.3	37.0	10.5	35.5	29.8	43.2	34.9	45.5	32.0	44.3	23.1	41.1	27.2	43.1	25.0	42.1
17	45.83	12.2	36.2	17.3	39.2	14.6	37.7	35.4	45.4	46.3	47.7	40.3	46.4	28.1	43.1	36.5	45.2	31.9	44.1
18	50.00	17.6	38.5	21.6	41.4	19.5	40.0	44.6	47.6	55.6	49.9	49.5	48.6	36.0	45.2	44.1	47.2	39.7	46.1
19	54.17	19.7	40.8	29.4	43.6	24.2	42.2	52.7	49.7	64.5	52.1	57.9	50.8	42.2	47.2	52.6	49.3	46.9	48.2
20	58.33	27.2	43.1	37.1	45.8	31.8	44.4	63.0	51.9	70.9	54.3	66.5	52.9	51.6	49.3	59.4	51.3	55.1	50.2
21	62.50	32.9	45.4	44.8	48.0	38.5	46.7	71.5	54.1	77.4	56.5	74.2	55.1	59.3	51.3	66.4	53.4	62.5	52.2
22	66.67	42.5	47.7	52.1	50.2	47.0	48.9	78.2	56.2	83.0	58.7	80.3	57.3	66.8	53.4	72.5	55.4	69.4	54.3
23	70.83	53.0	50.0	61.7	52.4	57.1	51.1	82.1	58.4	88.5	60.9	85.0	59.4	72.9	55.4	79.4	57.4	75.8	56.3
24	75.00	60.6	52.3	69.0	54.6	64.5	53.3	87.3	60.5	92.2	63.1	89.5	61.6	78.8	57.4	84.4	59.5	81.3	58.3
25	79.17	67.7	54.6	74.9	56.8	71.1	55.6	90.4	62.7	94.8	65.3	92.3	63.8	83.1	59.5	88.1	61.5	85.4	60.4
26	83.33	74.1	56.9	81.5	58.9	77.6	57.8	92.7	64.9	96.2	67.5	94.3	65.9	86.8	61.5	91.2	63.6	88.8	62.4
27	87.50	83.3	59.2	88.8	61.1	85.9	60.0	95.6	67.0	97.6	69.8	96.5	68.1	91.7	63.6	94.6	65.6	93.0	64.4
28	91.67	89.4	61.5	93.4	63.3	91.3	62.3	97.4	69.2	98.4	72.0	97.9	70.3	94.9	65.6	96.7	67.6	95.7	66.5
29	95.83	95.2	63.8	96.1	65.5	95.6	64.5	98.9	71.4	99.2	74.2	99.0	72.4	97.7	67.7	98.2	69.7	97.9	68.5
30	100.00	100.0	66.0	100.0	67.7	100.0	66.7	100.0	73.5	100.0	76.4	100.0	74.6	100.0	69.7	100.0	71.7	100.0	70.5

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7_D - 169: PL – Poland. Individual norm data for KIDSCREEN-52: Social Acceptance

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=300)		Males (n=263)		All (n=563)		Females (n=563)		Males (n=1145)		All (n=1145)		Females (n=934)		Males (n=774)		All (n=1708)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
3	0.00	0.8	3.0			0.4	2.9	0.4	-0.2			0.2	-4.0	0.4	1.1			0.2	-1.1
4	8.33	1.2	7.6	0.9	7.4	0.9	7.6	0.7	4.5	0.5	-4.7	0.5	1.0	0.8	5.8	0.5	0.8	0.7	3.7
5	16.67	1.6	12.3	0.9	12.1	1.2	12.2	1.1	9.3	1.0	0.9	1.1	6.1	1.2	10.5	0.9	5.9	1.1	8.6
6	25.00	2.4	16.9	2.0	16.7	2.2	16.9	2.1	14.0	1.4	6.5	1.8	11.2	2.2	15.2	1.6	11.1	1.9	13.5
7	33.33	2.9	21.6	2.5	21.4	2.6	21.5	2.6	18.7	1.4	12.1	2.0	16.2	2.6	19.9	1.8	16.2	2.2	18.4
8	41.67	3.2	26.2	5.7	26.1	4.3	26.2	4.0	23.5	2.0	17.7	3.1	21.3	3.7	24.5	3.2	21.4	3.5	23.2
9	50.00	6.4	30.8	7.2	30.7	6.8	30.8	6.2	28.2	3.0	23.3	4.7	26.4	6.2	29.2	4.4	26.5	5.4	28.1
10	58.33	10.7	35.5	11.0	35.4	10.9	35.5	8.2	33.0	5.9	28.9	7.2	31.4	9.0	33.9	7.6	31.7	8.4	33.0
11	66.67	17.3	40.1	15.6	40.1	16.5	40.1	12.7	37.7	8.4	34.5	10.8	36.5	14.2	38.6	10.9	36.9	12.7	37.9
12	75.00	29.5	44.8	30.4	44.7	29.9	44.8	20.9	42.5	18.0	40.1	19.6	41.5	23.7	43.3	22.2	42.0	23.0	42.7
13	83.33	44.9	49.4	44.4	49.4	44.7	49.4	32.2	47.2	29.4	45.7	31.0	46.6	36.3	47.9	34.5	47.2	35.5	47.6
14	91.67	67.6	54.1	67.2	54.1	67.4	54.1	50.6	51.9	52.3	51.3	51.3	51.7	56.0	52.6	57.3	52.3	56.6	52.5
15	100.00	100.0	58.7	100.0	58.7	100.0	58.7	100.0	56.7	100.0	56.9	100.0	56.7	100.0	57.3	100.0	57.5	100.0	57.4

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ($M = 50$, $SD = 10$).

Table A7_D - 170: PL – Poland. Individual norm data for KIDSCREEN-52: Financial Resources

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=292)		Males (n=255)		All (n=547)		Females (n=634)		Males (n=507)		All (n=1141)		Females (n=926)		Males (n=762)		All (n=1688)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
3	0.00	3.4	31.2	3.5	31.3	3.4	31.2	5.1	31.0	2.4	30.1	3.9	30.6	4.5	31.1	2.7	30.5	3.7	30.8
4	8.33	6.5	34.1	7.5	34.2	6.9	34.2	8.1	34.0	5.5	33.1	6.9	33.6	7.6	34.0	6.1	33.5	6.9	33.8
5	16.67	13.3	37.1	12.9	37.1	13.1	37.1	13.4	37.0	10.8	36.2	12.2	36.6	13.4	37.0	11.5	36.5	12.5	36.8
6	25.00	25.7	40.0	25.8	39.9	25.7	40.0	22.7	39.9	21.0	39.3	22.0	39.6	23.7	40.0	22.6	39.5	23.2	39.8
7	33.33	36.0	43.0	33.2	42.8	34.7	42.9	31.1	42.9	30.5	42.3	30.8	42.7	32.6	42.9	31.4	42.5	32.1	42.7
8	41.67	42.1	45.9	37.9	45.7	40.2	45.8	39.6	45.9	40.6	45.4	40.0	45.7	40.4	45.9	39.7	45.5	40.1	45.7
9	50.00	50.7	48.9	51.7	48.5	51.2	48.7	52.8	48.8	52.8	48.4	52.8	48.7	52.2	48.9	52.4	48.5	52.3	48.7
10	58.33	58.6	51.8	61.5	51.4	60.0	51.6	62.0	51.8	60.9	51.5	61.5	51.7	60.9	51.8	61.1	51.5	61.0	51.7
11	66.67	68.5	54.8	65.9	54.3	67.3	54.5	69.5	54.8	69.6	54.6	69.6	54.7	69.2	54.8	68.3	54.5	68.8	54.6
12	75.00	80.8	57.7	76.5	57.1	78.8	57.5	79.5	57.8	80.1	57.6	79.7	57.7	79.9	57.8	78.9	57.5	79.4	57.6
13	83.33	84.9	60.7	82.0	60.0	83.5	60.4	85.8	60.7	85.4	60.7	85.6	60.7	85.5	60.7	84.3	60.5	84.9	60.6
14	91.67	91.5	63.6	89.8	62.9	90.7	63.3	91.5	63.7	89.7	63.8	90.7	63.7	91.5	63.7	89.8	63.5	90.7	63.6
15	100.00	100.0	66.6	100.0	65.8	100.0	66.2	100.0	66.7	100.0	66.8	100.0	66.7	100.0	66.7	100.0	66.4	100.0	66.6

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ($M = 50$, $SD = 10$).

Table A7_D - 171: PL – Poland. Individual norm data for KIDSCREEN-27: Physical Well-being

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=294)		Males (n=257)		All (n=551)		Females (n=624)		Males (n=508)		All (n=1132)		Females (n=918)		Males (n=765)		All (n=1683)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00																		
6	5.56							0.3	20.0			0.1	18.0	0.2	18.3			0.1	16.3
7	11.11							1.3	22.9			0.7	21.0	0.9	21.3			0.5	19.3
8	16.67							2.7	25.9	1.0	20.8	1.9	24.0	1.8	24.2	0.7	19.2	1.3	22.3
9	22.22	1.1	20.8	0.9	16.7	0.9	19.2	3.8	28.8	2.2	23.9	3.1	27.0	2.9	27.1	1.7	22.3	2.4	25.3
10	27.78	2.1	24.0	2.0	20.1	2.0	22.5	5.9	31.7	3.2	27.1	4.7	30.0	4.7	30.1	2.8	25.5	3.8	28.3
11	33.33	2.8	27.3	2.6	23.6	2.6	25.8	9.5	34.7	5.5	30.2	7.7	33.0	7.3	33.0	4.5	28.6	6.0	31.3
12	38.89	5.1	30.5	3.3	27.0	4.2	29.1	13.8	37.6	8.1	33.4	11.2	36.0	11.0	35.9	6.4	31.8	8.9	34.3
13	44.44	9.5	33.8	5.5	30.4	7.6	32.4	19.6	40.5	12.2	36.5	16.3	39.0	16.3	38.9	10.0	35.0	13.4	37.3
14	50.00	14.9	37.0	9.0	33.9	12.2	35.7	28.5	43.5	19.1	39.7	24.3	41.9	24.2	41.8	15.7	38.1	20.3	40.3
15	55.56	18.7	40.2	12.9	37.3	16.0	39.0	38.6	46.4	26.3	42.8	33.1	44.9	32.2	44.8	21.8	41.3	27.5	43.3
16	61.11	29.2	43.5	21.5	40.7	25.6	42.3	50.7	49.4	35.1	46.0	43.7	47.9	43.8	47.7	30.5	44.4	37.8	46.3
17	66.67	38.7	46.7	31.5	44.2	35.4	45.6	64.3	52.3	48.1	49.1	57.0	50.9	56.1	50.6	42.5	47.6	49.9	49.3
18	72.22	53.0	50.0	40.8	47.6	47.3	48.9	74.3	55.2	62.6	52.3	69.1	53.9	67.5	53.6	55.3	50.8	62.0	52.3
19	77.78	63.6	53.2	52.5	51.0	58.4	52.2	82.7	58.2	75.8	55.4	79.6	56.9	76.6	56.5	68.0	53.9	72.7	55.3
20	83.33	79.2	56.5	69.7	54.5	74.8	55.5	89.7	61.1	83.9	58.6	87.1	59.9	86.4	59.4	79.1	57.1	83.1	58.3
21	88.89	87.4	59.7	84.1	57.9	85.8	58.8	94.7	64.1	92.5	61.7	93.7	62.9	92.3	62.4	89.7	60.3	91.1	61.3
22	94.44	94.2	63.0	93.8	61.3	94.0	62.1	98.2	67.0	97.1	64.9	97.7	65.9	96.9	65.3	96.0	63.4	96.5	64.3
23	100.00	100.0	66.2	100.0	64.7	100.0	65.4	100.0	69.9	100.0	68.0	100.0	68.9	100.0	68.2	100.0	66.6	100.0	67.3

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ($M = 50$, $SD = 10$).

Table A7_D - 172: PL – Poland. Individual norm data for KIDSCREEN-27: Psychological Well-being

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=298)		Males (n=260)		All (n=558)		Females (n=634)		Males (n=509)		All (n=1143)		Females (n=932)		Males (n=769)		All (n=1701)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
7	0.00																		
8	3.57																		
9	7.14							0.2	17.2			0.1	14.6	0.2	15.2			0.1	12.1
10	10.71							0.4	19.2			0.2	16.7	0.3	17.2			0.2	14.2
11	14.29							0.4	21.2	0.3	14.7	0.3	18.8	0.3	19.2	0.2	11.5	0.2	16.3
12	17.86	0.5	11.5			0.3	7.6	1.1	23.1	0.3	17.0	0.7	20.8	0.9	21.1	0.2	13.9	0.5	18.4
13	21.43	0.5	13.8			0.3	10.1	1.8	25.1	0.7	19.2	1.2	22.9	1.3	23.1	0.4	16.2	0.9	20.5
14	25.00	0.5	16.1			0.3	12.7	2.9	27.1	1.0	21.4	2.0	25.0	2.1	25.1	0.7	18.6	1.4	22.6
15	28.57	0.9	18.4			0.5	15.2	3.7	29.1	1.4	23.7	2.6	27.0	2.7	27.1	1.0	20.9	1.9	24.7
16	32.14	1.7	20.7			0.9	17.7	6.2	31.0	2.7	25.9	4.6	29.1	4.7	29.0	1.8	23.2	3.4	26.8
17	35.71	2.2	23.1			1.2	20.3	7.7	33.0	4.7	28.2	6.4	31.2	5.9	31.0	3.1	25.6	4.6	28.9
18	39.29	3.1	25.4	0.6	18.7	1.8	22.8	10.8	35.0	6.1	30.4	8.7	33.3	8.3	33.0	4.2	27.9	6.4	31.1
19	42.86	4.7	27.7	1.0	21.5	2.9	25.3	13.0	37.0	7.5	32.7	10.5	35.3	10.3	35.0	5.2	30.2	8.0	33.2
20	46.43	6.7	30.0	1.7	24.4	4.3	27.8	16.7	38.9	9.8	34.9	13.7	37.4	13.5	37.0	7.0	32.6	10.6	35.3
21	50.00	8.1	32.3	3.5	27.3	5.9	30.4	20.2	40.9	13.0	37.2	17.0	39.5	16.3	39.0	9.8	34.9	13.4	37.4
22	53.57	9.1	34.6	4.7	30.1	7.0	32.9	24.6	42.9	16.4	39.4	21.0	41.5	19.7	40.9	12.4	37.2	16.4	39.5
23	57.14	11.1	36.9	7.3	33.0	9.3	35.4	31.1	44.9	20.3	41.7	26.3	43.6	24.7	42.9	15.9	39.6	20.7	41.6
24	60.71	13.8	39.3	10.4	35.9	12.2	37.9	36.3	46.9	27.0	43.9	32.1	45.7	29.1	44.9	21.4	41.9	25.6	43.7
25	64.29	18.1	41.6	17.3	38.7	17.7	40.5	45.1	48.8	33.8	46.2	40.1	47.7	36.5	46.9	28.2	44.3	32.7	45.8
26	67.86	26.8	43.9	24.9	41.6	25.9	43.0	52.9	50.8	43.6	48.4	48.8	49.8	44.6	48.9	37.3	46.6	41.3	47.9
27	71.43	33.5	46.2	32.6	44.5	33.1	45.5	60.2	52.8	52.8	50.6	56.9	51.9	51.7	50.9	46.0	48.9	49.1	50.1
28	75.00	43.2	48.5	40.6	47.3	42.0	48.0	68.6	54.8	62.1	52.9	65.7	53.9	60.5	52.8	54.8	51.3	57.9	52.2
29	78.57	51.6	50.8	51.4	50.2	51.5	50.6	77.0	56.7	70.7	55.1	74.2	56.0	68.8	54.8	64.2	53.6	66.7	54.3
30	82.14	63.1	53.1	62.6	53.1	62.9	53.1	83.8	58.7	79.6	57.4	81.9	58.1	77.2	56.8	73.8	55.9	75.7	56.4
31	85.71	72.5	55.5	75.4	55.9	73.9	55.6	88.8	60.7	86.8	59.6	87.9	60.2	83.6	58.8	83.0	58.3	83.3	58.5
32	89.29	81.3	57.8	82.7	58.8	81.9	58.1	93.7	62.7	93.5	61.9	93.6	62.2	89.7	60.8	89.9	60.6	89.8	60.6
33	92.86	88.6	60.1	93.5	61.7	90.9	60.7	96.4	64.6	96.7	64.1	96.5	64.3	93.9	62.8	95.6	62.9	94.7	62.7
34	96.43	95.0	62.4	97.0	64.5	95.9	63.2	98.2	66.6	98.6	66.4	98.4	66.4	97.2	64.7	98.1	65.3	97.6	64.8
35	100.00	100.0	64.7	100.0	67.4	100.0	65.7	100.0	68.6	100.0	68.6	100.0	68.4	100.0	66.7	100.0	67.6	100.0	67.0

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 173: PL – Poland. Individual norm data for KIDSCREEN-27: Parent Relations & Autonomy

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=292)		Males (n=254)		All (n=546)		Females (n=627)		Males (n=499)		All (n=1126)		Females (n=919)		Males (n=753)		All (n=1672)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
7	0.00																		
8	3.57							0.3	19.9	0.3	17.3	0.2	18.9	0.2	18.7	0.2	15.1	0.1	17.2
9	7.14							0.4	21.8	0.3	19.3	0.3	20.8	0.3	20.6	0.2	17.1	0.2	19.2
10	10.71							0.7	23.7	0.3	21.2	0.5	22.7	0.5	22.5	0.2	19.1	0.3	21.1
11	14.29	0.6	19.6			0.3	17.5	1.0	25.6	0.5	23.2	0.7	24.7	0.8	24.4	0.3	21.1	0.5	23.1
12	17.86	0.9	21.6			0.5	19.6	1.3	27.5	0.5	25.2	0.9	26.6	1.1	26.3	0.3	23.2	0.7	25.0
13	21.43	1.2	23.6			0.7	21.7	2.6	29.4	1.0	27.1	1.9	28.5	2.1	28.1	0.7	25.2	1.4	26.9
14	25.00	1.6	25.6	0.6	21.4	1.0	23.8	3.5	31.3	2.4	29.1	3.0	30.4	2.8	30.0	1.7	27.2	2.3	28.9
15	28.57	2.8	27.6	1.3	23.6	2.0	26.0	5.6	33.2	3.8	31.0	4.8	32.3	4.7	31.9	2.9	29.2	3.9	30.8
16	32.14	3.8	29.6	1.8	25.9	2.8	28.1	8.9	35.1	6.0	33.0	7.6	34.3	7.3	33.8	4.5	31.2	6.1	32.7
17	35.71	5.5	31.6	2.8	28.2	4.2	30.2	12.5	37.0	9.7	35.0	11.2	36.2	10.2	35.7	7.3	33.2	8.9	34.7
18	39.29	6.9	33.6	3.7	30.5	5.3	32.3	17.7	38.9	12.9	36.9	15.6	38.1	14.3	37.6	9.7	35.2	12.2	36.6
19	42.86	10.3	35.6	6.7	32.7	8.6	34.4	21.9	40.8	16.1	38.9	19.3	40.0	18.2	39.5	12.9	37.2	15.8	38.5
20	46.43	14.1	37.6	9.1	35.0	11.8	36.5	27.5	42.7	21.9	40.8	25.0	41.9	23.2	41.3	17.6	39.3	20.7	40.5
21	50.00	17.2	39.5	13.4	37.3	15.4	38.6	34.3	44.6	29.5	42.8	32.2	43.9	28.9	43.2	24.1	41.3	26.7	42.4
22	53.57	23.0	41.5	16.9	39.5	20.2	40.7	40.8	46.5	33.7	44.7	37.7	45.8	35.2	45.1	28.0	43.3	32.0	44.3
23	57.14	30.2	43.5	22.3	41.8	26.6	42.8	46.1	48.4	40.3	46.7	43.5	47.7	41.1	47.0	34.2	45.3	38.0	46.3
24	60.71	35.0	45.5	31.0	44.1	33.1	44.9	54.4	50.3	46.7	48.7	51.0	49.6	48.2	48.9	41.4	47.3	45.1	48.2
25	64.29	41.9	47.5	40.0	46.4	41.0	47.0	59.6	52.3	54.5	50.6	57.4	51.5	54.0	50.8	49.6	49.3	52.0	50.1
26	67.86	47.7	49.5	48.7	48.6	48.2	49.1	67.3	54.2	60.3	52.6	64.2	53.5	61.1	52.7	56.4	51.3	59.0	52.1
27	71.43	54.9	51.5	58.1	50.9	56.4	51.2	75.1	56.1	68.9	54.5	72.4	55.4	68.7	54.5	65.3	53.4	67.2	54.0
28	75.00	64.8	53.5	65.3	53.2	65.0	53.3	79.6	58.0	75.0	56.5	77.6	57.3	74.9	56.4	71.7	55.4	73.5	56.0
29	78.57	71.2	55.5	72.0	55.4	71.6	55.5	84.2	59.9	81.4	58.4	83.0	59.2	80.1	58.3	78.2	57.4	79.3	57.9
30	82.14	78.1	57.5	77.1	57.7	77.7	57.6	90.5	61.8	87.0	60.4	88.9	61.1	86.6	60.2	83.7	59.4	85.3	59.8
31	85.71	83.9	59.5	86.2	60.0	85.0	59.7	93.3	63.7	90.4	62.4	92.0	63.1	90.4	62.1	89.0	61.4	89.7	61.8
32	89.29	90.4	61.5	91.7	62.3	91.0	61.8	95.4	65.6	94.0	64.3	94.8	65.0	93.8	64.0	93.2	63.4	93.6	63.7
33	92.86	93.5	63.5	95.3	64.5	94.3	63.9	97.3	67.5	96.4	66.3	96.9	66.9	96.1	65.9	96.0	65.4	96.1	65.6
34	96.43	96.9	65.5	96.4	66.8	96.7	66.0	98.4	69.4	98.8	68.2	98.6	68.8	97.9	67.7	98.0	67.5	98.0	67.6
35	100.00	100.0	67.4	100.0	69.1	100.0	68.1	100.0	71.3	100.0	70.2	100.0	70.7	100.0	69.6	100.0	69.5	100.0	69.5

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 174: PL – Poland. Individual norm data for KIDSCREEN-27: Social Support & Peers

Raw-Score	0-100 Score	Females (n=296)		Children 8-11 Males (n=260)		All (n=556)		Females (n=633)		Adolescents 12-18 Males (n=509)		All (n=1142)		Children & Adolescents 8-18 Females (n=929)		Males (n=769)		All (n=1698)		
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	
4	0.00				0.6	11.2	0.3	13.5	0.4	18.9	0.8	19.1	0.5	19.0	0.2	18.0	0.7	17.4	0.4	17.8
5	6.25				0.6	14.6	0.3	16.7	0.6	21.8	1.1	22.2	0.7	22.1	0.4	21.0	0.9	20.5	0.6	20.8
6	12.50	0.8	21.2	0.6	18.0	0.6	19.8	1.1	24.8	1.4	25.2	1.2	25.1	1.0	23.9	1.1	23.6	1.0	23.8	
7	18.75	1.8	24.3	0.6	21.3	1.1	23.0	2.1	27.8	2.7	28.3	2.4	28.1	2.0	26.9	1.9	26.7	1.9	26.8	
8	25.00	3.8	27.3	1.6	24.7	2.7	26.2	3.8	30.7	5.3	31.4	4.5	31.1	3.8	29.8	4.0	29.8	3.9	29.8	
9	31.25	6.1	30.3	4.2	28.1	5.2	29.4	8.1	33.7	8.4	34.5	8.2	34.1	7.4	32.8	7.0	32.9	7.2	32.9	
10	37.50	8.4	33.4	6.2	31.5	7.4	32.6	13.1	36.7	14.0	37.6	13.5	37.1	11.6	35.8	11.3	36.0	11.5	35.9	
11	43.75	12.1	36.4	10.8	34.9	11.5	35.8	20.4	39.6	20.7	40.7	20.5	40.1	17.7	38.7	17.3	39.1	17.5	38.9	
12	50.00	20.9	39.4	17.3	38.3	19.2	38.9	28.7	42.6	31.7	43.7	30.0	43.1	26.2	41.7	26.8	42.2	26.5	41.9	
13	56.25	25.3	42.5	23.4	41.7	24.4	42.1	38.7	45.6	41.7	46.8	40.0	46.1	34.4	44.6	35.5	45.3	34.9	44.9	
14	62.50	33.4	45.5	33.4	45.0	33.4	45.3	47.9	48.5	53.7	49.9	50.5	49.1	43.3	47.6	46.9	48.4	44.9	48.0	
15	68.75	45.9	48.5	43.8	48.4	44.9	48.5	57.5	51.5	66.1	53.0	61.3	52.1	53.8	50.6	58.6	51.5	56.0	51.0	
16	75.00	56.0	51.6	61.0	51.8	58.4	51.7	69.3	54.5	77.6	56.1	73.0	55.2	65.1	53.5	72.0	54.6	68.2	54.0	
17	81.25	67.9	54.6	73.8	55.2	70.7	54.9	78.0	57.4	85.4	59.1	81.3	58.2	74.8	56.5	81.5	57.7	77.8	57.0	
18	87.50	80.1	57.6	84.2	58.6	82.0	58.0	87.3	60.4	90.5	62.2	88.7	61.2	85.0	59.5	88.4	60.8	86.5	60.0	
19	93.75	89.3	60.7	92.3	62.0	90.7	61.2	93.6	63.4	95.7	65.3	94.5	64.2	92.2	62.4	94.5	63.9	93.3	63.1	
20	100.00	100.0	63.7	100.0	65.4	100.0	64.4	100.0	66.3	100.0	68.4	100.0	67.2	100.0	65.4	100.0	67.0	100.0	66.1	

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 175: PL – Poland. Individual norm data for KIDSCREEN-27: School Environment

Raw-Score	0-100 Score	Females (n=298)		Children 8-11 Males (n=263)		All (n=561)		Females (n=634)		Adolescents 12-18 Males (n=505)		All (n=1139)		Children & Adolescents 8-18 Females (n=932)		Males (n=768)		All (n=1700)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
4	0.00																		
5	6.25							0.2	21.9	0.8	24.5	0.4	23.3	0.2	20.7	0.5	23.6	0.3	22.2
6	12.50							1.4	25.3	1.4	27.8	1.4	26.6	1.0	23.9	0.9	26.7	0.9	25.4
7	18.75							3.0	28.6	4.5	31.2	3.7	29.9	2.0	27.1	3.2	29.9	2.6	28.5
8	25.00	0.8	23.1	3.0	27.1	1.8	25.2	6.2	31.9	9.4	34.5	7.6	33.2	4.4	30.4	7.2	33.0	5.7	31.7
9	31.25	2.0	26.6	5.7	30.4	3.7	28.6	9.2	35.3	15.4	37.9	12.0	36.5	6.9	33.6	12.1	36.2	9.2	34.9
10	37.50	5.0	30.2	8.0	33.7	6.4	32.0	15.8	38.6	24.1	41.2	19.5	39.8	12.4	36.8	18.6	39.3	15.2	38.0
11	43.75	10.4	33.7	14.9	37.1	12.5	35.5	25.6	41.9	34.3	44.6	29.4	43.2	20.7	40.0	27.6	42.5	23.8	41.2
12	50.00	14.8	37.3	22.5	40.4	18.4	38.9	38.3	45.3	47.9	47.9	42.6	46.5	30.8	43.2	39.2	45.6	34.6	44.3
13	56.25	21.8	40.8	31.2	43.7	26.3	42.3	49.7	48.6	61.8	51.3	55.1	49.8	40.8	46.4	51.4	48.8	45.6	47.5
14	62.50	33.6	44.4	41.5	47.1	37.3	45.7	65.2	51.9	74.7	54.6	69.4	53.1	55.1	49.6	63.3	51.9	58.8	50.7
15	68.75	45.0	47.9	53.7	50.4	49.1	49.1	75.8	55.3	82.9	58.0	78.9	56.4	65.9	52.8	72.9	55.1	69.1	53.8
16	75.00	60.4	51.4	67.3	53.7	63.6	52.5	84.6	58.6	90.7	61.3	87.3	59.7	76.8	56.1	82.7	58.2	79.5	57.0
17	81.25	73.8	55.0	79.5	57.0	76.5	55.9	90.9	61.9	94.6	64.7	92.5	63.0	85.4	59.3	89.4	61.3	87.2	60.2
18	87.50	82.8	58.5	89.4	60.4	85.9	59.4	95.0	65.3	96.8	68.0	95.8	66.3	91.1	62.5	94.3	64.5	92.5	63.3
19	93.75	90.6	62.1	94.7	63.7	92.5	62.8	97.8	68.6	98.8	71.4	98.2	69.7	95.5	65.7	97.4	67.6	96.3	66.5
20	100.00	100.0	65.6	100.0	67.0	100.0	66.2	100.0	71.9	100.0	74.7	100.0	73.0	100.0	68.9	100.0	70.8	100.0	69.6

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 176: PL – Poland. Individual norm data for KIDSCREEN-10 Index

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=293)		Males (n=258)		All (n=551)		Females (n=622)		Males (n=496)		All (n=1118)		Females (n=915)		Males (n=754)		All (n=1669)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
10	0.00																		
11	2.50																		
12	5.00																		
13	7.50																		
14	10.00																		
15	12.50																		
16	15.00																		
17	17.50																		
18	20.00							0.3	21.2			0.1	18.9	0.2	19.8			0.1	17.2
19	22.50							0.5	22.9			0.3	20.6	0.4	21.4			0.2	18.9
20	25.00							0.9	24.5	0.3	18.7	0.6	22.3	0.6	23.0	0.2	16.7	0.4	20.6
21	27.50							1.1	26.2	0.5	20.5	0.7	24.1	0.7	24.6	0.3	18.6	0.5	22.3
22	30.00	0.5	16.7			0.3	14.1	2.3	27.8	0.5	22.4	1.4	25.8	1.7	26.2	0.3	20.4	1.0	23.9
23	32.50	0.5	18.5			0.3	16.1	3.4	29.5	0.9	24.2	2.3	27.5	2.4	27.7	0.6	22.2	1.6	25.6
24	35.00	0.5	20.3			0.3	18.0	5.0	31.1	1.6	26.1	3.5	29.2	3.5	29.3	1.1	24.1	2.4	27.3
25	37.50	0.5	22.2			0.3	20.0	6.6	32.7	3.0	28.0	5.0	30.9	4.6	30.9	2.0	25.9	3.4	29.0
26	40.00	0.5	24.0	0.6	18.9	0.5	21.9	8.2	34.4	3.5	29.8	6.1	32.7	5.7	32.5	2.4	27.8	4.2	30.7
27	42.50	0.9	25.8	0.6	21.0	0.7	23.9	11.1	36.0	5.0	31.7	8.4	34.4	7.8	34.1	3.5	29.6	5.8	32.4
28	45.00	1.2	27.7	1.3	23.1	1.1	25.8	13.8	37.7	6.8	33.6	10.7	36.1	9.7	35.7	4.9	31.4	7.5	34.0
29	47.50	3.8	29.5	1.3	25.3	2.6	27.8	16.8	39.3	8.9	35.4	13.3	37.8	12.7	37.3	6.2	33.3	9.8	35.7
30	50.00	6.2	31.3	1.3	27.4	3.8	29.7	20.7	41.0	12.7	37.3	17.2	39.6	16.1	38.9	8.8	35.1	12.8	37.4
31	52.:50	8.2	33.1	2.4	29.6	5.5	31.7	25.2	42.6	16.3	39.2	21.3	41.3	19.8	40.5	11.6	36.9	16.1	39.1
32	55.00	10.6	35.0	3.9	31.7	7.4	33.6	31.1	44.3	21.3	41.0	26.7	43.0	24.5	42.1	15.4	38.8	20.4	40.8
33	57.50	13.3	36.8	7.8	33.8	10.7	35.6	34.9	45.9	26.8	42.9	31.3	44.7	28.0	43.7	20.3	40.6	24.5	42.5
34	60.00	17.0	38.6	9.0	36.0	13.3	37.5	40.4	47.6	31.5	44.7	36.4	46.4	32.9	45.3	23.8	42.5	28.8	44.1
35	62.50	19.1	40.5	15.6	38.1	17.4	39.5	47.6	49.2	37.8	46.6	43.3	48.2	38.5	46.9	30.2	44.3	34.7	45.8
36	65.00	22.9	42.3	21.8	40.2	22.4	41.5	54.2	50.9	45.2	48.5	50.2	49.9	44.2	48.4	37.2	46.1	41.0	47.5
37	67.50	29.3	44.1	28.0	42.4	28.7	43.4	61.0	52.:5	53.5	50.3	57.7	51.6	50.9	50.0	44.8	48.0	48.1	49.2
38	70.00	36.2	46.0	33.8	44.5	35.1	45.4	67.8	54.2	60.6	52.:2	64.6	53.3	57.7	51.6	51.4	49.8	54.8	50.9
39	72.50	41.6	47.8	40.0	46.7	40.9	47.3	73.0	55.8	66.6	54.1	70.2	55.1	63.0	53.2	57.5	51.7	60.5	52.:5
40	75.00	48.5	49.6	46.6	48.8	47.6	49.3	80.4	57.5	74.1	55.9	77.6	56.8	70.2	54.8	64.7	53.5	67.7	54.2
41	77.50	57.0	51.5	55.9	50.9	56.5	51.2	83.9	59.1	82.1	57.8	83.1	58.5	75.3	56.4	73.2	55.3	74.4	55.9
42	80.00	63.5	53.3	64.0	53.1	63.8	53.2	88.0	60.8	87.0	59.7	87.5	60.2	80.1	58.0	79.1	57.2	79.7	57.6
43	82.50	71.4	55.1	69.8	55.2	70.6	55.1	91.7	62.4	90.4	61.5	91.1	62.0	85.2	59.6	83.4	59.0	84.3	59.3
44	85.00	75.1	57.0	79.5	57.4	77.2	57.1	93.7	64.1	92.6	63.4	93.2	63.7	87.8	61.2	88.1	60.8	87.9	61
45	87.50	79.9	58.8	86.8	59.5	83.1	59.1	96.3	65.7	95.6	65.2	96.0	65.4	91.1	62.8	92.6	62.7	91.8	62.6
46	90.00	86.4	60.6	90.6	61.6	88.4	61.0	97.8	67.4	97.0	67.1	97.4	67.1	94.1	64.4	94.8	64.5	94.4	64.3
47	92.50	90.4	62.4	92.6	63.8	91.4	63.0	98.4	69.0	98.0	69.0	98.2	68.8	95.9	66.0	96.1	66.4	96.0	66.0
48	95.00	96.6	64.3	96.1	65.9	96.4	64.9	99.0	70.7	98.8	70.8	98.9	70.6	98.3	67.5	97.9	68.2	98.1	67.7
49	97.50	99.0	66.1	97.2	68.0	98.2	66.9	99.4	72.3	99.8	72.7	99.6	72.3	99.2	69.1	98.9	70.0	99.1	69.4
50	100.00	100.0	67.9	100.0	70.2	100.0	68.8	100.0	74.0	100.0	74.6	100.0	74.0	100.0	70.7	100.0	71.9	100.0	71.1

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 177: SE – Sweden. Individual norm data KIDSCREEN-52: Physical Well-being

Raw-Score	0-100 Score	Females (n=1539)		Adolescents 12-18 Males (n=1621)		All (n=3160)	
		PR	TS	PR	TS	PR	TS
5	0.00	0.1	17.3	0.1	13.2	0.1	15.8
6	5.56	0.7	20.2	0.4	16.1	0.5	18.6
7	11.11	1.3	23.1	0.8	19.0	1.0	21.5
8	16.67	2.3	25.9	1.2	21.9	1.7	24.3
9	22.22	3.8	28.8	2.2	24.8	3.0	27.2
10	27.78	5.7	31.7	3.5	27.7	4.6	30.0
11	33.33	8.8	34.6	5.4	30.7	7.0	32.9
12	38.89	13.6	37.4	7.9	33.6	10.7	35.7
13	44.44	19.4	40.3	12.3	36.5	15.7	38.6
14	50.00	28.1	43.2	17.4	39.4	22.6	41.4
15	55.56	37.6	46.1	24.0	42.3	30.6	44.3
16	61.11	49.8	48.9	33.7	45.2	41.5	47.1
17	66.67	60.5	51.8	45.0	48.2	52.5	50.0
18	72.22	70.7	54.7	55.9	51.1	63.1	52.8
19	77.78	80.5	57.6	68.7	54.0	74.4	55.7
20	83.33	88.4	60.4	78.0	56.9	83.1	58.5
21	88.89	94.0	63.3	86.8	59.8	90.3	61.4
22	94.44	98.1	66.2	94.2	62.8	96.1	64.2
23	100.00	100.0	69.1	100.0	65.7	100.0	67.1

Table A7_D - 178: SE – Sweden. Individual norm data KIDSCREEN-52: Psychological Well-being

Raw- Score	0-100 Score	Adolescents 12-18					
		Females (n=1570)		Males (n=1621)		All (n=3191)	
		PR	TS	PR	TS	PR	TS
6	0.00	0.3	22.5	0.1	19.1	0.2	21.2
7	4.17	0.4	23.5	0.3	22.5	0.3	22.5
8	8.33	0.5	24.2	0.5	24.2	0.5	24.2
9	12.50	0.9	26.3	0.5	24.2	0.7	25.4
10	16.67	1.5	28.3	0.8	25.9	1.1	27.1
11	20.83	1.9	29.3	1.2	27.4	1.6	28.6
12	25.00	2.8	30.9	1.7	28.8	2.2	29.9
13	29.17	4.1	32.6	1.8	29.0	2.9	31.0
14	33.33	5.1	33.7	2.2	29.9	3.6	32.0
15	37.50	6.1	34.5	2.7	30.7	4.4	32.9
16	41.67	8.3	36.2	3.7	32.1	5.9	34.4
17	45.83	10.7	37.6	5.0	33.6	7.8	35.8
18	50.00	13.9	39.2	7.1	35.3	10.4	37.4
19	54.17	17.8	40.8	9.1	36.7	13.4	38.9
20	58.33	22.1	42.3	11.7	38.1	16.8	40.4
21	62.50	28.0	44.2	15.4	39.8	21.6	42.1
22	66.67	33.2	45.7	19.8	41.5	26.4	43.7
23	70.83	40.9	47.7	26.1	43.6	33.4	45.7
24	75.00	51.6	50.4	37.9	46.9	44.6	48.6
25	79.17	59.1	52.3	46.5	49.1	52.7	50.7
26	83.33	67.1	54.4	56.9	51.7	61.9	53.0
27	87.50	80.0	58.4	72.6	56.0	76.2	57.1
28	91.67	86.4	61.0	81.7	59.0	84.1	60.0
29	95.83	91.4	63.7	87.8	61.7	89.6	62.6
30	100.00	100.0	66.3	100.0	64.3	100.0	65.2

Table A7_D - 179: SE – Sweden. Individual norm data KIDSCREEN-52: Moods & Emotions

Raw- Score	0-100 Score	Females (n=1562)		Adolescents 12-18 Males (n=1625)		All (n=3187)	
		PR	TS	PR	TS	PR	TS
7	0.00	0.2	21.2	0.1	19.1	0.1	19.1
8	3.57	0.2	21.2	0.1	19.1	0.1	19.1
9	7.14	0.3	22.5	0.2	21.2	0.2	21.2
10	10.71	0.4	23.5	0.2	21.2	0.3	22.5
11	14.29	0.7	25.4	0.2	21.2	0.4	23.5
12	17.86	1.5	28.3	0.2	21.2	0.8	25.9
13	21.43	2.1	29.7	0.2	21.2	1.1	27.1
14	25.00	2.8	30.9	0.4	23.5	1.6	28.6
15	28.57	3.3	31.6	0.9	26.3	2.1	29.7
16	32.14	4.9	33.5	1.4	28.0	3.1	31.3
17	35.71	6.3	34.7	1.8	29.0	4.0	32.5
18	39.29	8.5	36.3	2.3	30.1	5.3	33.8
19	42.86	10.4	37.4	3.1	31.3	6.7	35.0
20	46.43	12.5	38.5	3.8	32.3	8.1	36.0
21	50.00	15.4	39.8	5.0	33.6	10.1	37.2
22	53.57	19.6	41.4	6.5	34.9	12.9	38.7
23	57.14	23.3	42.7	8.7	36.4	15.9	40.0
24	60.71	26.8	43.8	10.8	37.6	18.6	41.1
25	64.29	31.6	45.2	13.6	39.0	22.4	42.4
26	67.86	36.7	46.6	16.8	40.4	26.6	43.8
27	71.43	43.1	48.3	21.0	41.9	31.8	45.3
28	75.00	49.1	49.8	26.9	43.8	37.8	46.9
29	78.57	54.9	51.2	33.5	45.7	44.0	48.5
30	82.14	60.7	52.7	41.4	47.8	50.8	50.2
31	85.71	68.4	54.8	50.4	50.1	59.2	52.3
32	89.29	76.0	57.1	60.2	52.6	68.0	54.7
33	92.86	83.8	59.9	72.3	55.9	77.9	57.7
34	96.43	91.6	63.8	85.8	60.7	88.7	62.1
35	100.00	100.0	67.7	100.0	65.5	100.0	66.5

Table A7_D - 180: SE – Sweden. Individual norm data KIDSCREEN-52: Self Perception

Raw- Score	0-100 Score	Females (n=1582)		Adolescents 12-18 Males (n=1638)		All (n=3220)	
		PR	TS	PR	TS	PR	TS
5	0.00	0.4	23.5	0.1	19.1	0.3	22.5
6	5.00	1.0	26.7	0.1	19.1	0.6	24.9
7	10.00	2.3	30.1	0.2	21.2	1.2	27.4
8	15.00	3.7	32.1	0.3	22.5	1.9	29.3
9	20.00	5.1	33.7	0.5	24.2	2.7	30.7
10	25.00	7.5	35.6	1.0	26.7	4.2	32.7
11	30.00	10.1	37.2	1.5	28.3	5.7	34.2
12	35.00	13.8	39.1	1.9	29.3	7.7	35.7
13	40.00	18.2	40.9	3.5	31.9	10.8	37.6
14	45.00	21.9	42.2	4.6	33.2	13.1	38.8
15	50.00	27.7	44.1	7.2	35.4	17.2	40.5
16	55.00	35.0	46.2	10.6	37.5	22.6	42.5
17	60.00	42.1	48.0	15.1	39.7	28.4	44.3
18	65.00	50.1	50.0	20.9	41.9	35.3	46.2
19	70.00	58.1	52.0	27.2	43.9	42.4	48.1
20	75.00	65.7	54.0	35.2	46.2	50.1	50.0
21	80.00	73.4	56.3	46.0	49.0	59.5	52.4
22	85.00	79.1	58.1	56.0	51.5	67.4	54.5
23	90.00	85.9	60.8	68.3	54.8	76.9	57.4
24	95.00	91.8	63.9	81.0	58.8	86.3	60.9
25	100.00	100.0	67.1	100.0	62.8	100.0	64.5

Table A7_D - 181: SE – Sweden. Individual norm data KIDSCREEN-52: Autonomy

Raw- Score	0-100 Score	Females (n=1576)		Adolescents 12-18 Males (n=1643)		All (n=3219)	
		PR	TS	PR	TS	PR	TS
5	0.00	0.3	22.5	0.2	21.2	0.2	21.2
6	5.00	0.4	23.5	0.4	23.5	0.4	23.5
7	10.00	0.4	23.5	0.6	24.9	0.5	24.2
8	15.00	0.7	25.4	0.8	25.9	0.7	25.4
9	20.00	1.2	27.4	1.1	27.1	1.1	27.1
10	25.00	1.8	29.0	1.9	29.3	1.9	29.3
11	30.00	3.1	31.3	2.4	30.2	2.8	30.9
12	35.00	5.4	33.9	3.7	32.1	4.5	33.1
13	40.00	8.0	36.0	5.3	33.8	6.6	34.9
14	45.00	11.4	37.9	7.1	35.3	9.2	36.7
15	50.00	15.8	40.0	10.0	37.2	12.9	38.7
16	55.00	20.3	41.7	13.5	39.0	16.8	40.4
17	60.00	25.6	43.4	17.9	40.8	21.6	42.1
18	65.00	32.5	45.5	22.5	42.5	27.4	44.0
19	70.00	42.9	48.2	30.7	45.0	36.7	46.6
20	75.00	53.8	51.0	41.5	47.9	47.5	49.4
21	80.00	64.4	53.7	52.7	50.7	58.5	52.2
22	85.00	73.7	56.3	62.9	53.3	68.2	54.7
23	90.00	83.2	59.6	73.5	56.3	78.3	57.8
24	95.00	91.6	63.8	83.2	59.6	87.3	61.4
25	100.00	100.0	68.0	100.0	63.0	100.0	65.0

Table A7_D - 182: SE – Sweden. Individual norm data KIDSCREEN-52: Parent Relations & Home Life

Raw- Score	0-100 Score	Adolescents 12-18					
		Females (n=1559)		Males (n=1643)		All (n=3202)	
		PR	TS	PR	TS	PR	TS
6	0.00	0.1	19.1	0.2	21.2	0.2	21.2
7	4.17	0.4	23.5	0.3	22.5	0.3	22.5
8	8.33	0.5	24.2	0.4	23.5	0.5	24.2
9	12.50	0.8	25.9	0.6	24.9	0.7	25.4
10	16.67	1.4	28.0	0.6	24.9	1.0	26.7
11	20.83	1.9	29.3	0.8	25.9	1.3	27.7
12	25.00	2.4	30.2	1.1	27.1	1.7	28.8
13	29.17	3.3	31.6	1.5	28.3	2.4	30.2
14	33.33	4.1	32.6	1.9	29.3	3.0	31.2
15	37.50	5.2	33.7	2.3	30.1	3.7	32.1
16	41.67	6.4	34.8	2.7	30.7	4.5	33.1
17	45.83	7.8	35.8	3.3	31.6	5.5	34.0
18	50.00	9.5	36.9	4.7	33.3	7.1	35.3
19	54.17	11.6	38.1	6.0	34.5	8.7	36.4
20	58.33	13.8	39.1	8.4	36.2	11.0	37.7
21	62.50	16.9	40.4	11.3	37.9	14.0	39.2
22	66.67	22.1	42.3	14.3	39.3	18.1	40.9
23	70.83	27.0	43.9	18.7	41.1	22.7	42.5
24	75.00	32.8	45.6	24.9	43.2	28.8	44.4
25	79.17	38.1	47.0	31.9	45.3	34.9	46.1
26	83.33	46.4	49.1	39.0	47.2	42.6	48.1
27	87.50	55.0	51.3	49.2	49.8	52.0	50.5
28	91.67	66.6	54.3	62.5	53.2	64.5	53.7
29	95.83	78.3	57.8	75.8	57.0	77.0	57.4
30	100.00	100.0	61.4	100.0	60.8	100.0	61.1

Table A7_D - 183: SE – Sweden. Individual norm data KIDSCREEN-52: Social Support & Peers

Raw- Score	0-100 Score	Adolescents 12-18					
		Females (n=1564)		Males (n=1640)		All (n=3204)	
		PR	TS	PR	TS	PR	TS
6	0.00	0.1	19.1	0.8	25.9	0.5	24.2
7	4.17	0.1	19.1	1.0	26.7	0.6	24.9
8	8.33	0.2	21.2	1.1	27.1	0.6	24.9
9	12.50	0.4	23.5	1.1	27.1	0.7	25.4
10	16.67	1.0	26.7	1.1	27.1	1.0	26.7
11	20.83	1.3	27.7	1.2	27.4	1.2	27.4
12	25.00	2.0	29.5	1.6	28.6	1.8	29.0
13	29.17	2.7	30.7	2.1	29.7	2.4	30.2
14	33.33	3.3	31.6	3.1	31.3	3.2	31.5
15	37.50	4.3	32.8	4.0	32.5	4.1	32.6
16	41.67	5.4	33.9	4.9	33.5	5.1	33.7
17	45.83	7.3	35.5	6.3	34.7	6.8	35.1
18	50.00	9.1	36.7	8.5	36.3	8.8	36.5
19	54.17	11.8	38.2	11.4	37.9	11.6	38.1
20	58.33	14.8	39.6	15.2	39.7	15.0	39.6
21	62.50	20.0	41.6	19.4	41.4	19.7	41.5
22	66.67	25.2	43.3	26.5	43.7	25.9	43.5
23	70.83	32.0	45.3	33.9	45.9	33.0	45.6
24	75.00	39.7	47.4	43.6	48.4	41.7	47.9
25	79.17	48.2	49.6	53.5	50.9	50.9	50.2
26	83.33	58.6	52.2	64.1	53.6	61.4	52.9
27	87.50	69.7	55.2	74.9	56.7	72.4	56.0
28	91.67	83.0	59.5	85.2	60.5	84.1	60.0
29	95.83	91.8	63.9	91.8	63.9	91.8	63.9
30	100.00	100.0	68.3	100.0	67.4	100.0	67.9

Table A7_D - 184: SE – Sweden. Individual norm data KIDSCREEN-52: School Environment

Raw- Score	0-100 Score	Adolescents 12-18					
		Females (n=1559)		Males (n=1627)		All (n=3186)	
		PR	TS	PR	TS	PR	TS
6	0.00	0.1	19.1	0.6	24.9	0.3	22.5
7	4.17	0.2	21.2	0.6	24.9	0.4	23.5
8	8.33	0.3	22.5	0.9	26.3	0.6	24.9
9	12.50	0.5	24.2	1.5	28.3	1.0	26.7
10	16.67	1.3	27.7	2.0	29.5	1.6	28.6
11	20.83	2.0	29.5	2.5	30.4	2.3	30.1
12	25.00	3.0	31.2	3.6	32.0	3.3	31.6
13	29.17	4.0	32.5	4.7	33.3	4.4	32.9
14	33.33	5.7	34.2	5.8	34.3	5.7	34.2
15	37.50	6.9	35.2	7.2	35.4	7.1	35.3
16	41.67	9.6	37.0	9.3	36.8	9.4	36.8
17	45.83	12.6	38.5	12.8	38.6	12.7	38.6
18	50.00	15.9	40.0	16.6	40.3	16.3	40.2
19	54.17	20.8	41.9	21.6	42.1	21.2	42.0
20	58.33	27.3	44.0	27.7	44.1	27.5	44.0
21	62.50	34.9	46.1	34.9	46.1	34.9	46.1
22	66.67	43.6	48.4	42.3	48.1	43.0	48.2
23	70.83	53.8	51.0	50.6	50.2	52.2	50.6
24	75.00	62.9	53.3	63.1	53.4	63.0	53.3
25	79.17	70.4	55.4	71.3	55.6	70.9	55.5
26	83.33	77.6	57.6	77.9	57.7	77.7	57.6
27	87.50	84.2	60.0	84.0	59.9	84.1	60.0
28	91.67	91.1	63.5	89.7	62.7	90.4	63.1
29	95.83	96.3	67.9	95.0	66.5	95.7	67.2
30	100.00	100.0	72.3	100.0	70.3	100.0	71.3

Table A7_D - 185: SE – Sweden. Individual norm data KIDSCREEN-52: Social Acceptance

Raw- Score	0-100 Score	Females (n=1573)		Adolescents 12-18 Males (n=1640)		All (n=3213)	
		PR	TS	PR	TS	PR	TS
3	0.00	0.3	22.5	0.6	24.9	0.4	23.5
4	8.33	0.4	23.5	0.8	25.9	0.6	24.9
5	16.67	0.6	24.9	1.0	26.7	0.8	25.9
6	25.00	1.0	26.7	1.6	28.6	1.3	27.7
7	33.33	1.5	28.3	2.0	29.5	1.7	28.8
8	41.67	2.0	29.5	3.0	31.2	2.5	30.4
9	50.00	2.8	30.9	4.3	32.8	3.5	31.9
10	58.33	3.8	32.3	5.4	33.9	4.6	33.2
11	66.67	5.9	34.4	8.2	36.1	7.1	35.3
12	75.00	10.4	37.4	13.2	38.8	11.8	38.2
13	83.33	18.0	40.9	23.0	42.6	20.5	41.8
14	91.67	33.2	45.7	39.8	47.4	36.6	46.6
15	100.00	100.0	50.5	100.0	52.2	100.0	51.4

Table A7_D - 186: SE – Sweden. Individual norm data KIDSCREEN-52: Financial Resources

Raw- Score	0-100 Score	Adolescents 12-18					
		Females (n=1575)		Males (n=1637)		All (n=3212)	
		PR	TS	PR	TS	PR	TS
3	0.00	1.5	28.3	1.3	27.7	1.4	28.0
4	8.33	2.2	29.9	1.7	28.8	2.0	29.5
5	16.67	3.4	31.8	2.7	30.7	3.0	31.2
6	25.00	5.0	33.6	4.2	32.7	4.6	33.2
7	33.33	7.2	35.4	6.3	34.7	6.7	35.0
8	41.67	11.1	37.8	9.0	36.6	10.1	37.2
9	50.00	17.1	40.5	13.2	38.8	15.1	39.7
10	58.33	23.2	42.7	17.8	40.8	20.4	41.7
11	66.67	31.0	45.0	25.1	43.3	28.0	44.2
12	75.00	46.4	49.1	39.9	47.4	43.1	48.3
13	83.33	59.6	52.4	50.4	50.1	54.9	51.2
14	91.67	72.8	56.1	64.3	53.7	68.5	54.8
15	100.00	100.0	59.7	100.0	57.2	100.0	58.4

Table A7_D - 187: SE – Sweden. Individual norm data KIDSCREEN-27: Physical Well-being

Raw- Score	0-100 Score	Adolescents 12-18					
		Females (n=1539)		Males (n=1621)		All (n=3160)	
		PR	TS	PR	TS	PR	TS
5	0.00	0.1	17.3	0.1	13.2	0.1	15.8
6	5.56	0.7	20.2	0.4	16.1	0.5	18.6
7	11.11	1.3	23.1	0.8	19.0	1.0	21.5
8	16.67	2.3	25.9	1.2	21.9	1.7	24.3
9	22.22	3.8	28.8	2.2	24.8	3.0	27.2
10	27.78	5.7	31.7	3.5	27.7	4.6	30.0
11	33.33	8.8	34.6	5.4	30.7	7.0	32.9
12	38.89	13.6	37.4	7.9	33.6	10.7	35.7
13	44.44	19.4	40.3	12.3	36.5	15.7	38.6
14	50.00	28.1	43.2	17.4	39.4	22.6	41.4
15	55.56	37.6	46.1	24.0	42.3	30.6	44.3
16	61.11	49.8	48.9	33.7	45.2	41.5	47.1
17	66.67	60.5	51.8	45.0	48.2	52.5	50.0
18	72.22	70.7	54.7	55.9	51.1	63.1	52.8
19	77.78	80.5	57.6	68.7	54.0	74.4	55.7
20	83.33	88.4	60.4	78.0	56.9	83.1	58.5
21	88.89	94.0	63.3	86.8	59.8	90.3	61.4
22	94.44	98.1	66.2	94.2	62.8	96.1	64.2
23	100.00	100.0	69.1	100.0	65.7	100.0	67.1

Table A7_D - 188: SE – Sweden. Individual norm data KIDSCREEN-27: Psychological Well-being

Raw- Score	0-100 Score	Adolescents 12-18					
		Females (n=1555)		Males (n=1606)		All (n=3161)	
		PR	TS	PR	TS	PR	TS
7	0.00	0.1	19.1			0.1	19.1
8	3.57	0.2	21.2	0.1	19.1	0.1	19.1
9	7.14	0.3	22.5	0.1	19.1	0.2	21.2
10	10.71	0.4	23.5	0.1	19.1	0.2	21.2
11	14.29	0.6	24.9	0.1	19.1	0.3	22.5
12	17.86	0.8	25.9	0.1	19.1	0.4	23.5
13	21.43	1.4	28.0	0.3	22.5	0.8	25.9
14	25.00	1.7	28.8	0.6	24.9	1.1	27.1
15	28.57	2.6	30.6	1.1	27.1	1.8	29.0
16	32.14	3.6	32.0	1.4	28.0	2.5	30.4
17	35.71	4.9	33.5	1.6	28.6	3.2	31.5
18	39.29	6.3	34.7	2.0	29.5	4.1	32.6
19	42.86	8.1	36.0	2.8	30.9	5.4	33.9
20	46.43	10.6	37.5	3.7	32.1	7.1	35.3
21	50.00	13.5	39.0	4.7	33.3	9.0	36.7
22	53.57	16.7	40.3	6.6	34.9	11.6	38.1
23	57.14	20.9	41.9	8.2	36.1	14.4	39.4
24	60.71	25.5	43.4	10.3	37.4	17.8	40.8
25	64.29	30.5	44.9	13.2	38.8	21.7	42.2
26	67.86	36.2	46.5	17.2	40.5	26.6	43.8
27	71.43	42.7	48.2	22.3	42.4	32.3	45.4
28	75.00	50.2	50.1	29.5	44.6	39.7	47.4
29	78.57	59.2	52.3	39.4	47.3	49.2	49.8
30	82.14	68.0	54.7	49.4	49.9	58.6	52.2
31	85.71	74.9	56.7	62.3	53.1	68.5	54.8
32	89.29	83.9	59.9	72.5	56.0	78.1	57.8
33	92.86	89.9	62.8	82.9	59.5	86.4	61.0
34	96.43	94.3	65.8	90.8	63.3	92.5	64.4
35	100.00	100.0	68.8	100.0	67.1	100.0	67.8

Table A7_D - 189: SE – Sweden. Individual norm data KIDSCREEN-27: Parent Relations & Autonomy

Raw- Score	0-100 Score	Adolescents 12-18					
		Females (n=1534)		Males (n=1620)		All (n=3154)	
		PR	TS	PR	TS	PR	TS
7	0.00	0.1	19.1	0.1	19.1	0.1	19.1
8	3.57	0.2	21.2	0.2	21.2	0.1	19.1
9	7.14	0.2	21.2	0.2	21.2	0.1	19.1
10	10.71	0.2	21.2	0.2	21.2	0.2	21.2
11	14.29	0.5	24.2	0.2	21.2	0.3	22.5
12	17.86	0.5	24.2	0.4	23.5	0.4	23.5
13	21.43	0.6	24.9	0.6	24.9	0.5	24.2
14	25.00	1.2	27.4	0.7	25.4	0.9	26.3
15	28.57	1.8	29.0	0.9	26.3	1.3	27.7
16	32.14	2.2	29.9	1.3	27.7	1.7	28.8
17	35.71	3.1	31.3	1.7	28.8	2.4	30.2
18	39.29	4.5	33.1	2.1	29.7	3.3	31.6
19	42.86	5.8	34.3	2.9	31.0	4.3	32.8
20	46.43	7.1	35.3	3.9	32.4	5.5	34.0
21	50.00	9.0	36.8	5.4	33.8	7.2	35.4
22	53.57	12.0	38.3	6.9	35.2	9.4	36.8
23	57.14	15.2	39.7	8.7	36.4	11.9	38.2
24	60.71	19.5	41.4	12.0	38.3	15.6	39.9
25	64.29	24.4	43.1	16.0	40.1	20.1	41.6
26	67.86	29.0	44.5	21.6	42.1	25.2	43.3
27	71.43	35.7	46.3	27.1	43.9	31.3	45.1
28	75.00	44.0	48.5	34.9	46.1	39.3	47.3
29	78.57	52.1	50.5	42.9	48.2	47.4	49.4
30	82.14	60.2	52.6	51.0	50.3	55.5	51.4
31	85.71	69.4	55.1	60.8	52.7	65.0	53.9
32	89.29	78.5	57.9	70.8	55.5	74.5	56.6
33	92.86	86.6	61.1	81.9	59.1	84.2	60.0
34	96.43	93.5	65.1	90.0	62.8	91.7	63.9
35	100.00	100.0	69.2	100.0	66.5	100.0	67.7

Table A7_D - 190: SE – Sweden. Individual norm data KIDSCREEN-27: Social Support & Peers

Raw- Score	0-100 Score	Females (n=1573)		Adolescents 12-18 Males (n=1646)		All (n=3119)	
		PR	TS	PR	TS	PR	TS
4	0.00	0.1	19.1	1.0	26.7	0.6	24.9
5	6.25	0.2	21.2	1.1	27.1	0.6	24.9
6	12.50	0.6	24.9	1.1	27.1	0.9	26.3
7	18.75	0.9	26.3	1.3	27.7	1.1	27.1
8	25.00	1.9	29.3	2.1	29.7	2.0	29.5
9	31.25	2.9	31.0	2.7	30.7	2.8	30.9
10	37.50	3.9	32.4	3.6	32.0	3.8	32.3
11	43.75	5.2	33.7	5.2	33.7	5.2	33.7
12	50.00	8.5	36.3	7.4	35.5	7.9	35.9
13	56.25	11.9	38.2	11.4	37.9	11.6	38.1
14	62.50	17.1	40.5	18.5	41.0	17.8	40.8
15	68.75	25.0	43.3	26.7	43.8	25.9	43.5
16	75.00	35.2	46.2	39.9	47.4	37.6	46.8
17	81.25	47.2	49.3	53.3	50.8	50.3	50.1
18	87.50	62.9	53.3	68.6	54.9	65.8	54.1
19	93.75	82.0	59.2	85.1	60.4	83.6	59.8
20	100.00	100.0	65.0	100.0	66.0	100.0	65.5

Table A7_D - 191: SE – Sweden. Individual norm data KIDSCREEN-27: School Environment

Raw- Score	0-100 Score	Females (n=1574)		Adolescents 12-18 Males (n=1644)		All (n=3118)	
		PR	TS	PR	TS	PR	TS
4	0.00	0.1	19.1	0.6	24.9	0.3	22.5
5	6.25	0.3	22.5	0.7	25.4	0.5	24.2
6	12.50	0.5	24.2	1.1	27.1	0.8	25.9
7	18.75	1.0	26.7	1.9	29.3	1.5	28.3
8	25.00	2.4	30.2	3.1	31.3	2.7	30.7
9	31.25	3.8	32.3	4.0	32.5	3.9	32.4
10	37.50	5.3	33.8	5.6	34.1	5.4	33.9
11	43.75	8.1	36.0	8.5	36.3	8.3	36.2
12	50.00	13.0	38.7	12.8	38.6	12.9	38.7
13	56.25	21.3	42.0	20.2	41.7	20.7	41.8
14	62.50	30.9	45.0	29.8	44.7	30.3	44.8
15	68.75	45.5	48.9	42.0	48.0	43.7	48.4
16	75.00	60.8	52.7	60.4	52.6	60.6	52.7
17	81.25	72.8	56.1	71.8	55.8	72.3	55.9
18	87.50	82.8	59.5	82.6	59.4	82.7	59.4
19	93.75	92.6	64.5	90.9	63.4	91.7	63.9
20	100.00	100.0	69.5	100.0	67.3	100.0	68.3

Table A7_D - 192: SE – Sweden. Individual norm data KIDSCREEN-10 Index

Raw- Score	0-100 Score	Adolescents 12-18					
		Females (n=1510)		Males (n=1587)		All (n=3097)	
		PR	TS	PR	TS	PR	TS
10	0.00						
11	2.50						
12	5.00	0.1	19.1			0.1	19.1
13	7.50	0.1	19.1			0.1	19.1
14	10.00	0.1	19.1	0.1	19.1	0.1	19.1
15	12.50	0.1	19.1	0.1	19.1	0.1	19.1
16	15.00	0.1	19.1	0.1	19.1	0.1	19.1
17	17.50	0.1	19.1	0.1	19.1	0.1	19.1
18	20.00	0.2	21.2	0.1	19.1	0.1	19.1
19	22.50	0.4	23.5	0.2	21.2	0.3	22.5
20	25.00	0.6	24.9	0.2	21.2	0.4	23.5
21	27.50	0.7	25.4	0.2	21.2	0.5	24.2
22	30.00	1.1	27.1	0.3	22.5	0.7	25.4
23	32.50	1.3	27.7	0.5	24.2	0.9	26.3
24	35.00	1.9	29.3	0.5	24.2	1.2	27.4
25	37.50	2.3	30.1	0.9	26.3	1.6	28.6
26	40.00	3.6	32.0	1.3	27.7	2.5	30.4
27	42.50	4.8	33.4	1.8	29.0	3.3	31.6
28	45.00	5.9	34.4	2.3	30.1	4.1	32.6
29	47.50	7.4	35.5	2.9	31.0	5.1	33.7
30	50.00	9.2	36.7	3.6	32.0	6.3	34.7
31	52.50	11.4	37.9	4.8	33.4	8.0	36.0
32	55.00	14.6	39.5	6.2	34.6	10.3	37.4
33	57.50	17.3	40.6	8.4	36.2	12.8	38.6
34	60.00	21.1	42.0	10.4	37.4	15.6	39.9
35	62.50	25.5	43.4	13.9	39.2	19.5	41.4
36	65.00	31.3	45.1	17.6	40.7	24.3	43.0
37	67.50	36.5	46.6	22.1	42.3	29.1	44.5
38	70.00	42.7	48.2	28.2	44.2	35.3	46.2
39	72.50	49.0	49.8	34.3	46.0	41.4	47.8
40	75.00	54.7	51.2	40.6	47.6	47.5	49.4
41	77.50	62.5	53.2	48.0	49.5	55.1	51.3
42	80.00	69.2	55.0	54.9	51.2	61.9	53.0
43	82.50	75.1	56.8	62.7	53.2	68.7	54.9
44	85.00	80.2	58.5	70.8	55.5	75.4	56.9
45	87.50	84.9	60.3	77.4	57.5	81.1	58.8
46	90.00	88.2	61.9	84.6	60.2	86.3	60.9
47	92.50	92.1	64.1	89.2	62.4	90.6	63.2
48	95.00	95.9	67.4	93.8	65.4	94.8	66.3
49	97.50	98.4	71.4	97.4	69.4	97.9	70.3
50	100.00	100.0	75.5	100.0	73.5	100.0	74.4

Table A7_D - 193: UK – United Kingdom. Individual norm data KIDSCREEN-52: Physical Well-being

Raw-Score	0-100 Score	Females (n=439)		Children 8-11 Males (n=491)		All (n=930)		Females (n=445)		Adolescents 12-18 Males (n=455)		All (n=900)		Females (n=884)		Children & Adolescents 8-18 Males (n=946)		All (n=1830)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00							0.9	18.5			0.5	17.1	0.5	16.8			0.2	14.8
6	5.56	0.4	15.1	0.5	12.7	0.3	14.0	1.6	21.5	0.3	16.8	0.9	20.0	0.9	19.6	0.3	15.0	0.6	17.7
7	11.11	0.6	18.1	0.9	15.8	0.7	17.0	1.9	24.4	0.6	19.8	1.1	22.8	1.2	22.5	0.6	18.0	0.9	20.6
8	16.67	0.8	21.1	0.9	18.9	0.8	20.1	2.3	27.4	0.6	22.6	1.4	25.7	1.5	25.4	0.6	21.0	1.0	23.5
9	22.22	1.6	24.1	0.9	22.0	1.2	23.1	3.6	30.4	0.9	25.7	2.2	28.6	2.6	28.2	0.9	24.0	1.7	26.4
10	27.78	2.9	27.1	1.6	25.1	2.2	26.1	5.9	33.3	2.0	28.6	3.9	31.5	4.4	31.1	1.8	27.0	3.1	29.3
11	33.33	5.0	30.1	3.6	28.2	4.3	29.2	9.0	36.3	5.9	31.6	7.5	34.3	7.0	33.9	4.7	30.0	5.8	32.2
12	38.89	8.0	33.2	5.1	31.3	6.4	32.2	15.6	39.2	8.7	34.5	12.1	37.2	11.8	36.8	6.8	33.0	9.2	35.1
13	44.44	11.8	36.2	10.6	34.3	11.2	35.3	24.8	42.2	13.1	37.5	18.9	40.1	18.3	39.7	11.8	36.0	15.0	38.0
14	50.00	18.0	39.2	15.7	37.4	16.8	38.3	36.9	45.2	23.3	40.4	30.0	43.0	27.5	42.5	19.3	39.0	23.3	40.9
15	55.56	24.7	42.2	20.1	40.5	22.3	41.3	48.7	48.1	29.8	43.4	39.2	45.8	36.8	45.4	24.8	42.0	30.6	43.8
16	61.11	33.3	45.2	28.7	43.6	30.9	44.4	60.7	51.1	41.1	46.3	50.8	48.7	47.1	48.3	34.7	45.0	40.7	46.7
17	66.67	46.7	48.2	38.2	46.7	42.2	47.4	72.4	54.0	52.3	49.3	62.2	51.6	59.6	51.1	45.0	48.0	52.1	49.5
18	72.22	55.8	51.2	48.8	49.8	52.1	50.5	79.6	57.0	63.7	52.3	71.6	54.5	67.8	54.0	56.0	51.0	61.7	52.4
19	77.78	68.6	54.2	61.9	52.9	65.0	53.5	86.9	60.0	73.2	55.2	80.0	57.3	77.8	56.8	67.3	54.0	72.4	55.3
20	83.33	79.3	57.2	73.9	56.0	76.5	56.6	91.9	62.9	79.1	58.2	85.4	60.2	85.7	59.7	76.4	57.0	80.9	58.2
21	88.89	89.1	60.2	87.2	59.1	88.1	59.6	95.8	65.9	86.8	61.1	91.2	63.1	92.4	62.6	87.0	60.0	89.6	61.1
22	94.44	94.1	63.2	94.7	62.2	94.4	62.6	98.2	68.9	94.9	64.1	96.6	66.0	96.2	65.4	94.8	63.0	95.5	64.0
23	100.00	100.0	66.2	100.0	65.2	100.0	65.7	100.0	71.8	100.0	67.0	100.0	68.8	100.0	68.3	100.0	66.0	100.0	66.9

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ($M = 50$, $SD = 10$).

Table A7_D - 194: UK – United Kingdom. Individual norm data KIDSCREEN-52: Psychological Well-being

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=442)		Males (n=488)		All (n=930)		Females (n=449)		Males (n=456)		All (n=905)		Females (n=891)		Males (n=944)		All (n=1835)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00	0.4	7.1	0.3	5.5	0.2	6.3			0.3	10.3	0.2	11.5	0.2	10.5	0.2	8.1	0.2	9.4
7	4.17	0.4	9.5	0.3	7.9	0.2	8.7			0.3	12.6	0.2	13.8	0.2	12.8	0.2	10.5	0.2	11.7
8	8.33	0.6	11.8	0.7	10.3	0.6	11.1			0.3	14.8	0.2	16.0	0.3	15.0	0.5	12.8	0.3	13.9
9	12.50	0.6	14.2	0.9	12.8	0.7	13.4	0.9	19.2	0.3	17.1	0.6	18.3	0.7	17.3	0.6	15.1	0.6	16.2
10	16.67	0.8	16.5	0.9	15.2	0.8	15.8	1.3	21.4	0.7	19.3	0.9	20.5	0.9	19.5	0.8	17.4	0.8	18.5
11	20.83	1.0	18.8	1.5	17.6	1.2	18.2	1.6	23.7	1.0	21.6	1.2	22.7	1.3	21.8	1.2	19.8	1.2	20.8
12	25.00	1.3	21.2	1.7	20.0	1.4	20.6	2.7	25.9	1.8	23.9	2.2	25.0	1.9	24.0	1.7	22.1	1.8	23.1
13	29.17	1.8	23.5	2.1	22.4	1.9	23.0	3.8	28.1	3.5	26.1	3.6	27.2	2.8	26.3	2.7	24.4	2.8	25.4
14	33.33	3.4	25.8	3.1	24.8	3.2	25.3	5.5	30.4	4.8	28.4	5.2	29.5	4.5	28.5	3.9	26.7	4.2	27.7
15	37.50	5.0	28.2	4.7	27.3	4.8	27.7	6.4	32.6	6.6	30.6	6.5	31.7	5.7	30.8	5.6	29.1	5.6	29.9
16	41.67	6.3	30.5	5.5	29.7	5.9	30.1	9.5	34.8	8.1	32.9	8.8	33.9	7.9	33.0	6.8	31.4	7.3	32.2
17	45.83	8.4	32.9	6.9	32.1	7.6	32.5	12.2	37.1	10.7	35.2	11.5	36.2	10.3	35.3	8.8	33.7	9.5	34.5
18	50.00	10.6	35.2	9.0	34.5	9.8	34.9	17.8	39.3	14.0	37.4	15.9	38.4	14.2	37.5	11.4	36.1	12.8	36.8
19	54.17	14.0	37.6	12.3	36.9	13.1	37.2	22.7	41.5	16.4	39.7	19.5	40.6	18.4	39.8	14.3	38.4	16.3	39.1
20	58.33	17.0	39.9	14.5	39.3	15.7	39.6	26.5	43.7	22.1	42.0	24.3	42.9	21.8	42.0	18.2	40.7	19.9	41.4
21	62.50	20.8	42.2	19.0	41.8	19.9	42.0	34.5	46.0	27.1	44.2	30.8	45.1	27.7	44.3	22.9	43.0	25.3	43.6
22	66.67	27.4	44.6	25.4	44.2	26.3	44.4	41.2	48.2	34.6	46.5	37.9	47.4	34.3	46.5	29.8	45.4	32.0	45.9
23	70.83	35.3	46.9	34.0	46.6	34.6	46.8	50.8	50.4	40.5	48.7	45.6	49.6	43.1	48.8	37.1	47.7	40.0	48.2
24	75.00	44.8	49.3	40.8	49.0	42.7	49.1	62.2	52.7	52.4	51.0	57.2	51.8	53.5	51.0	46.4	50.0	49.8	50.5
25	79.17	54.5	51.6	50.1	51.4	52.2	51.5	69.3	54.9	62.5	53.3	65.8	54.1	61.9	53.3	56.1	52.3	58.9	52.8
26	83.33	62.9	53.9	64.7	53.8	63.9	53.9	77.7	57.1	71.7	55.5	74.7	56.3	70.4	55.5	68.1	54.7	69.2	55.1
27	87.50	74.2	56.3	78.1	56.3	76.2	56.3	86.2	59.4	81.6	57.8	83.9	58.5	80.3	57.8	79.8	57.0	80.0	57.4
28	91.67	85.5	58.6	87.7	58.7	86.7	58.6	91.6	61.6	88.4	60.1	90.0	60.8	88.6	60.0	88.0	59.3	88.3	59.6
29	95.83	93.2	61.0	94.7	61.1	94.0	61.0	95.3	63.8	95.2	62.3	95.3	63.0	94.3	62.3	94.9	61.6	94.6	61.9
30	100.00	100.0	63.3	100.0	63.5	100.0	63.4	100.0	66.1	100.0	64.6	100.0	65.3	100.0	64.5	100.0	64.0	100.0	64.2

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 195: UK – United Kingdom. Individual norm data KIDSCREEN-52: Moods & Emotions

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=436)		Males (n=485)		All (n=921)		Females (n=449)		Males (n=453)		All (n=902)		Females (n=885)		Males (n=938)		All (n=1823)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
7	0.00	0.4	9.9	0.3	4.9	0.3	7.5							0.2	9.7	0.2	3.4	0.1	6.9
8	3.57	0.4	11.9	0.5	7.0	0.4	9.5							0.2	11.7	0.3	5.6	0.2	9.0
9	7.14	0.4	13.8	0.7	9.1	0.5	11.6							0.2	13.6	0.4	7.8	0.3	11.0
10	10.71	0.6	15.8	0.7	11.3	0.6	13.6	0.4	15.3	0.4	8.5	0.3	12.5	0.4	15.6	0.5	10.0	0.4	13.1
11	14.29	1.4	17.7	1.0	13.4	1.1	15.6	0.6	17.3	0.4	10.7	0.4	14.6	0.9	17.6	0.6	12.2	0.7	15.2
12	17.86	1.9	19.7	1.3	15.5	1.5	17.7	0.6	19.4	0.4	13.0	0.4	16.8	1.2	19.6	0.8	14.4	0.9	17.3
13	21.43	2.4	21.6	1.6	17.6	1.9	19.7	0.6	21.4	0.6	15.2	0.5	18.9	1.4	21.6	1.0	16.5	1.2	19.3
14	25.00	2.8	23.5	2.3	19.7	2.5	21.7	1.6	23.5	0.8	17.5	1.1	21.0	2.2	23.6	1.5	18.7	1.8	21.4
15	28.57	3.3	25.5	2.9	21.9	3.1	23.8	2.1	25.5	1.2	19.8	1.6	23.1	2.6	25.6	2.0	20.9	2.3	23.5
16	32.14	4.0	27.4	2.9	24.0	3.4	25.8	3.4	27.6	2.2	22.0	2.8	25.2	3.6	27.6	2.6	23.1	3.1	25.5
17	35.71	5.3	29.4	3.4	26.1	4.3	27.8	4.5	29.6	2.9	24.3	3.7	27.4	4.9	29.5	3.1	25.3	4.0	27.6
18	39.29	6.3	31.3	3.6	28.3	4.8	29.8	7.1	31.6	3.5	26.5	5.3	29.5	6.7	31.5	3.5	27.5	5.1	29.7
19	42.86	8.5	33.3	4.2	30.4	6.2	31.9	9.2	33.7	4.4	28.8	6.8	31.6	8.8	33.5	4.3	29.7	6.5	31.8
20	46.43	9.9	35.2	5.8	32.5	7.7	33.9	11.0	35.7	6.4	31.0	8.7	33.7	10.4	35.5	6.1	31.8	8.2	33.8
21	50.00	12.9	37.1	8.7	34.6	10.6	35.9	16.1	37.8	9.3	33.3	12.7	35.8	14.5	37.5	9.0	34.0	11.6	35.9
22	53.57	15.2	39.1	9.9	36.8	12.4	38.0	19.6	39.8	11.0	35.6	15.3	38.0	17.4	39.5	10.4	36.2	13.8	38.0
23	57.14	17.7	41.0	13.4	38.9	15.5	40.0	23.0	41.9	13.4	37.8	18.2	40.1	20.4	41.5	13.4	38.4	16.8	40.0
24	60.71	21.6	43.0	18.0	41.0	19.7	42.0	28.4	43.9	16.4	40.1	22.3	42.2	25.0	43.5	17.2	40.6	21.0	42.1
25	64.29	26.9	44.9	22.7	43.1	24.7	44.0	33.9	46.0	21.5	42.3	27.7	44.3	30.5	45.5	22.1	42.8	26.1	44.2
26	67.86	32.8	46.9	28.9	45.3	30.7	46.1	38.6	48.0	27.9	44.6	33.2	46.4	35.8	47.4	28.4	45.0	32.0	46.2
27	71.43	41.1	48.8	37.5	47.4	39.2	48.1	45.9	50.1	34.1	46.8	40.0	48.6	43.6	49.4	35.9	47.1	39.6	48.3
28	75.00	50.2	50.7	45.0	49.5	47.4	50.1	53.9	52.1	41.8	49.1	47.8	50.7	52.1	51.4	43.4	49.3	47.6	50.4
29	78.57	57.1	52.7	54.2	51.6	55.6	52.2	63.9	54.2	52.1	51.4	58.0	52.8	60.6	53.4	53.2	51.5	56.8	52.5
30	82.14	66.3	54.6	63.1	53.8	64.6	54.2	74.4	56.2	62.7	53.6	68.5	54.9	70.4	55.4	62.9	53.7	66.6	54.5
31	85.71	77.6	56.6	74.5	55.9	76.0	56.2	83.3	58.3	72.4	55.9	77.8	57.0	80.5	57.4	73.5	55.9	76.9	56.6
32	89.29	84.9	58.5	84.6	58.0	84.7	58.2	89.3	60.3	85.2	58.1	87.2	59.1	87.2	59.4	84.9	58.1	86.0	58.7
33	92.86	91.8	60.5	90.7	60.2	91.2	60.3	95.1	62.4	91.2	60.4	93.1	61.3	93.5	61.4	90.9	60.3	92.2	60.7
34	96.43	96.6	62.4	96.1	62.3	96.3	62.3	98.7	64.4	97.3	62.6	98.0	63.4	97.6	63.4	96.7	62.4	97.2	62.8
35	100.00	100.0	64.3	100.0	64.4	100.0	64.3	100.0	66.5	100.0	64.9	100.0	65.5	100.0	65.3	100.0	64.6	100.0	64.9

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 196: UK – United Kingdom. Individual norm data KIDSCREEN-52: Self Perception

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=444)		Males (n=487)		All (n=931)		Females (n=450)		Males (n=451)		All (n=901)		Females (n=894)		Males (n=938)		All (n=1832)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00	0.4	13.1			0.2	8.3	0.4	23.0			0.2	20.0	0.3	20.5			0.1	16.3
6	5.00	0.4	15.6	0.3	4.4	0.3	10.9	1.1	25.3	0.5	16.1	0.8	22.3	0.7	22.7	0.3	11.9	0.5	18.7
7	10.00	0.6	18.0	0.5	7.4	0.5	13.6	2.0	27.6	0.5	18.7	1.2	24.6	1.2	24.9	0.5	14.6	0.8	21.0
8	15.00	1.0	20.4	0.7	10.3	0.8	16.2	2.5	29.9	0.8	21.2	1.6	26.9	1.7	27.1	0.7	17.3	1.1	23.3
9	20.00	1.8	22.8	0.9	13.3	1.3	18.9	6.7	32.2	1.8	23.7	4.2	29.2	4.2	29.3	1.3	19.9	2.7	25.7
10	25.00	2.9	25.3	1.3	16.3	2.0	21.5	9.8	34.5	3.1	26.3	6.4	31.5	6.4	31.5	2.1	22.6	4.2	28.0
11	30.00	4.7	27.7	1.9	19.3	3.2	24.2	12.9	36.8	4.0	28.8	8.4	33.8	8.8	33.7	2.9	25.2	5.8	30.3
12	35.00	6.7	30.1	2.5	22.3	4.5	26.8	17.2	39.1	6.8	31.4	12.0	36.1	12.0	35.9	4.6	27.9	8.2	32.7
13	40.00	8.5	32.6	3.3	25.3	5.8	29.5	24.0	41.4	10.8	33.9	17.4	38.4	16.3	38.1	6.9	30.5	11.5	35.0
14	45.00	10.3	35.0	3.8	28.3	6.9	32.1	30.0	43.6	13.0	36.4	21.5	40.7	20.2	40.2	8.2	33.2	14.1	37.3
15	50.00	13.9	37.5	6.0	31.3	9.8	34.8	37.1	45.9	17.2	39.0	27.2	43.0	25.6	42.4	11.4	35.8	18.3	39.7
16	55.00	19.7	39.9	8.8	34.3	14.0	37.5	44.7	48.2	22.1	41.5	33.4	45.3	32.3	44.6	15.2	38.5	23.6	42.0
17	60.00	22.9	42.3	13.1	37.3	17.8	40.1	54.2	50.5	25.5	44.1	39.8	47.6	38.7	46.8	19.1	41.1	28.6	44.4
18	65.00	27.6	44.8	18.3	40.2	22.7	42.8	62.6	52.8	35.9	46.6	49.3	49.9	45.3	49.0	26.7	43.8	35.8	46.7
19	70.00	35.1	47.2	24.4	43.2	29.5	45.4	72.2	55.1	45.8	49.2	59.0	52.2	53.8	51.2	34.7	46.5	44.0	49.0
20	75.00	45.2	49.7	33.0	46.2	38.8	48.1	79.7	57.4	55.7	51.7	67.7	54.5	62.6	53.4	43.9	49.1	53.0	51.4
21	80.00	54.0	52.1	43.7	49.2	48.6	50.7	84.6	59.7	67.1	54.2	75.8	56.8	69.4	55.6	54.9	51.8	62.0	53.7
22	85.00	65.5	54.5	57.2	52.2	61.2	53.4	90.0	62.0	77.1	56.8	83.5	59.1	77.8	57.8	66.8	54.4	72.2	56.0
23	90.00	76.5	57.0	69.7	55.2	73.0	56.0	93.8	64.2	85.8	59.3	89.8	61.4	85.2	60.0	77.4	57.1	81.2	58.4
24	95.00	87.1	59.4	84.6	58.2	85.8	58.7	96.9	66.5	93.5	61.9	95.2	63.7	92.0	62.2	88.9	59.7	90.4	60.7
25	100.00	100.0	61.8	100.0	61.2	100.0	61.3	100.0	68.8	100.0	64.4	100.0	66.0	100.0	64.4	100.0	62.4	100.0	63.1

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7_D - 197: UK – United Kingdom. Individual norm data KIDSCREEN-52: Autonomy

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=441)		Males (n=492)		All (n=933)		Females (n=454)		Males (n=459)		All (n=913)		Females (n=895)		Males (n=951)		All (n=1846)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00	0.5	20.6	0.5	16.1	0.4	18.4	0.3	18.3			0.2	16.6	0.4	19.5	0.2	15.2	0.3	17.6
6	5.00	1.0	22.7	0.5	18.5	0.7	20.7	0.6	20.7			0.3	19.0	0.7	21.8	0.2	17.5	0.4	19.9
7	10.00	1.6	24.9	0.9	20.8	1.2	22.9	1.0	23.1	0.5	19.1	0.7	21.4	1.2	24.1	0.6	20.0	0.9	22.2
8	15.00	2.1	27.0	1.3	23.2	1.6	25.2	1.2	25.5	0.5	21.6	0.8	23.8	1.6	26.3	0.9	22.4	1.2	24.6
9	20.00	2.9	29.2	1.8	25.6	2.3	27.4	1.6	27.9	1.5	24.0	1.5	26.2	2.2	28.6	1.7	24.9	1.9	26.9
10	25.00	6.3	31.3	2.8	27.9	4.5	29.7	4.2	30.2	2.4	26.5	3.3	28.6	5.2	30.9	2.6	27.3	3.9	29.2
11	30.00	7.2	33.5	5.5	30.3	6.3	32.0	6.4	32.6	4.2	29.0	5.3	31.1	6.8	33.1	4.8	29.7	5.8	31.5
12	35.00	10.9	35.7	7.7	32.7	9.2	34.2	8.6	35.0	5.3	31.5	6.9	33.5	9.7	35.4	6.5	32.1	8.1	33.9
13	40.00	15.2	37.8	11.8	35.0	13.4	36.5	12.8	37.4	8.1	34.0	10.4	35.9	14.0	37.7	10.0	34.5	11.9	36.2
14	45.00	19.7	40.0	15.8	37.4	17.7	38.7	17.9	39.8	12.7	36.5	15.3	38.3	18.8	39.9	14.3	37.0	16.5	38.5
15	50.00	26.3	42.1	18.7	39.8	22.3	41.0	28.7	42.2	17.9	38.9	23.3	40.7	27.5	42.2	18.3	39.4	22.8	40.9
16	55.00	32.2	44.3	22.3	42.1	27.0	43.2	36.6	44.6	24.5	41.4	30.5	43.1	34.4	44.4	23.4	41.8	28.7	43.2
17	60.00	38.7	46.4	28.8	44.5	33.5	45.5	42.5	47.0	30.6	43.9	36.5	45.5	40.6	46.7	29.7	44.2	35.0	45.5
18	65.00	44.6	48.6	37.0	46.9	40.6	47.7	49.1	49.4	36.5	46.4	42.8	47.9	46.9	49.0	36.8	46.7	41.7	47.8
19	70.00	52.1	50.7	45.4	49.3	48.6	50.0	57.5	51.8	45.8	48.9	51.6	50.3	54.9	51.2	45.6	49.1	50.1	50.2
20	75.00	59.4	52.9	57.2	51.6	58.2	52.2	68.9	54.2	56.8	51.4	62.8	52.8	64.2	53.5	57.0	51.5	60.5	52.5
21	80.00	67.8	55.0	65.9	54.0	66.8	54.5	75.1	56.6	66.1	53.9	70.6	55.2	71.5	55.8	66.0	53.9	68.7	54.8
22	85.00	75.7	57.2	73.6	56.4	74.6	56.8	82.4	59.0	74.4	56.3	78.3	57.6	79.1	58.0	74.0	56.4	76.4	57.1
23	90.00	81.4	59.4	82.9	58.7	82.2	59.0	87.4	61.4	81.6	58.8	84.5	60.0	84.5	60.3	82.3	58.8	83.3	59.5
24	95.00	88.9	61.5	88.6	61.1	88.7	61.3	92.7	63.7	87.0	61.3	89.9	62.4	90.8	62.6	87.9	61.2	89.3	61.8
25	100.00	100.0	63.7	100.0	63.5	100.0	63.5	100.0	66.1	100.0	63.8	100.0	64.8	100.0	64.8	100.0	63.6	100.0	64.1

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ($M = 50$, $SD = 10$).

Table A7_D - 198: UK – United Kingdom. Individual norm data KIDSCREEN-52: Parent Relation & Home Life

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=435)		Males (n=481)		All (n=916)		Females (n=450)		Males (n=450)		All (n=900)		Females (n=885)		Males (n=931)		All (n=1816)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00							0.4	16.5	1.1	16.4	0.7	16.5	0.2	12.7	0.5	12.6	0.3	12.7
7	4.17			0.3	9.4	0.2	8.9	0.6	18.4	1.1	18.3	0.8	18.4	0.3	14.7	0.7	14.6	0.5	14.7
8	8.33			0.7	11.6	0.4	11.1	0.8	20.3	1.5	20.1	1.0	20.2	0.4	16.7	1.0	16.6	0.7	16.7
9	12.50	0.4	12.7	1.1	13.8	0.7	13.3	1.0	22.2	1.7	22.0	1.3	22.1	0.6	18.8	1.3	18.6	0.9	18.7
10	16.67	0.8	15.0	1.7	16.0	1.2	15.5	1.8	24.1	1.9	23.9	1.8	24.0	1.2	20.8	1.7	20.6	1.5	20.7
11	20.83	1.2	17.2	2.1	18.2	1.7	17.8	2.3	26.1	2.7	25.7	2.4	25.9	1.7	22.8	2.4	22.6	2.0	22.7
12	25.00	1.7	19.4	2.1	20.4	1.9	20.0	4.2	28.0	3.6	27.6	3.9	27.8	2.9	24.8	2.8	24.6	2.9	24.7
13	29.17	3.0	21.7	2.7	22.6	2.8	22.2	5.8	29.9	4.5	29.5	5.1	29.7	4.4	26.8	3.5	26.6	4.0	26.7
14	33.33	3.9	23.9	3.3	24.8	3.6	24.4	7.6	31.8	6.5	31.4	7.0	31.6	5.8	28.8	4.8	28.6	5.3	28.7
15	37.50	4.8	26.2	4.6	27.0	4.7	26.6	8.9	33.7	8.9	33.2	8.9	33.5	6.9	30.8	6.7	30.6	6.8	30.7
16	41.67	5.5	28.4	6.0	29.2	5.7	28.8	11.8	35.6	10.9	35.1	11.4	35.4	8.7	32.8	8.4	32.6	8.5	32.7
17	45.83	6.9	30.7	6.5	31.4	6.6	31.1	16.1	37.5	12.7	37.0	14.4	37.3	11.5	34.8	9.4	34.5	10.5	34.7
18	50.00	7.8	32.9	9.1	33.6	8.5	33.3	17.4	39.4	16.7	38.9	17.0	39.2	12.7	36.8	12.8	36.5	12.7	36.7
19	54.17	10.5	35.2	10.5	35.8	10.5	35.5	20.1	41.3	20.0	40.7	20.1	41.0	15.4	38.8	15.1	38.5	15.3	38.7
20	58.33	12.6	37.4	12.4	37.9	12.5	37.7	25.4	43.2	24.5	42.6	24.9	42.9	19.1	40.9	18.2	40.5	18.7	40.7
21	62.50	15.4	39.7	15.7	40.1	15.6	39.9	30.5	45.2	28.5	44.5	29.5	44.8	23.1	42.9	21.9	42.5	22.5	42.7
22	66.67	20.0	41.9	19.7	42.3	19.8	42.1	35.2	47.1	31.6	46.4	33.4	46.7	27.7	44.9	25.4	44.5	26.5	44.7
23	70.83	24.8	44.2	25.5	44.5	25.2	44.4	43.0	49.0	38.3	48.2	40.7	48.6	34.1	46.9	31.7	46.5	32.8	46.7
24	75.00	31.9	46.4	31.5	46.7	31.7	46.6	49.4	50.9	45.9	50.1	47.6	50.5	40.8	48.9	38.4	48.5	39.6	48.7
25	79.17	37.0	48.7	39.2	48.9	38.2	48.8	58.9	52.8	52.7	52.0	55.8	52.4	48.2	50.9	45.7	50.5	46.9	50.7
26	83.33	47.3	50.9	47.5	51.1	47.4	51.0	65.6	54.7	61.2	53.9	63.4	54.3	56.6	52.9	54.1	52.5	55.3	52.7
27	87.50	56.5	53.1	57.1	53.3	56.8	53.2	73.9	56.6	69.2	55.7	71.5	56.2	65.3	54.9	63.0	54.5	64.1	54.7
28	91.67	67.6	55.4	67.9	55.5	67.7	55.4	80.3	58.5	77.2	57.6	78.7	58.1	74.0	56.9	72.4	56.5	73.2	56.7
29	95.83	80.4	57.6	83.2	57.7	81.9	57.7	87.1	60.4	84.7	59.5	85.9	59.9	83.9	58.9	83.9	58.5	83.9	58.7
30	100.00	100.0	59.9	100.0	59.9	100.0	59.9	100.0	62.4	100.0	61.4	100.0	61.8	100.0	61.0	100.0	60.5	100.0	60.7

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 199: UK – United Kingdom. Individual norm data KIDSCREEN-52: Social Support & Peers

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=435)		Males (n=476)		All (n=911)		Females (n=437)		Males (n=446)		All (n=883)		Females (n=872)		Males (n=922)		All (n=1794)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00	0.4	12.8			0.2	11.2			0.4	15.0	0.2	13.5	0.2	11.8	0.2	12.5	0.1	12.4
7	4.17	0.4	19.0			0.2	13.4			0.4	17.1	0.2	15.3	0.2	13.9	0.2	14.7	0.1	14.5
8	8.33	0.6	16.9	0.9	13.8	0.7	15.5	0.4	15.1	0.4	19.2	0.3	17.7	0.4	16.0	0.5	16.8	0.5	16.6
9	12.50	1.2	18.9	1.2	16.1	1.1	17.6	1.0	17.2	0.4	21.3	0.6	19.7	1.0	18.1	0.7	19.0	0.8	18.7
10	16.67	1.9	21.0	1.4	18.4	1.6	19.8	1.3	19.3	0.9	23.4	1.0	21.8	1.5	20.2	1.1	21.2	1.3	20.9
11	20.83	2.3	23.0	1.6	20.7	1.8	21.9	2.1	21.5	1.8	25.5	1.9	23.9	2.1	22.3	1.6	23.4	1.9	23.0
12	25.00	3.0	25.1	1.9	23.0	2.4	24.1	3.0	23.6	2.7	27.6	2.8	26.0	3.0	24.4	2.3	25.5	2.6	25.1
13	29.17	3.7	27.1	2.5	25.3	3.1	26.3	3.7	25.8	4.3	29.7	4.0	28.1	3.7	26.5	3.4	27.7	3.5	27.2
14	33.33	5.1	29.1	3.2	27.6	4.1	28.4	4.4	27.9	5.6	31.8	5.0	30.2	4.7	28.6	4.3	29.9	4.5	29.3
15	37.50	6.2	31.2	4.0	29.8	5.0	30.6	5.1	30.1	7.7	33.9	6.4	32.3	5.6	30.7	5.8	32.0	5.7	31.5
16	41.67	7.6	33.2	6.3	32.1	6.9	32.7	6.6	32.2	11.7	36.0	9.2	34.4	7.1	32.7	8.9	34.2	8.0	33.6
17	45.83	10.1	35.3	8.8	34.4	9.5	34.9	8.9	34.4	13.7	38.1	11.3	36.4	9.5	34.8	11.2	36.4	10.4	35.7
18	50.00	13.8	37.3	12.2	36.7	13.0	37.1	11.9	36.5	19.5	40.2	15.8	38.5	12.9	36.9	15.7	38.6	14.3	37.8
19	54.17	17.3	39.4	15.7	39.0	16.5	39.2	15.3	38.6	24.9	42.2	20.2	40.6	16.3	39.0	20.2	40.7	18.3	39.9
20	58.33	20.9	41.4	20.9	41.3	20.9	41.4	18.5	40.8	30.8	44.3	24.7	42.7	19.7	41.1	25.7	42.9	22.8	42.1
21	62.50	26.0	43.5	26.0	43.6	26.0	43.5	22.6	42.9	37.7	46.4	30.2	44.8	24.3	43.2	31.7	45.1	28.1	44.2
22	66.67	30.8	45.5	33.3	45.9	32.1	45.7	30.0	45.1	47.3	48.5	38.7	46.9	30.4	45.3	40.1	47.2	35.4	46.3
23	70.83	38.0	47.5	42.0	48.2	40.1	47.9	36.8	47.2	53.6	50.6	45.3	49.0	37.4	47.4	47.6	49.4	42.7	48.4
24	75.00	43.5	49.6	50.0	50.5	46.9	50.0	46.2	49.4	62.3	52.7	54.3	51.1	44.9	49.5	56.0	51.6	50.6	50.5
25	79.17	50.8	51.6	59.7	52.8	55.5	52.2	53.3	51.5	67.0	54.8	60.3	53.1	52.1	51.6	63.3	53.8	57.8	52.7
26	83.33	60.3	53.7	70.2	55.0	65.5	54.3	62.2	53.6	74.9	56.9	68.6	55.2	61.3	53.7	72.5	55.9	67.0	54.8
27	87.50	69.3	55.7	79.2	57.3	74.5	56.5	71.4	55.8	82.1	59.0	76.8	57.3	70.4	55.7	80.6	58.1	75.6	56.9
28	91.67	79.4	57.8	86.5	59.6	83.1	58.7	78.5	57.9	87.3	61.1	82.9	59.4	78.9	57.8	86.9	60.3	83.0	59.0
29	95.83	88.8	59.8	93.5	61.9	91.2	60.8	87.9	60.1	93.1	63.2	90.5	61.5	88.3	59.9	93.3	62.5	90.9	61.1
30	100.00	100.0	61.8	100.0	64.2	100.0	63.0	100.0	62.2	100.0	65.3	100.0	63.6	100.0	62.0	100.0	64.6	100.0	63.3

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 200: UK – United Kingdom. Individual norm data KIDSCREEN-52: School Environment

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=434)		Males (n=485)		All (n=919)		Females (n=442)		Males (n=452)		All (n=894)		Females (n=876)		Males (n=937)		All (n=1813)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00	0.4	11.4			0.2	13.7			1.3	22.6	0.7	22.6	0.2	19.6	0.6	19.9	0.4	19.8
7	4.17	0.4	13.5			0.2	15.8	0.5	24.5	2.2	24.5	1.3	24.5	0.4	21.5	1.1	21.8	0.7	21.7
8	8.33	0.4	15.7	0.7	19.2	0.5	17.9	2.3	26.4	2.9	26.5	2.6	26.5	1.3	23.4	1.7	23.8	1.5	23.6
9	12.50	0.6	17.8	0.7	21.3	0.6	19.9	2.8	28.4	3.5	28.4	3.1	28.4	1.6	25.3	2.0	25.7	1.8	25.5
10	16.67	1.2	19.9	1.7	23.4	1.4	22.0	4.1	30.3	4.8	30.3	4.5	30.3	2.6	27.2	3.2	27.7	2.9	27.5
11	20.83	1.2	22.1	2.5	25.5	1.9	24.1	5.9	32.2	6.6	32.3	6.3	32.3	3.5	29.0	4.5	29.6	4.0	29.4
12	25.00	1.5	24.2	3.1	27.6	2.3	26.2	8.8	34.2	9.3	34.2	9.1	34.2	5.1	30.9	6.1	31.6	5.6	31.3
13	29.17	2.1	26.4	3.9	29.6	3.1	28.3	11.8	36.1	10.4	36.2	11.1	36.2	7.0	32.8	7.0	33.5	7.0	33.2
14	33.33	3.0	28.5	6.2	31.7	4.7	30.4	15.2	38.1	14.2	38.1	14.7	38.1	9.1	34.7	10.0	35.4	9.6	35.1
15	37.50	5.3	30.7	8.5	33.8	7.0	32.5	18.3	40.0	17.1	40.1	17.7	40.0	11.9	36.6	12.6	37.4	12.3	37.0
16	41.67	7.6	32.8	10.5	35.9	9.1	34.6	23.1	41.9	22.6	42.0	22.8	42.0	15.4	38.5	16.3	39.3	15.9	39.0
17	45.83	10.6	35.0	14.5	38.0	12.6	36.7	28.0	43.9	29.6	44.0	28.9	43.9	19.4	40.4	21.8	41.3	20.6	40.9
18	50.00	15.5	37.1	19.0	40.1	17.3	38.8	35.5	45.8	35.8	45.9	35.7	45.9	25.6	42.3	27.1	43.2	26.4	42.8
19	54.17	18.7	39.2	24.6	42.2	21.8	40.9	42.6	47.7	41.2	47.8	41.8	47.8	30.7	44.2	32.6	45.2	31.7	44.7
20	58.33	21.5	41.4	29.3	44.3	25.6	43.0	50.2	49.7	46.2	49.8	48.2	49.7	36.0	46.1	37.5	47.1	36.7	46.6
21	62.50	27.7	43.5	35.4	46.4	31.8	45.1	59.1	51.6	54.4	51.7	56.7	51.7	43.5	48.0	44.6	49.1	44.1	48.5
22	66.67	33.2	45.7	43.4	48.4	38.6	47.2	66.5	53.5	65.9	53.7	66.2	53.6	50.0	49.9	54.3	51.0	52.2	50.4
23	70.83	39.2	47.8	51.7	50.5	45.8	49.3	72.2	55.5	73.5	55.6	72.8	55.5	55.8	51.7	62.2	53.0	59.1	52.4
24	75.00	46.3	50.0	61.4	52.6	54.2	51.4	78.2	57.4	81.9	57.6	80.1	57.5	62.4	53.6	71.3	54.9	67.0	54.3
25	79.17	54.9	52.1	68.4	54.7	62.0	53.5	85.1	59.4	87.6	59.5	86.3	59.4	70.1	55.5	77.7	56.9	74.0	56.2
26	83.33	64.3	54.3	75.2	56.8	70.0	55.6	88.9	61.3	90.7	61.4	89.8	61.4	76.7	57.4	82.7	58.8	79.8	58.1
27	87.50	74.4	56.4	82.8	58.9	78.9	57.7	92.3	63.2	93.6	63.4	93.0	63.3	83.5	59.3	88.0	60.8	85.8	60.0
28	91.67	80.2	58.5	88.0	61.0	84.3	59.7	94.3	65.2	95.6	65.3	95.0	65.2	87.3	61.2	91.7	62.7	89.6	61.9
29	95.83	89.6	60.7	93.4	63.1	91.6	61.8	97.3	67.1	97.8	67.3	97.5	67.2	93.5	63.1	95.5	64.6	94.5	63.9
30	100.00	100.0	62.8	100.0	65.1	100.0	63.9	100.0	69.0	100.0	69.2	100.0	69.1	100.0	65.0	100.0	66.6	100.0	65.8

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ($M = 50$, $SD = 10$).

Table A7_D - 201: UK – United Kingdom. Individual norm data KIDSCREEN-52: Social Acceptance

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=450)		Males (n=502)		All (n=952)		Females (n=449)		Males (n=460)		All (n=909)		Females (n=899)		Males (n=962)		All (n=1861)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
3	0.00	1.8	18.3	0.8	9.8	1.3	14.6	0.5	8.5	0.9	5.9	0.7	7.2	1.1	14.4	0.8	8.1	1.0	11.5
4	8.33	2.7	21.7	1.1	13.8	1.8	18.3	0.8	12.6	1.2	10.2	0.9	11.5	1.7	18.1	1.1	12.3	1.4	15.4
5	16.67	4.2	25.1	2.0	17.9	3.1	21.9	1.8	16.8	1.6	14.6	1.7	15.7	3.0	21.8	1.8	16.4	2.4	19.3
6	25.00	6.3	28.6	2.8	21.9	4.4	25.6	3.0	20.9	2.9	18.9	2.9	20.0	4.6	25.5	2.8	20.6	3.7	23.2
7	33.33	9.8	32.0	4.2	26.0	6.8	29.3	4.9	25.0	4.2	23.3	4.6	24.2	7.4	29.2	4.2	24.8	5.7	27.2
8	41.67	11.2	35.4	6.6	30.0	8.7	33.0	7.8	29.2	6.1	27.7	7.0	28.5	9.5	32.8	6.4	29.0	7.9	31.1
9	50.00	15.4	38.8	9.7	34.1	12.4	36.7	9.4	33.3	7.4	32.0	8.4	32.7	12.4	36.5	8.6	33.2	10.4	35.0
10	58.33	21.6	42.2	15.7	38.2	18.5	40.4	12.7	37.5	10.5	36.4	11.6	36.9	17.1	40.2	13.2	37.4	15.1	38.9
11	66.67	30.0	45.6	21.3	42.2	25.4	44.0	17.6	41.6	15.9	40.7	16.7	41.2	23.8	43.9	18.7	41.5	21.2	42.8
12	75.00	42.9	49.0	33.5	46.3	37.9	47.7	29.8	45.7	27.2	45.1	28.5	45.4	36.4	47.6	30.5	45.7	33.3	46.7
13	83.33	54.2	52.5	45.6	50.3	49.7	51.4	45.8	49.9	43.1	49.5	44.5	49.7	50.0	51.3	44.4	49.9	47.1	50.6
14	91.67	71.7	55.9	64.4	54.4	67.9	55.1	63.2	54.0	66.9	53.8	65.1	53.9	67.5	55.0	65.6	54.1	66.5	54.5
15	100.00	100.0	59.3	100.0	58.4	100.0	58.8	100.0	58.2	100.0	58.2	100.0	58.2	100.0	58.6	100.0	58.3	100.0	58.4

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ($M = 50$, $SD = 10$).

Table A7_D - 202: UK – United Kingdom. Individual norm data KIDSCREEN-52: Financial Resources

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=434)		Males (n=476)		All (n=910)		Females (n=451)		Males (n=460)		All (n=911)		Females (n=885)		Males (n=936)		All (n=1821)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
3	0.00	2.3	24.9	1.7	24.4	2.0	24.6	1.5	21.9	1.3	22.2	1.4	22.0	1.9	23.6	1.5	23.4	1.7	23.5
4	8.33	4.2	28.0	3.1	27.5	3.6	27.8	3.1	25.1	2.6	25.4	2.8	25.3	3.6	26.7	2.9	26.5	3.2	26.6
5	16.67	6.0	31.1	6.9	30.6	6.5	30.9	5.1	28.4	4.1	28.6	4.6	28.5	5.5	29.9	5.5	29.7	5.5	29.8
6	25.00	10.6	34.2	10.7	33.8	10.6	34.0	7.8	31.6	7.8	31.8	7.8	31.7	9.1	33.0	9.3	32.9	9.2	32.9
7	33.33	16.6	37.3	14.9	36.9	15.7	37.1	11.1	34.8	13.4	35.1	12.3	35.0	13.8	36.1	14.2	36.1	14.0	36.1
8	41.67	22.1	40.4	20.2	40.1	21.1	40.2	15.9	38.1	15.2	38.3	15.5	38.2	19.0	39.3	17.7	39.2	18.3	39.3
9	50.00	30.9	43.5	28.6	43.2	29.7	43.4	24.1	41.3	24.5	41.5	24.3	41.4	27.4	42.4	26.5	42.4	27.0	42.4
10	58.33	36.6	46.6	38.7	46.4	37.7	46.5	31.5	44.5	32.1	44.7	31.8	44.6	34.0	45.6	35.5	45.6	34.7	45.6
11	66.67	46.3	49.7	46.5	49.5	46.4	49.6	37.9	47.8	41.2	48.0	39.6	47.9	42.0	48.7	43.9	48.8	43.0	48.8
12	75.00	62.0	52.8	61.4	52.7	61.7	52.7	53.6	51.0	56.1	51.2	54.9	51.1	57.7	51.9	58.8	51.9	58.3	51.9
13	83.33	71.6	55.9	71.5	55.8	71.5	55.9	64.0	54.2	65.4	54.4	64.7	54.3	67.7	55.0	68.5	55.1	68.1	55.1
14	91.67	81.1	59.0	81.1	59.0	81.1	59.0	74.7	57.5	72.4	57.6	73.5	57.5	77.8	58.2	76.8	58.3	77.3	58.2
15	100.00	100.0	62.1	100.0	62.1	100.0	62.1	100.0	60.7	100.0	60.9	100.0	60.8	100.0	61.3	100.0	61.5	100.0	61.4

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ($M = 50$, $SD = 10$).

Table A7_D - 203: UK – United Kingdom. Individual norm data KIDSCREEN-27: Physical Well-being

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=439)		Males (n=491)		All (n=930)		Females (n=445)		Males (n=455)		All (n=900)		Females (n=884)		Males (n=946)		All (n=1830)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00							0.9	18.5			0.4	17.1	0.5	16.8			0.2	14.8
6	5.56	0.4	15.2	0.5	12.7	0.3	14.0	1.6	21.4	0.3	16.8	0.9	19.9	0.9	19.6	0.3	15.0	0.6	17.7
7	11.11	0.6	18.2	0.9	15.7	0.7	17.0	1.9	24.4	0.6	19.8	1.1	22.8	1.2	22.5	0.6	18.0	0.9	20.6
8	16.67	0.8	21.2	0.9	18.8	0.8	20.0	2.3	27.4	0.6	22.8	1.4	25.7	1.5	25.4	0.6	21.0	1.0	23.5
9	22.22	1.6	24.2	0.9	21.9	1.2	23.1	3.6	30.3	0.9	25.7	2.2	28.6	2.6	28.2	0.9	24.0	1.7	26.4
10	27.78	3.0	27.2	1.6	25.0	2.3	26.1	5.8	33.3	2.0	28.6	3.9	31.4	4.4	31.1	1.8	27.0	3.1	29.3
11	33.33	5.0	30.2	3.7	28.1	4.3	29.2	9.0	36.2	5.9	31.6	7.4	34.3	7.0	33.9	4.8	30.0	5.8	32.2
12	38.89	8.0	33.2	5.1	31.2	6.5	32.2	15.5	39.2	8.8	34.5	12.1	37.2	11.8	36.8	6.9	33.0	9.2	35.1
13	44.44	11.9	36.2	10.5	34.3	11.2	35.3	24.7	42.2	13.2	37.5	18.9	40.1	18.3	39.7	11.8	36.0	15.0	38.0
14	50.00	18.0	39.2	15.6	37.4	16.8	38.3	36.9	45.1	23.3	40.4	30.0	43.0	27.5	42.5	19.3	39.0	23.3	40.9
15	55.56	24.6	42.2	20.1	40.5	22.2	41.3	48.8	48.1	29.9	43.4	39.3	45.8	36.8	45.4	24.8	42.0	30.6	43.7
16	61.11	33.3	45.2	28.7	43.6	30.9	44.4	60.7	51.1	41.1	46.4	50.8	48.7	47.1	48.2	34.7	45.0	40.7	46.6
17	66.67	46.8	48.2	38.3	46.7	42.3	47.4	72.3	54.0	52.3	49.3	62.2	51.6	59.6	51.1	45.0	48.0	52.1	49.5
18	72.22	55.9	51.2	48.9	49.8	52.2	50.5	79.6	57.0	63.7	52.3	71.6	54.5	67.8	54.0	56.0	51.0	61.7	52.4
19	77.78	68.6	54.2	62.0	52.9	65.1	53.5	87.0	59.9	73.2	55.2	80.0	57.3	77.8	56.8	67.3	54.0	72.4	55.3
20	83.33	79.2	57.2	74.0	56.0	76.4	56.5	91.9	62.9	79.1	58.2	85.4	60.2	85.6	59.7	76.4	57.0	80.9	58.2
21	88.89	89.0	60.2	87.2	59.1	88.0	59.6	95.7	65.9	86.9	61.1	91.2	63.1	92.4	62.6	87.0	60.0	89.6	61.1
22	94.44	94.1	63.2	94.7	62.2	94.4	62.6	98.2	68.8	94.9	64.1	96.6	66.0	96.1	65.4	94.8	63.0	95.5	64.0
23	100.00	100.0	66.2	100.0	65.3	100.0	65.7	100.0	71.8	100.0	67.0	100.0	68.9	100.0	68.3	100.0	66.0	100.0	66.9

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ($M = 50$, $SD = 10$).

Table A7_D - 204: UK – United Kingdom. Individual norm data KIDSCREEN-27: Psychological Well-being

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=439)		Males (n=484)		All (n=923)		Females (n=446)		Males (n=457)		All (n=903)		Females (n=885)		Males (n=941)		All (n=1826)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
7	0.00	0.3	8.2			0.2	4.1							0.2	9.0			0.1	5.4
8	3.57	0.3	10.2			0.2	6.3			0.3	3.9	0.2	8.3	0.2	11.1	0.2	2.8	0.1	7.5
9	7.14	0.6	12.2			0.3	8.5			0.3	6.2	0.2	10.5	0.3	13.1	0.2	5.2	0.2	9.7
10	10.71	0.8	14.2	0.3	6.1	0.5	10.6			0.3	8.5	0.2	12.6	0.4	15.1	0.3	7.5	0.3	11.8
11	14.29	1.0	16.2	0.7	8.5	0.8	12.8	0.4	17.6	0.3	10.9	0.3	14.8	0.6	17.2	0.5	9.8	0.5	14.0
12	17.86	1.0	18.3	0.9	10.8	0.9	15.0	0.4	19.7	0.3	13.2	0.3	17.0	0.6	19.2	0.6	12.1	0.6	16.1
13	21.43	1.3	20.3	1.1	13.2	1.1	17.1	1.1	21.7	0.3	15.5	0.7	19.1	1.1	21.2	0.7	14.4	0.9	18.3
14	25.00	1.8	22.3	1.5	15.6	1.6	19.3	1.8	23.8	0.6	17.8	1.1	21.3	1.8	23.3	1.0	16.8	1.4	20.4
15	28.57	3.2	24.3	1.8	17.9	2.4	21.4	2.3	25.9	0.9	20.1	1.5	23.5	2.7	25.3	1.3	19.1	2.0	22.6
16	32.14	4.3	26.3	2.0	20.3	3.0	23.6	3.6	28.0	1.8	22.4	2.6	25.6	3.9	27.3	1.8	21.4	2.8	24.7
17	35.71	5.1	28.4	2.5	22.6	3.7	25.8	4.5	30.1	3.1	24.7	3.7	27.8	4.7	29.4	2.7	23.8	3.7	26.9
18	39.29	6.0	30.4	3.1	25.0	4.4	27.9	6.9	32.2	4.8	27.0	5.8	30.0	6.4	31.4	3.9	26.1	5.1	29.1
19	42.86	7.3	32.4	4.1	27.3	5.6	30.1	9.4	34.3	6.3	29.4	7.8	32.1	8.3	33.4	5.2	28.4	6.7	31.2
20	46.43	9.4	34.4	4.9	29.7	7.0	32.3	12.1	36.3	7.2	31.7	9.6	34.3	10.7	35.5	6.0	30.7	8.3	33.4
21	50.00	11.6	36.4	6.0	32.0	8.6	34.4	16.3	38.4	8.5	34.0	12.4	36.5	14.0	37.5	7.2	33.1	10.5	35.5
22	53.57	13.9	38.5	8.2	34.4	10.9	36.6	20.1	40.5	10.2	36.3	15.1	38.6	17.0	39.6	9.2	35.4	13.0	37.7
23	57.14	16.6	40.5	10.1	36.7	13.2	38.8	24.4	42.6	13.5	38.6	18.9	40.8	20.5	41.6	11.7	37.7	16.0	39.8
24	60.71	20.9	42.5	14.4	39.1	17.5	40.9	29.3	44.7	17.2	40.9	23.2	43.0	25.2	43.6	15.8	40.0	20.3	42.0
25	64.29	24.4	44.5	18.7	41.4	21.4	43.1	35.1	46.8	23.6	43.2	29.3	45.1	29.8	45.7	21.1	42.4	25.3	44.1
26	67.86	30.7	46.5	24.7	43.8	27.6	45.2	44.4	48.9	30.2	45.6	37.2	47.3	37.6	47.7	27.4	44.7	32.3	46.3
27	71.43	38.9	48.6	29.9	46.1	34.2	47.4	52.1	50.9	38.7	47.9	45.3	49.5	45.6	49.7	34.2	47.0	39.7	48.4
28	75.00	48.4	50.6	39.8	48.5	43.9	49.6	60.8	53.0	48.3	50.2	54.5	51.6	54.7	51.8	44.0	49.3	49.2	50.6
29	78.57	59.6	52.6	50.4	50.8	54.8	51.7	69.1	55.1	60.8	52.5	64.9	53.8	64.4	53.8	55.5	51.7	59.8	52.7
30	82.14	70.3	54.6	62.8	53.2	66.4	53.9	78.1	57.2	70.9	54.8	74.5	56.0	74.2	55.9	66.8	54.0	70.4	54.9
31	85.71	79.3	56.6	73.2	55.6	76.1	56.1	85.3	59.3	81.2	57.1	83.2	58.1	82.3	57.9	77.1	56.3	79.6	57.1
32	89.29	84.7	58.7	84.7	57.9	84.7	58.2	91.7	61.4	87.8	59.5	89.7	60.3	88.3	59.9	86.2	58.6	87.2	59.2
33	92.86	90.9	60.7	93.0	60.3	92.0	60.4	96.4	63.4	93.5	61.8	94.9	62.5	93.7	62.0	93.2	61.0	93.4	61.4
34	96.43	96.8	62.7	97.5	62.6	97.2	62.6	98.2	65.5	97.6	64.1	97.9	64.7	97.5	64.0	97.6	63.3	97.5	63.5
35	100.00	100.0	64.7	100.0	65.0	100.0	64.7	100.0	67.6	100.0	66.4	100.0	66.8	100.0	66.0	100.0	65.6	100.0	65.7

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 205: UK – United Kingdom. Individual norm data KIDSCREEN-27: Parent Relations & Autonomy

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=422)		Males (n=461)		All (n=883)		Females (n=450)		Males (n=455)		All (n=905)		Females (n=872)		Males (n=916)		All (n=1788)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
7	0.00							0.3	13.1			0.2	12.3	0.2	13.9			0.1	12.6
8	3.57							0.3	15.0			0.2	14.2	0.2	15.7			0.1	14.5
9	7.14	0.4	17.8			0.2	16.2	0.6	16.9	0.5	15.1	0.5	16.1	0.4	17.5	0.3	14.9	0.3	16.3
10	10.71	0.6	19.5	0.3	16.4	0.4	18.0	0.8	18.8	0.8	17.0	0.7	18.0	0.6	19.3	0.5	16.8	0.5	18.1
11	14.29	1.0	21.3	0.7	18.3	0.8	19.8	0.8	20.7	0.8	18.9	0.7	19.9	0.8	21.2	0.7	18.7	0.7	20.0
12	17.86	1.3	23.0	0.7	20.2	1.0	21.7	0.8	22.6	0.8	20.9	0.7	21.8	1.0	23.0	0.7	20.6	0.8	21.8
13	21.43	1.9	24.8	1.0	22.1	1.4	23.5	1.2	24.5	1.2	22.8	1.1	23.7	1.5	24.8	1.0	22.5	1.2	23.7
14	25.00	2.6	26.5	1.4	24.0	1.9	25.3	1.4	26.4	1.8	24.7	1.6	25.6	2.0	26.6	1.5	24.4	1.7	25.5
15	28.57	3.4	28.3	2.0	25.8	2.6	27.1	2.9	28.3	2.3	26.6	2.6	27.5	3.1	28.4	2.1	26.3	2.6	27.4
16	32.14	4.1	30.0	2.4	27.7	3.2	28.9	3.2	30.2	2.7	28.5	2.9	29.4	3.6	30.2	2.5	28.2	3.0	29.2
17	35.71	6.4	31.8	4.5	29.6	5.4	30.7	4.0	32.1	4.2	30.5	4.1	31.3	5.2	32.0	4.3	30.1	4.7	31.1
18	39.29	9.2	33.5	6.9	31.5	8.0	32.5	6.3	34.0	5.9	32.4	6.1	33.2	7.7	33.8	6.4	32.0	7.0	32.9
19	42.86	11.1	35.3	8.2	33.4	9.6	34.4	10.7	35.9	7.5	34.3	9.1	35.1	10.9	35.7	7.8	33.9	9.3	34.8
20	46.43	14.5	37.0	10.4	35.3	12.3	36.2	15.1	37.8	10.8	36.2	12.9	37.1	14.8	37.5	10.6	35.8	12.6	36.7
21	50.00	17.1	38.8	13.9	37.2	15.4	38.0	19.8	39.7	14.7	38.2	17.2	39.0	18.5	39.3	14.3	37.7	16.3	38.5
22	53.57	20.9	40.5	18.4	39.1	19.6	39.8	24.9	41.6	19.5	40.1	22.2	40.9	22.9	41.1	19.0	39.6	20.9	40.4
23	57.14	25.5	42.3	21.7	40.9	23.5	41.6	29.3	43.5	25.1	42.0	27.2	42.8	27.5	42.9	23.4	41.5	25.4	42.2
24	60.71	28.4	44.0	25.6	42.8	26.9	43.4	34.9	45.4	29.7	44.0	32.3	44.7	31.8	44.7	27.6	43.4	29.6	44.1
25	64.29	32.4	45.8	32.1	44.7	32.2	45.2	39.1	47.3	34.1	45.9	36.6	46.6	35.9	46.5	33.1	45.3	34.4	45.9
26	67.86	35.5	47.5	36.6	46.6	36.1	47.1	46.6	49.2	42.2	47.8	44.4	48.5	41.2	48.3	39.4	47.2	40.3	47.8
27	71.43	43.5	49.3	40.7	48.5	42.0	48.9	53.3	51.1	49.2	49.7	51.3	50.4	48.6	50.2	44.9	49.1	46.7	49.6
28	75.00	49.2	51.0	48.3	50.4	48.7	50.7	62.4	53.0	55.6	51.7	59.0	52.3	56.0	52.0	51.9	51.0	53.9	51.5
29	78.57	56.3	52.8	53.9	52.3	55.0	52.5	70.5	54.9	63.5	53.6	67.0	54.2	63.6	53.8	58.6	52.9	61.1	53.3
30	82.14	63.4	54.5	61.7	54.1	62.6	54.3	75.5	56.8	71.4	55.5	73.5	56.1	69.7	55.6	66.5	54.8	68.1	55.2
31	85.71	70.8	56.3	71.3	56.0	71.1	56.1	80.6	58.7	76.5	57.4	78.6	58.0	75.9	57.4	73.9	56.7	74.9	57.0
32	89.29	80.1	58.0	78.9	57.9	79.5	58.0	86.4	60.6	82.4	59.4	84.4	59.9	83.3	59.2	80.7	58.6	82.0	58.9
33	92.86	86.5	59.8	86.3	59.8	86.4	59.8	90.4	62.5	89.4	61.3	89.9	61.8	88.5	61.0	87.9	60.5	88.2	60.8
34	96.43	91.9	61.5	92.6	61.7	92.3	61.6	95.3	64.4	93.8	63.2	94.6	63.7	93.7	62.9	93.2	62.4	93.5	62.6
35	100.00	100.0	63.3	100.0	63.6	100.0	63.4	100.0	66.2	100.0	65.1	100.0	65.7	100.0	64.7	100.0	64.3	100.0	64.5

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 206: UK – United Kingdom. Individual norm data KIDSCREEN-27: Social Support & Peers

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=446)		Males (n=485)		All (n=931)		Females (n=443)		Males (n=454)		All (n=897)		Females (n=889)		Males (n=939)		All (n=1828)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
4	0.00	0.4	10.8	0.5	7.6	0.3	9.3			0.3	13.0	0.2	12.0	0.2	10.6	0.3	10.8	0.2	10.8
5	6.25	0.4	13.9	0.9	11.0	0.6	12.5	0.5	13.5	0.3	16.2	0.4	15.2	0.4	13.7	0.6	14.0	0.4	14.0
6	12.50	1.1	17.0	1.3	14.3	1.2	15.7	1.0	16.6	0.3	19.3	0.6	18.3	1.0	16.8	0.8	17.2	0.9	17.1
7	18.75	1.8	20.1	1.3	17.7	1.5	18.9	2.1	19.8	1.1	22.5	1.6	21.4	1.9	20.0	1.2	20.5	1.5	20.3
8	25.00	2.5	23.2	1.7	21.0	2.0	22.1	3.2	23.0	2.9	25.7	3.0	24.6	2.8	23.1	2.2	23.7	2.5	23.5
9	31.25	4.2	26.3	3.3	24.4	3.8	25.4	3.7	26.1	4.2	28.8	3.9	27.7	3.9	26.2	3.7	26.9	3.8	26.6
10	37.50	6.2	29.4	4.4	27.7	5.3	28.6	5.7	29.3	6.8	32.0	6.2	30.9	6.0	29.4	5.5	30.1	5.7	29.8
11	43.75	7.6	32.5	6.6	31.1	7.1	31.8	7.5	32.5	9.9	35.2	8.7	34.0	7.5	32.5	8.2	33.4	7.9	33.0
12	50.00	11.6	35.6	8.5	34.5	10.0	35.0	11.1	35.6	16.5	38.4	13.8	37.1	11.4	35.6	12.4	36.6	11.9	36.1
13	56.25	15.5	38.7	13.2	37.8	14.3	38.3	15.4	38.8	23.7	41.5	19.6	40.3	15.5	38.8	18.3	39.8	16.9	39.3
14	62.50	22.0	41.8	20.1	41.2	21.0	41.5	20.8	42.0	31.3	44.7	26.1	43.4	21.4	41.9	25.5	43.0	23.5	42.5
15	68.75	28.9	44.9	28.1	44.5	28.5	44.7	30.7	45.1	43.8	47.9	37.4	46.6	29.8	45.0	35.7	46.3	32.9	45.7
16	75.00	39.5	48.0	43.0	47.9	41.3	47.9	43.2	48.3	58.6	51.1	51.0	49.7	41.3	48.1	50.5	49.5	46.0	48.8
17	81.25	51.5	51.1	53.0	51.3	52.3	51.2	55.6	51.5	68.1	54.2	61.9	52.8	53.6	51.3	60.3	52.7	57.0	52.0
18	87.50	63.2	54.2	71.0	54.6	67.3	54.4	66.9	54.6	76.4	57.4	71.7	56.0	65.0	54.4	73.6	55.9	69.4	55.2
19	93.75	78.7	57.3	81.9	58.0	80.4	57.6	80.1	57.8	88.7	60.6	84.5	59.1	79.4	57.5	85.2	59.2	82.4	58.3
20	100.00	100.0	60.4	100.0	61.3	100.0	60.8	100.0	61.0	100.0	63.8	100.0	62.3	100.0	60.7	100.0	62.4	100.0	61.5

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).

Table A7_D - 207: UK – United Kingdom. Individual norm data KIDSCREEN-27: School Environment

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=438)		Males (n=488)		All (n=926)		Females (n=444)		Males (n=453)		All (n=897)		Females (n=882)		Males (n=941)		All (n=1823)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
4	0.00	0.5	10.9			0.3	12.3			1.3	20.7	0.7	20.8	0.3	18.0	0.6	17.8	0.4	17.9
5	6.25	0.5	14.1	0.3	16.3	0.4	15.5	0.9	23.8	2.2	23.6	1.6	23.7	0.7	20.9	1.2	20.8	0.9	20.9
6	12.50	0.5	17.4	0.9	19.5	0.7	18.7	2.5	26.8	3.3	26.6	2.9	26.7	1.5	23.8	2.0	23.8	1.8	23.8
7	18.75	1.0	20.6	1.9	22.8	1.4	21.9	4.3	29.7	4.2	29.5	4.2	29.6	2.6	26.7	3.0	26.8	2.8	26.8
8	25.00	1.5	23.9	2.7	26.0	2.1	25.2	6.8	32.7	7.5	32.5	7.1	32.6	4.1	29.7	5.0	29.8	4.6	29.8
9	31.25	3.2	27.1	4.5	29.3	3.9	28.4	12.7	35.6	9.9	35.4	11.3	35.5	8.0	32.6	7.1	32.8	7.5	32.7
10	37.50	4.8	30.3	6.4	32.5	5.6	31.6	16.0	38.6	15.0	38.4	15.5	38.5	10.5	35.5	10.5	35.8	10.5	35.7
11	43.75	9.0	33.6	10.3	35.8	9.7	34.8	23.2	41.5	21.2	41.3	22.2	41.4	16.1	38.4	15.5	38.9	15.8	38.7
12	50.00	14.7	36.8	19.5	39.0	17.2	38.0	33.6	44.5	31.4	44.3	32.5	44.4	24.2	41.3	25.2	41.9	24.7	41.6
13	56.25	20.6	40.1	25.7	42.2	23.2	41.3	41.7	47.4	41.1	47.2	41.4	47.3	31.2	44.3	33.1	44.9	32.2	44.6
14	62.50	28.1	43.3	34.1	45.5	31.2	44.5	54.8	50.3	51.0	50.2	52.9	50.2	41.5	47.2	42.2	47.9	41.9	47.5
15	68.75	37.0	46.5	46.1	48.7	41.8	47.7	67.0	53.3	62.7	53.1	64.8	53.2	52.1	50.1	54.1	50.9	53.1	50.5
16	75.00	49.6	49.8	60.5	52.0	55.3	50.9	77.1	56.2	77.9	56.0	77.5	56.1	63.4	53.0	68.9	53.9	66.2	53.5
17	81.25	62.6	53.0	73.6	55.2	68.4	54.1	85.9	59.2	87.4	59.0	86.6	59.1	74.3	55.9	80.2	56.9	77.4	56.4
18	87.50	74.9	56.2	83.6	58.4	79.5	57.4	90.6	62.1	91.8	61.9	91.2	62.0	82.8	58.8	87.6	60.0	85.2	59.4
19	93.75	85.4	59.5	91.0	61.7	88.4	60.6	95.5	65.1	96.9	64.9	96.2	65.0	90.5	61.8	93.9	63.0	92.2	62.4
20	100.00	100.0	62.7	100.0	64.9	100.0	63.8	100.0	68.0	100.0	67.8	100.0	67.9	100.0	64.7	100.0	66.0	100.0	65.3

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ($M = 50$, $SD = 10$).

Table A7_D - 208: UK – United Kingdom. Individual norm data KIDSCREEN-10 Index

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=420)		Males (n=462)		All (n=882)		Females (n=436)		Males (n=444)		All (n=880)		Females (n=856)		Males (n=906)		All (n=1762)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
10	0.00																		
11	2.50																		
12	5.00																		
13	7.50																		
14	10.00																		
15	12.50																		
16	15.00	0.4	11.3			0.2	8.8							0.2	14.4			0.1	11.8
17	17.50	0.4	12.9			0.2	10.6							0.2	16.0			0.1	13.5
18	20.00	0.4	14.6	0.3	9.8	0.3	12.3							0.2	17.6	0.2	12.1	0.1	15.1
19	22.50	0.6	16.2	0.6	11.6	0.5	14.0	0.5	20.5			0.3	18.3	0.5	19.2	0.3	13.9	0.3	16.8
20	25.00	0.6	17.9	0.6	13.4	0.5	15.7	0.8	22.1			0.4	20.0	0.7	20.8	0.3	15.7	0.4	18.5
21	27.50	0.6	19.5	0.6	15.3	0.5	17.5	1.4	23.8	0.4	18.9	0.8	21.7	1.0	22.4	0.4	17.4	0.6	20.2
22	30.00	1.0	21.2	0.6	17.1	0.7	19.2	1.7	25.5	0.7	20.7	1.1	23.4	1.3	24.0	0.6	19.2	0.9	21.9
23	32.50	1.3	22.8	0.8	18.9	0.9	20.9	2.1	27.1	1.0	22.5	1.5	25.1	1.7	25.7	0.8	21.0	1.2	23.5
24	35.00	1.7	24.4	1.1	20.7	1.4	22.7	3.0	28.8	1.6	24.3	2.3	26.8	2.3	27.3	1.3	22.8	1.8	25.2
25	37.50	1.7	26.1	1.6	22.5	1.6	24.4	3.3	30.5	1.9	26.0	2.5	28.6	2.5	28.9	1.7	24.6	2.0	26.9
26	40.00	3.1	27.7	2.0	24.4	2.5	26.1	4.1	32.1	3.4	27.8	3.7	30.3	3.6	30.5	2.6	26.3	3.1	28.6
27	42.50	3.9	29.4	2.6	26.2	3.2	27.8	5.0	33.8	4.9	29.6	5.0	32.0	4.4	32.1	3.7	28.1	4.1	30.3
28	45.00	4.8	31.0	3.9	28.0	4.3	29.6	7.5	35.5	5.6	31.4	6.6	33.7	6.2	33.7	4.7	29.9	5.4	32.0
29	47.50	6.5	32.7	4.6	29.8	5.5	31.3	10.1	37.1	6.5	33.2	8.3	35.4	8.3	35.3	5.5	31.7	6.9	33.7
30	50.00	9.6	34.3	5.4	31.6	7.4	33.0	14.2	38.8	7.8	35.0	11.0	37.1	11.9	36.9	6.6	33.5	9.2	35.3
31	52.50	11.7	36.0	7.4	33.5	9.4	34.8	20.2	40.5	10.5	36.8	15.3	38.8	16.0	38.5	8.9	35.3	12.4	37.0
32	55.00	13.6	37.6	9.5	35.3	11.5	36.5	25.4	42.1	14.8	38.5	20.1	40.5	19.6	40.2	12.1	37.0	15.8	38.7
33	57.50	15.8	39.2	11.9	37.1	13.7	38.2	31.8	43.8	18.2	40.3	25.0	42.2	23.9	41.8	15.0	38.8	19.3	40.4
34	60.00	19.6	40.9	14.9	38.9	17.1	39.9	37.1	45.5	23.4	42.1	30.2	43.9	28.5	43.4	19.1	40.6	23.6	42.1
35	62.50	24.1	42.5	18.8	40.8	21.3	41.7	42.8	47.1	29.5	43.9	36.1	45.6	33.6	45.0	24.0	42.4	28.7	43.8
36	65.00	28.8	44.2	23.8	42.6	26.2	43.4	48.3	48.8	35.1	45.7	41.6	47.3	38.8	46.6	29.3	44.2	33.9	45.4
37	67.50	33.8	45.8	28.1	44.4	30.8	45.1	52.9	50.5	39.6	47.5	46.2	49.0	43.6	48.2	33.7	46.0	38.5	47.1
38	70.00	38.3	47.5	34.3	46.2	36.2	46.9	58.2	52.1	46.6	49.2	52.4	50.7	48.5	49.8	40.3	47.7	44.3	48.8
39	72.50	46.0	49.1	39.9	48.0	42.8	48.6	66.5	53.8	52.4	51.0	59.4	52.4	56.4	51.4	46.0	49.5	51.1	50.5
40	75.00	50.9	50.7	47.8	49.9	49.3	50.3	71.8	55.5	62.1	52.8	66.9	54.1	61.6	53.1	54.8	51.3	58.1	52.2
41	77.50	57.6	52.4	56.8	51.7	57.2	52.0	78.0	57.1	68.9	54.6	73.4	55.8	68.0	54.7	62.7	53.1	65.3	53.9
42	80.00	63.1	54.0	61.8	53.5	62.4	53.8	81.9	58.8	76.8	56.4	79.3	57.5	72.7	56.3	69.1	54.9	70.9	55.6
43	82.50	69.5	55.7	70.1	55.3	69.8	55.5	85.8	60.5	82.2	58.2	84.0	59.2	77.8	57.9	76.0	56.7	76.9	57.2
44	85.00	78.3	57.3	78.7	57.1	78.5	57.2	90.0	62.1	87.0	60.0	88.5	60.9	84.2	59.5	82.8	58.4	83.5	58.9
45	87.50	82.8	59.0	84.8	59.0	83.8	58.9	92.9	63.8	89.9	61.7	91.4	62.7	88.0	61.1	87.3	60.2	87.6	60.6
46	90.00	88.3	60.6	90.0	60.8	89.2	60.7	94.5	65.5	93.7	63.5	94.1	64.4	91.5	62.7	91.8	62.0	91.7	62.3
47	92.50	93.3	62.3	93.9	62.6	93.6	62.4	97.5	67.1	96.2	65.3	96.9	66.1	95.5	64.3	95.0	63.8	95.2	64.0
48	95.00	96.2	63.9	96.8	64.4	96.5	64.1	98.9	68.8	97.8	67.1	98.3	67.8	97.5	65.9	97.3	65.6	97.4	65.7
49	97.50	99.0	65.5	99.1	66.3	99.1	65.9	99.8	70.5	99.1	68.9	99.4	69.5	99.4	67.6	99.1	67.4	99.3	67.4
50	100.00	100.0	67.2	100.0	68.1	100.0	67.6	100.0	72.1	100.0	70.7	100.0	71.2	100.0	69.2	100.0	69.1	100.0	69.0

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50. SD = 10).